


DELTA PROFILE INTERM.FRAME FOR ADAPTATION OF DELTA PLUS COMPONENTS



Model	
Product brand name	DELTA PROFIL
Product designation	Intermediate frame
Design of cover / flush design	No
General technical data	
Surface processing	others
Material	thermoplastic
Protection class	
Protection class IP	IP20
Suitability	
Suitability for integration	
<ul style="list-style-type: none"> • built-in installation • Device installation duct • underfloor duct box • flush mounting 	<p>No</p> <p>No</p> <p>No</p> <p>Yes</p>
Appearance	
Appearance	shiny

RAL color number	9010
Color	miscellaneous

Product details

Product component	
<ul style="list-style-type: none"> • Labeling field • Hinged lid 	<p>No</p> <p>No</p>
Product feature	
<ul style="list-style-type: none"> • halogen-free • transparent 	<p>Yes</p> <p>No</p>

Number

Number of units	1
-----------------	---

Mechanical Design

Height	65 mm
Width	65 mm
Mounting position	horizontal and vertical
Mounting type	terminal mounting
Material / of cover frame	plastic

Test Certificates

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG1893>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG1893>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG1893

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

