

BACKING PLATE FOR EM. STOP MUSH. PUSHBUTTON IN ENCLOSURE, YELLOW, WITHOUT INSCRIPTION, SELF-ADHESIVE WITH RECESS FOR LABELING PLATE




Figure similar

Product brand name	SIRIUS ACT
Product designation	Labeling plate
Design of the product	for enclosures with EMERGENCY STOP with recess
Product type designation	3SU1

### General technical data

Protection class IP	IP66, IP67, IP69(IP69K)
Shock resistance	Category 1, Class B
<ul style="list-style-type: none"> <li>for railway applications acc. to DIN EN 61373</li> </ul>	
Vibration resistance	Category 1, Class B
<ul style="list-style-type: none"> <li>for railway applications acc. to DIN EN 61373</li> </ul>	

### Installation/ mounting/ dimensions





Height	38 mm
Width	150 mm

### Accessories

Material of accessory	Plastic
Mounting type of label	stick
Marking of the name plate for command devices	none

Shape of the name plate for command devices	rectangular
Color of the label	yellow/black (plate/text)

### Certificates/approvals

General Product Approval		Declaration of Conformity	Test Certificates		
				<a href="#">Declaration of the Compliance with the order</a>	<a href="#">Special Test Certificate</a>
CSA	UL		EG-Konf.		

### other

[Confirmation](#)

### Further information

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

#### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0BF31-0AA0>

#### Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0BF31-0AA0>

#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0BF31-0AA0>

#### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3SU1900-0BF31-0AA0&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0BF31-0AA0&lang=en)



last modified:

09/13/2017