

LABELING PLATE SELF-ADHESIVE FOR ENCLOSURE, LABEL SIZE 22 X 22MM, LABEL SILVER, LETTERING BLACK, WITH INSCRIPTION: START



Figure similar

Product brand name	SIRIUS ACT
Product designation	Labeling plate
Product type designation	3SU1
General technical data	
Protection class IP	IP66, IP67, IP69(IP69K)
Shock resistance	Category 1, Class B
<ul style="list-style-type: none"> for railway applications acc. to DIN EN 61373 	
Vibration resistance	Category 1, Class B
<ul style="list-style-type: none"> for railway applications acc. to DIN EN 61373 	
Installation/ mounting/ dimensions	
Height	22 mm
Width	22 mm
Accessories	
Material of accessory	Plastic
Mounting type of label	stick
Marking of the name plate for command devices	Start
Shape of the name plate for command devices	Square

Color of the label

silver/black (plate/text)

Certificates/approvals

General Product Approval



CSA



UL



EG-Konf.

Declaration of Conformity

Test Certificates

[Declaration of the Compliance with the order](#)

[Special Test Certificate](#)

other

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0AF81-0DT0>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0AF81-0DT0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0AF81-0DT0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0AF81-0DT0&lang=en



last modified:

09/13/2017