

MINIZED, switch disconnecter with fuse, D02, 3-pole, In: 63 A, Un AC: 400 V, for 60mm 8US busbar system



Model	
Product brand name	MINIZED
Product designation	Switch disconnectors with fuses
Design of the product	For 60 mm 8US busbar system
General technical data	
Number of poles	3
Size of fuse system / acc. to DIN EN 60269-1	D02
Voltage	
Surge voltage resistance / rated value	6 kV
Protection class	
Protection class IP	IP20, with connected conductors
Electricity	
Current / at AC / rated value	63 A
Main circuit	
Operating voltage / at AC / rated value	400 V
Product details	

Product feature / sealable	Yes
----------------------------	-----

Mechanical Design

Height	100 mm
Width	27 mm
Depth	219 mm
Mounting position	any, preferably vertical
Net weight	688 g

Certificates

Equipment marking	
<ul style="list-style-type: none"> • acc. to DIN EN 61346-2 • acc. to DIN EN 81346-2 	<p>F</p> <p>F</p>

General Product Approval	Declaration of Conformity
---------------------------------	----------------------------------



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SG7230>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5SG7230>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SG7230

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



