







DEVICE ADAPTER S0, 32A, FOR 60MM BUSBAR SYSTEM,  
45X260MM LONG SPECIAL CABLES WELDED ON AWG 10, 99MM  
LONG WITH POSITIONER SUPPORT RAIL SCREWED ON



Model	
Product brand name	SENTRON
Design of the product	Accessories
Current / at AC / rated value	32 A
Operating voltage / at AC / rated value	690 V
Width	45 mm
Busbar center-to-center spacing	60 mm
Net weight	334.5 g

General Product Approval				Declaration of Conformity	Test Certificates
 CSA	 UR	 UL		 EG-Konf.	<a href="#">Special Test Certificate</a>

Test Certificates		Shipping Approval			
<a href="#">Type Test Certificates/Test Report</a>	<a href="#">Miscellaneous</a>	 ABS	 BUREAU VERITAS	 LRS	 PRS

Shipping Approval	other	Railway
 RINA	 RMRS	<a href="#">Miscellaneous</a> <a href="#">Vibration and Shock</a>

#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1251-5NT10>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8US1251-5NT10>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8US1251-5NT10](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1251-5NT10)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

