

Door-coupling rotary operating mechanism Emergency switching-off without tolerance compensation Size 75x 75, Shaft 8x 8, 300 mm, 0-I, Complete unit Handle size 45 mm Accessory for 3KD size 1 and 2, 3KF size 1



Model	
Product brand name	SENTRON
Product designation	Accessories
Design of the product	Door-coupling rotary operating mechanism
Design of handle	Red-yellow
Design of the door lock system	Door interlocking
Protection class IP	IP65

Product details	
Product feature / interlock	Yes
Product component	
• axis extension	Yes
• Handle for emergency-OFF function	Yes
Product feature / lockable	Yes

Accessories	
accessories	Door-coupling rotary operating mechanism
Height	105 mm
Width	88 mm
Depth	445 mm

Net weight

622 g

## Declaration of Conformity



EG-Konf.

## Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1171-2AD15>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8UD1171-2AD15>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8UD1171-2AD15](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1171-2AD15)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



