

POTENTIAL BARRIER



Figure similar

Article number		
Product brand name		SIRIUS
Product category		Galvanic isolation plates
Product designation		Galvanic isolation plate
Design of the product		For electrical separation of different potentials when devices of different types are installed side by side

General technical data		
Display version LED		No
Product component		No
<ul style="list-style-type: none"> • semi-conductor output 		No
Equipment marking		F
<ul style="list-style-type: none"> • acc. to DIN EN 61346-2 • acc. to DIN EN 81346-2 		F
Product component Plug-in socket		No

Connections/Terminals		
Product function		No
<ul style="list-style-type: none"> • removable terminal 		No

Installation/ mounting/ dimensions

Height	mm	93
Width	mm	2
Depth	mm	77

Ambient conditions

Ambient temperature		
• during operation	°C	-25 ... +60
• during storage	°C	-40 ... +85
• during transport	°C	-40 ... +85

Certificates/approvals

General Product Approval	Declaration of Conformity	Marine / Shipping	other
--------------------------	---------------------------	-------------------	-------



[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RQ3900-0A>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RQ3900-0A>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RQ3900-0A>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RQ3900-0A&lang=en



last modified:

09/25/2017