

DELTA line, aluminum-metallic frame 1-fold, 80x 80 mm



Model	
Product brand name	DELTA LINE
Product designation	Frame
Design of cover / flush design	No
General technical data	
Surface processing	others
Material	thermoplastic
Protection class	
Protection class IP	IP20
Suitability	
<b>Suitability for integration</b>	
• built-in installation	No
• Device installation duct	No
• underfloor duct box	No
• flush mounting	Yes
Appearance	
Appearance	shiny

RAL color number	9006
Color	Titanium white

### Product details

Product component	
<ul style="list-style-type: none"> <li>• Labeling field</li> <li>• Hinged lid</li> </ul>	No
Product feature	
<ul style="list-style-type: none"> <li>• halogen-free</li> <li>• transparent</li> </ul>	Yes No

### Number

Number of units	1
-----------------	---

### Mechanical Design

Height	80 mm
Width	80 mm
Mounting position	horizontal and vertical
Mounting type	terminal mounting
Material / of cover frame	plastic

#### General Product Approval

#### Test Certificates

[Miscellaneous](#)



### Further information

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

#### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG2551-3>

#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG2551-3>

#### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TG2551-3](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2551-3)

#### CAX-Online-Generator

<http://www.siemens.com/cax>

#### Tender specifications

<http://www.siemens.com/specifications>

