

EU-Konformitätserklärung / EU-Declaration of Conformity

Nr./No. A5E50284620A, Rev.: 003

Produktgruppenbezeichnung/-modell Antenna Cables, Serial Cables, PROFIBUS / PROFINET / ETHERNET Cables, Power Cables, USB Cables, Fiber Optic Cables, Assembled /Not Assembled, PB Bus Terminals
Product group identification/-model

Hersteller Siemens Aktiengesellschaft, Digital Industries, Process Automation (DI PA)

Manufacturer

Anschrift DE- 76181 Karlsruhe, Germany

Address

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller.

Die in Tabelle 1 bezeichneten Produkte des oben beschriebene Gegenstandes der Erklärung erfüllen die einschlägigen Harmonisierungsrechtsvorschriften der Union:

RoHS-Richtlinie:

2011/65/EU Richtlinie des europäischen Parlaments und des Rates vom 8. Juni 2011 zur Beschränkung der Verwendung bestimmter gefährlicher Stoffe in Elektro- und Elektronikgeräten; Amtsblatt der EU L174, 01/07/2011, S. 88-110

Weitere Angaben über die Einhaltung dieser Richtlinie(n) enthalten Anhang RoHS und Anhang Produkte, die integrale Bestandteile dieser Konformitätserklärung sind.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The designated products in Table 1 as part of the object of the declaration described above are in conformity with the relevant Union harmonisation legislation:

RoHS Directive:

2011/65/EU Directive of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment; Official Journal of the EU L174, 01/07/2011, p. 88-110

Further information about the conformity to this Directive(s) is given in annex RoHS and annex Products which are integral parts of this declaration of conformity.

Unterzeichnet für und im Namen von: / Signed for and on behalf of:
Siemens Aktiengesellschaft

Karlsruhe, _____ den / the 24.03.2021

Ort / place _____ Datum der Ausstellung / date of issue _____

Maier-Hinze Wolfgang
Maier-Hinze Wolfgang
Datum: 2021.03.25
15:11:25 +01'00'

Maier-Hinze, i.V. _____

Name / name _____ Unterschrift / Signature _____

Leiter Qualitätsmanagement / Head of Quality Management

DI PA DCP QM

Funktion / function _____

Jung Robert
Digital signiert von Jung Robert
DN: cn=Jung Robert, o=Siemens,
email=robert.jung@siemens.com
Datum: 2021.03.24 14:57:33
+01'00'

Jung, i.V. _____

Name / name _____ Unterschrift / Signature _____

Leiter Entwicklung / Vice President R&D,

DI PA DCP R&D

Funktion / function _____

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

EU-Konformitätserklärung / EU-Declaration of Conformity

Nr./No. A5E50284620A, Rev.: 003

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Seite/page 1 von/of 24

Anhang RoHS / Annex RoHS zur EU-Konformitätserklärung / to EU-Declaration of Conformity

Nr./No. A5E50284620A, Rev.: 003

Produktgruppenbezeichnung/-modell Antenna Cables, Serial Cables, PROFIBUS / PROFINET / ETHERNET Cables, Power
Product group identification/-model Cables, USB Cables, Fiber Optic Cables, Assembled /Not Assembled, PB Bus Terminals

Die Übereinstimmung der bezeichneten Produkte des oben genannten Gegenstandes mit den Vorschriften der angewandten Richtlinie(n) wird nachgewiesen durch die vollständige Einhaltung folgender Normen / Vorschriften:

The conformity of the designated products of the object described above with the provisions of the applied Directive(s) is proved by full compliance with the following standards / regulations:

Harmonisierte Normen (RoHS) / Harmonized standards (RoHS):

| Referenznummer <i>Reference number</i> | Ausgabedatum <i>Date of issue</i> | Referenznummer <i>Reference number</i> | Ausgabedatum <i>Date of issue</i> |
|---|--------------------------------------|---|--------------------------------------|
| EN IEC 63000 | 2018 | | |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snape; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

Anhang Produkte / Annex Products zur EU-Konformitätserklärung / to EU-Declaration of Conformity

Nr./No. A5E50284620A, Rev.: 003

Produktgruppenbezeichnung/-modell Antenna Cables, Serial Cables, PROFIBUS / PROFINET / ETHERNET Cables, Power Cables, USB Cables, Fiber Optic Cables, Assembled /Not Assembled, PB Bus Terminals
Product group identification/-model

Tabelle 1 / table 1

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 1. | 6GF3020-0AC40-0AC4 | RS232 CABLE WITH EU PS FOR USE WITH HAWKEYE 40(T) / 45(T) OR MV340, 8' (2.4M), COILED, INCL. EU-POWER SUPPLY |
| 2. | 6GF3320-0AC02 | USB CABLE 6' (1.8M), ONLY TO BE USED WITH MV320 STRAIGHT (NOT COILED). |
| 3. | 6GF3320-0AC03 | RS232-CABLE W/O PS, FOR USE WITH MV320 8' (2.4M), COILED, NOTE: POWER SUPPLY UNDER 6GF3020-0AC40-0AP2 |
| 4. | 6GF3325-0AC06 | MV325 RS232-MODEM CABLE W/O PS FOR USE WITH MV325-M3-MODEM OR SIMATIC MV340 READER, CABLE: 8' (2.4M), COILED, NO POWER SUPPLY INCLUDED SUITABLE POWER SUPPLY: 6GF3320-0AC04 |
| 5. | 6GF3400-0BH15 | SIMATIC MV400 POWER CABLE FOR MV420/440, M16 - PUSH-PULL, PUR, 1QMM, LENGTH 1.5 M PREASSEMBLED PIN ASS. H+G (24V PS ONLY) |
| 6. | 6GF3400-1BH20 | SIMATIC MV400 POWER CABLE FOR MV420/440, M16 - PUSH-PULL, PUR, 1QMM, LENGTH 2 M M16 CONF., PUSH-PULL OPEN PIN ASS. H+G (24V PS ONLY) |
| 7. | 6GF3402-8BA12 | ASM adapter cable (M12 to M12) for MV46x for connecting to RFID communications modules (ASM) |
| 8. | 6GF3402-8BA21 | Power-IO-DATA-cable 10m for MV46x-devices (MLFB: 6GF3460-0CD10,...- 0GE10,... -0LE10; -0HE10) M12 preassembled one-side, open end, length 10m |
| 9. | 6GF3402-8BA41 | Power-IO-DATA-cable 30m for MV46x-devices (MLFB: 6GF3460-0CD10,...- 0GE10,... -0LE10; -0HE10) M12 preassembled one-side, open end, length 30m |
| 10. | 6GF3402-8BD10 | Adapter cable MV46x for MV400-ring lights; allows the subsequent connection of 6GF3400-0LT0-7BA1 and 6GF3400-0LT0-8BA1 to MV46x for power supply via 6GF3402-8BA21 or 6GF3402-8BA41; connections: M12, 12-pin socket; M16, 12-pin |
| 11. | 6GF3420-0AC00-2CB0 | ASM ADAPTER CABLE (M16 TO M12) FOR MV420 FOR CONNECTING TO RFID COMMUNICATION MODULES (ASM) |
| 12. | 6GF3440-8BA2 | POWER-IO-RS232 CABLE 10M FOR MV 400 UNITS (MLFB: 6GF3440-1CD10, ...-1GE10, -1LE10; 6GF3420-0AA20,...0AA40) M16 PREASSEMBLED ONE-SIDE, OPEN END, LENGTH: 10M |
| 13. | 6GF3440-8BA4 | POWER-IO-RS232-CABLE 30M FOR MV 440 UNITS (MLFB:6GF3440-1CD10, ...-1GE10, -1LE10; 6GF3420-0AA20,...0AA40) M16 PREASSEMBLED ONE-SIDE, OPEN END, LENGTH: 30M |
| 14. | 6GF3440-8BC4 | CABLE F. SIMATIC MV400- AND VS100 LIGHTS LAMP SIDE WITH M12 ANGULAR CABLE PLUG; ONE END FREE; 10M PUR-CABLE; 4 POLE; 4 X 0,34SQMM; SUITABLE LIGHTS: 6GF3400-0LT01-7BA1; 6GF3400-0LT01-8DA1; |
| 15. | 6GF3440-8BD1 | ADAPTER CABLE MV400-RING LIGHTS ALLOWS THE CONNECTION OF 6GF3400-0LT0-7BA1 AND 6GF3400-0LT0-8BA1 TO MV420 AND MV440 ONLY WITH POWER SUPPLY VIA 6GF3440-8BA2 OR 6GF3440-8BA4; CONNECTIONS: M16, 12POL SOCKET; M16, 12POLE CONNECT; M12, 4POLE |
| 16. | 6GF3500-8BA12 | ASM adapter cable for MV500 for connection of MV500 to communication modules (CM) (M12 12-pole socket MV-side - M12, 8-pole connector CM-side) Length: 5 m |
| 17. | 6GF3500-8BA20 | CAB_CONF RS422, M12/M16; Power adapter cable for MV540 For connection with MV500 devices w. Power-DIO-RS232 cable of MV400 devices; configured on both sides: 1) M12 12-pole socket 2) M16 12-pole connector Length: approx. 50 cm |
| 18. | 6GF3500-8BA21 | Power-IO-DATA cabel MV500 10m for MV540 devices (MLFB: 6GF3540-0CD10,...- 0GE10,... -0LE10; -0HE10) M12 preassembled one-side, open end, length 10m |
| 19. | 6GF3500-8BA41 | Power-IO-DATA cabel MV500 30m for MV540 devices (MLFB: 6GF3540-0CD10,...- 0GE10,... -0LE10; -0HE10) M12 preassembled one-side, open end, length 30m |
| 20. | 6GF3500-8BD10 | Adapter cabel ExtLightn. MV500 for MV500 ring lights; allows subsequent connection of 6GF3400-0LT0-7BA1 and 6GF3400-0LT0-8BA1 to MV540 for power supply via 6GF3500-8BA21 or 6GF3500-8BA41; connections: M12, 12POL socket; M16, 12 pole connector; M12, 4-pol. Socket; |
| 21. | 6GF3500-8HA01 | MICRO-SD ADAPTER MV500 for MV540 devices (MLFB: 6GF3540-0CD10,...- 0GE10,... -0LE10; -0HE10) Delivery: Adapter (without SD-card) |
| 22. | 6GK1500-0AB00 | PB Bus Terminal RS 485, Bus terminal RS 485 for PROFIBUS transmission rate: 9.6 Kbit/s to 1500 Kbit/s with Plug-in cable 3.0 m |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|--|
| 23. | 6GK1500-0DA00 | PB Bus Terminal RS 485, Bus terminal RS 485 for PROFIBUS with added PG interface, with Plug-in cable 1.5 m |
| 24. | 6GK1571-1AA00-0AD0 | USB-CONNECT. CABLE FOR CP 5711 2 M USB-CABLE |
| 25. | 6GK5980-3CB00-0AA1 | IE CABLE SFP+/SFP+ 1M; PREASSEMBLED IE CABLE WITH SFP-PLUS CONNECTORS; LENGTH: 1M; 1 PACK = 1 PIECE |
| 26. | 6GK5980-3CB00-0AA2 | IE CABLE SFP+/SFP+ 2M; PREASSEMBLED IE CABLE WITH SFP-PLUS CONNECTORS; LENGTH: 2M; 1 PACK = 1 PIECE |
| 27. | 6GK5980-3CB00-0AA7 | IE CABLE SFP+/SFP+ 7M; PREASSEMBLED IE CABLE WITH SFP-PLUS CONNECTORS; LENGTH: 7M; 1 PACK = 1 PIECE |
| 28. | 6GT2090-4AN50 | RFID SYSTEMS CONNEX. CABLE ASM - READER W/O CONNECTOR, PACKED SEPARAT. PUR, CMG, TRAILING, 50 M |
| 29. | 6GT2090-4AT12 | RFID SYSTEMS CONNEX. CABLE ASM - READER W/O CONNECTOR, PACKED SEPARAT. PUR, CMG, TRAILING, 120 M |
| 30. | 6GT2090-4AT80 | RFID SYSTEMS CONNEX. CABLE ASM - READER W/O CONNECTOR, PACKED SEPARAT. PUR, CMG, TRAILING, 800 M |
| 31. | 6GT2091-0FH10-0AX0 | MOBY I/E CONNECT. CABLE, SPECIAL VERSION PREASSEMBLED WITH PROTECTION TUBE, BETWEEN ASM 456 AND SLG, PA6, PUR, UL 94 V-0, LENGTH: 1 M |
| 32. | 6GT2091-0FH20-0AX0 | MOBY I/E CONN. CABLE, SPECIAL VERSION PREASSEMBLED WITH PROTECTION TUBE, BETWEEN ASM 456 AND SLG PA6, PUR, UL 94 V-0, LENGTH: 2 M |
| 33. | 6GT2091-1CE50-0AX0 | MOBY I/E/U CONN. CABLE, SPECIAL VERSION PREASSEMBLED WITH PROTECTION TUBE, BETWEEN ASM 450/452/473 AND SLG, PA6, PUR, UL 94 V-0, LENGTH: 0.5 M |
| 34. | 6GT2091-1CH20 | MOBY I/E/U CONNECTING CABLE, PREFABRICATED, BETWEEN ASM 450/452/473 AND SLG, PUR, LENGTH = 2 M |
| 35. | 6GT2091-1CH50 | MOBY I/E/U CONN. CABLE, PREFABRICATED, BETWEEN ASM 450/452/473 AND SLG, PUR, LENGTH = 5 M |
| 36. | 6GT2091-1CN10 | MOBY I/E/U CONN. CABLE, PREFABRICATED, BETWEEN ASM 450/452/473 AND SLG, PUR, LENGTH = 10 M |
| 37. | 6GT2091-1CN20 | MOBY I/E/U CONNECTING CABLE, PREFABRICATED, BETWEEN ASM 450/452/473 AND SLG, PUR, LENGTH 20 M |
| 38. | 6GT2091-1CN50 | MOBY I/E/U CONN. CABLE, PREFABRICATED, BETWEEN ASM 450/452/473 AND SLG, PUR, LENGTH = 50 M |
| 39. | 6GT2091-4EH20 | MOBY I/E/U CONNECTING CABLE ASM 470/475 - SLG, PUR, CMG, TRAILING, LENGTH 2 M |
| 40. | 6GT2091-4EH50 | MOBY I/E/U CONNECTING CABLE ASM 470/475- SLG, PUR, CMG, TRAILING, LENGTH 5 M |
| 41. | 6GT2091-4EN10 | MOBY I/E/U CONNECTING CABLE ASM 470/475- SLG, PUR, CMG, TRAILING, LENGTH 10 M |
| 42. | 6GT2091-4EN20 | MOBY I/E/U CONNECTING CABLE ASM 470/475- SLG, PUR, CMG, TRAILING, LENGTH 20 M |
| 43. | 6GT2091-4EN50 | MOBY I/E/U CONNECTING CABLE ASM 470/475- SLG, PUR, CMG, TRAILING, LENGTH 50 M |
| 44. | 6GT2091-4FH20 | MOBY I/E/U CONNECT. CABLE, PREASSEMBLED, BETWEEN ASM 456, RF160C, RF170C, RF18XC AND SLG, PUR, CMG, TRAILING, LENGTH 2 M |
| 45. | 6GT2091-4FH50 | MOBY I/E/U CONNECT. CABLE, PREASSEMBLED, BETWEEN ASM 456, RF160C, RF170C, RF18XC AND SLG, PUR, CMG, TRAILING, LENGTH 5 M |
| 46. | 6GT2091-4LH20 | SIMATIC RF, MV CONNECT. CABLE, PREASSEMBLED, BETWEEN RF120C AND READER PUR, CMG, TRAILING, LENGTH 2 M |
| 47. | 6GT2091-4LH50 | SIMATIC RF, MV CONNECT. CABLE, PREASSEMBLED, BETWEEN RF120C AND READER PUR, CMG, TRAILING, LENGTH 5 M |
| 48. | 6GT2091-4LN10 | SIMATIC RF, MV CONNECT. CABLE, PREASSEMBLED, BETWEEN RF120C AND READER PUR, CMG, TRAILING, LENGTH 10 M |
| 49. | 6GT2091-4VE30 | ADAPTER MOBY TO RF300 CONNECT. CABLE, PREASSEMBLED, FROM MOBY I/E/U CONNECTOR TO M12 CONNECTOR FOR RF300 READER, PUR, CMG, TRAILING, LNG 0.3 M |
| 50. | 6GT2091-6EH20 | MOBY I/E/U CONNEX. CABLE ASM 470/475 - SLG, STRAIGHT SLG CONNECTOR, PUR, CMG, TRAILING, LENGTH 2 M |
| 51. | 6GT2091-6EH50 | MOBY I/E/U CONNEX. CABLE ASM 470/475 SLG, STRAIGHT SLG CONNECTOR, PUR, CMG, TRAILING, LENGTH 5 M |
| 52. | 6GT2091-6EN10 | MOBY I/E/U CONNEX. CABLE ASM 470/475 SLG, STRAIGHT SLG CONNECTOR, PUR, CMG, TRAILING, LENGTH 10M |
| 53. | 6GT2091-6EN50 | MOBY I/E/U CONNEX. CABLE ASM 470/475 SLG, STRAIGHT SLG CONNECTOR, PUR, CMG, TRAILING, LENGTH 50M |
| 54. | 6GT2091-7UH10 | Cabel Conv. USB/Lowvoltage, 5V, 1m SIMATIC RF1000 USB connecting cable for RF1000 reader Length 0.5 m; A/low-voltage plug, length 1 m |
| 55. | 6GT2191-0AH50 | SIMATIC RF, MV CONNECT. CABLE, PREASSEMBLED, BETWEEN RF170C AND MV340/325, COILED, LENGTH 5 M USEABLE LENGTH 1.6 UP TO 4 M |
| 56. | 6GT2191-0BH50 | SIMATIC RF, MV CONNECT. CABLE, PREASSEMBLED, BETWEEN RF170C AND MV320 COILED, LENGTH 5 M USEABLE LENGTH 1.6 UP TO 4 M |
| 57. | 6GT2391-0AH30 | SIMATIC RF200/RF300 CONNECTING CABLE FOR ANTENNA PUR, UL 758, LENGTH 3M TRAILING CAPABILITY STRAIGHT M8 CONNECTOR/ M8 ANGLED FOR CONNECTION BETWEEN READER AND ANTENNA |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 58. | 6GT2391-0AE60 | Conn. Cable ANTx with 2x M8, 0.6m trail. SIMATIC RF200/RF300 antenna connection cable PUR, UL 758, length 0.6 m trailing plug M8 straight/M8 angled to be connected between reader and antenna |
| 59. | 6GT2391-1DH50 | MOBY E CONNECTING CABLE BETW. SIM 7X AND PC, STANDARD RS 232, WITH CABLE FOR DI/DO AND 24 V DC CONNECTOR (W/O POWER UNIT) PREFABRICATED, PVC, L = 5 M |
| 60. | 6GT2491-1CH20 | MOBY D/F CONNECTING CABLE BETWEEN ASM 450/452/473 SLG 8X, SLG D1XS, PREASSEMBLED, PUR, L = 2 M |
| 61. | 6GT2491-1CH50 | MOBY D/F CONNECTING CABLE BETWEEN ASM 450/452/473 SLG 8X, SLG D1XS, PREASSEMBLED, PUR, L = 5 M, IP65 |
| 62. | 6GT2491-1CN20 | MOBY D/F CONNECTING CABLE BETWEEN ASM 450/452/473 AND SLG 8X, SLG D1XS, PREASSEMBLED, PUR, L = 20 M IP65 |
| 63. | 6GT2491-1HH50 | MOBY CONNECTING CABLE FOR WIDE RANGE POWER UNIT 6GT2494-0AA00, 6GT2898-0AA00, 6GT2898-0AA10, 6GT2898-0AA20, 24 V DC; PUR, LENGTH: 5 M |
| 64. | 6GT2491-4EH50 | MOBY D CONNECTING CABLE BETWEEN ASM 475 AND SLG D1XS PUR, CMG, TRAILING, 5 M |
| 65. | 6GT2491-4EN20 | MOBY D CONNECTING CABLE BETWEEN ASM 475 AND SLG D1XS PUR, CMG, TRAILING, 20 M |
| 66. | 6GT2491-4EN50 | MOBY D CONNECTING CABLE BETWEEN ASM 475 AND SLG D1XS PUR, CMG, TRAILING, 50 M |
| 67. | 6GT2691-0CH33 | MOBY D CONNECTING CABLE FOR ANTENNA FOR ANT D5, ANT D6 AND ANT D10 BETWEEN ANTENNA AND SLG D10/SLG D10S OR RF290 ANTENNA SWITCH, IP 65, PVC, LENGTH: 3.3 M |
| 68. | 6GT2691-0CN10 | MOBY D ANTENNA CABLE BETWEEN ANTENNA ANT D5/D6/D10 AND SLG D10/D10S/SLG D11/D11S OR RF290! ANTENNA SWITCH, IP 65, PVC, LENGTH: 10M |
| 69. | 6GT2691-0DH72 | MOBY D ANTENNA EXTENSION FOR 6GT2691-0CH33, IP 65, PVC, LENGTH: 7,2M |
| 70. | 6GT2691-4BH50 | MOBY D RS 232 CONNEC. CABLE BETWEEN PC A. SLG D10ANT/SLG D11ANT D5 /SLG D12, PUR, CMG, TRAILING, LENGTH 5 M |
| 71. | 6GT2691-4BN20 | MOBY D RS 232 CONNECTING CABLE BETWEEN PC AND SLG D10ANT/SLG D11 ANT D5/SLG D12 PUR, CMG, TRAILING, LENGTH 20 M |
| 72. | 6GT2691-4FH20 | MOBY D CONNECTING CABLE, PREASSEMBLED, BETWEEN ASM 456, RF160C, RF170C, RF18XC AND SLG D1XS PUR, CMG, TRAILING, LENGTH 2 M |
| 73. | 6GT2815-0BH10 | SIMATIC RF600 ANTENNA L1 CONNECTING CABLE ASSEMBLED, BETWEEN READER AND ANTENNA, IP65 PE, CMR/MPR, LENGTH 1 M |
| 74. | 6GT2815-0BH30 | SIMATIC RF600 CONNECT. CABLE ANTENNA L3 PREASSEMBLED, BETWEEN READER AND ANTENNA, IP65 PE, CMR/MPR, LENGTH: 3 M |
| 75. | 6GT2815-0BN10 | SIMATIC RF600 CONN. CABLE FOR ANTENNA L10 PREASSEMBLED, BETWEEN READER AND ANTENNA, IP65 PE, CMR/MPR, LENGTH 10 M |
| 76. | 6GT2815-0BN20 | SIMATIC RF600 CONN. CABLE FOR ANTENNA L20 PREASSEMBLED, BETWEEN READER AND ANTENNA, IP65 PE, CMR/MPR, LENGTH 20 M |
| 77. | 6GT2815-0BN40 | SIMATIC RF600 CONNECT. CABLE ANTENNA L40 PREASSEMBLED, BETWEEN READER AND ANTENNA, IP65 PE, CMR/MPR, LENGTH 40 M ATTENUATION 5DB |
| 78. | 6GT2815-1BN10 | SIMATIC RF600 CONNECTING CABLE ANTENNA L10; DAMPING -2 DB; PREASSEMBLED; IP65; PE, CMR/MPR, LENGTH: 10 M |
| 79. | 6GT2815-2BH50 | SIMATIC RF600 CONNECT. CABLE ANTENNA L5; PREASSEMBLED, BETWEEN READER AND ANTENNA; IP65; TRAILING (TRAILING CAPABILITY); PE, CMR/MPR, LENGTH 5 M |
| 80. | 6GT2815-2BN15 | SIMATIC RF600 CONNECT. CABLE ANTENNA L15; PREASSEMBLED; IP65; TRAILING (TRAILING CAPABILITY); PE, CMR/MPR, LENGTH 15 M |
| 81. | 6GT2891-0CH50 | SIMATIC RF600 DI/DO CABLE CONNECTOR FOR RF650R, RF670R, RF68XR, M12, 12 X 0.14 MM2, SHIELDED, MATERIAL PUR, IP67; LENGTH 5M, ONE SIDE OPEN |
| 82. | 6GT2891-0NH50 | SIMATIC RF600 CONNECTING CABLE 5M FOR POWER UNITS 6GT2898-0AA00, 6GT2898-0AA10, 6GT2898-0AA20; MATERIAL PUR; IP65; LENGTH 5M; FOR reader RF640R, rf670r |
| 83. | 6GT2891-0PH50 | SIMATIC RF600 CONN. CABLE FOR 24V CONNECTION OF RF650R, RF68XR READERS TO 6GT2898-0AA and 6GT2898-0AC TYPE POWER SUPPLIES, PUR, LENGTH 5M |
| 84. | 6GT2891-0UE50 | SIMATIC RF200 USB cable connector for RF1060R 6GT2831-6AA50; Length 0.5m; |
| 85. | 6GT2891-1CH20 | SIMATIC RF300 CONNECTING CABLE, PREASSEMBLED, BETWEEN ASM 473/452 AND READER, PUR, LENGTH: 2 M |
| 86. | 6GT2891-1CH50 | SIMATIC RF300 CONNECTING CABLE, PREASSEMBLED, BETWEEN ASM 473/452 AND READER, PUR, LENGTH: 5 M |
| 87. | 6GT2891-4EH20 | SIMATIC RF, MV CONNEC. CABLE, PREFABRICATED, BETWEEN ASM 475 AND READER, OR 24V CABLE FOR RF650R, RF68XR, PUR, CMG, TRAILING, LENGTH 2 M |
| 88. | 6GT2891-4EH50 | SIMATIC RF, MV CONNEC. CABLE, PREFABRICATED, BETWEEN ASM 475 AND READER, OR 24V CABLE FOR RF650R, RF68XR, PUR, CMG, TRAILING, LENGTH 5 M |
| 89. | 6GT2891-4FH10-0AX0 | SIMATIC RF, MV cable connector, assembled between ASM 456, RF160C, RF170C, RF18XC and Reader PUR, CMG, Trailing, Length 1m with protection hose |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

EU-Konformitätserklärung / EU-Declaration of Conformity

Nr./No. A5E50284620A, Rev.: 003

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Seite/page 5 von/of 24

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 90. | 6GT2891-4FH20 | SIMATIC RF, MV CONNECT. CABLE, PREASSEMBLED, BETWEEN ASM 456, RF160C, RF170C, RF18XC AND READER OR EXTENSION CABLE FOR ASM 456, RF160C, RF170C, RF18XC WITH RF, MV, MOBY PUR, CMG, TRAILING, LENGTH 2 M |
| 91. | 6GT2891-4FH50 | SIMATIC RF, MV CONNECT. CABLE, PREASSEMBLED, BETWEEN ASM 456, RF160C, RF170C, RF18XC AND READER, OR EXTENSION CABLE FOR ASM 456, RF160C, RF170C, RF18XC WITH RF, MV, MOBY PUR, CMG, TRAILING, LENGTH 5 M |
| 92. | 6GT2891-4FN10 | SIMATIC RF, MV CONNECT. CABLE, PREASSEMBLED, BETWEEN ASM 456, RF160C, RF170C, RF18XC AND READER, OR EXTENSION CABLE FOR ASM 456, RF160C, RF170C, RF18XC WITH RF, MV, MOBY PUR, CMG, LENGTH 10 M |
| 93. | 6GT2891-4FN20 | SIMATIC RF, MV CONNECT. CABLE, PREASSEMBLED, BETWEEN ASM 456, RF160C, RF170C, RF18XC AND READER, OR EXTENSION CABLE FOR ASM 456, RF160C, RF170C, RF18XC MIT RF, MV, MOBY PUR, CMG, TRAILING, LENGTH 20 M |
| 94. | 6GT2891-4FN50 | SIMATIC RF, MV CONNECT. CABLE, PREASSEMBLED, ZWISCHEN ASM 456, RF160C, RF170C, RF18XC AND READER, OR EXTENSION CABLE FOR ASM 456, RF160C, RF170C, RF18XC MIT RF, MV, MOBY PUR, CMG, TRAILING, LENGTH 50 M |
| 95. | 6GT2891-4JH20 | SIMATIC RF, MV M12-CONNECT. CABLE, PREASSEMBLED, BETWEEN ASM 456, RF160C, RF170C, RF18XC AND READER PUR, CMG, TRAILING, LENGTH 2 M READER-CONNECTOR ANGLED |
| 96. | 6GT2891-4JH50 | SIMATIC RF, MV CONNECT. CABLE, PREASSEMBLED, BETWEEN ASM 456, RF160C, RF170C, RF18XC AND READER PUR, CMG, TRAILING, LENGTH 5 M READER CONNECTOR ANGLED |
| 97. | 6GT2891-4JN10 | SIMATIC RF, MV CONNECT. CABLE, PREASSEMBLED, BETWEEN ASM 456, RF160C, RF170C, RF18XC AND READER PUR, CMG, TRAILING, LENGTH 10 M READER CONNECTOR ANGLED |
| 98. | 6GT2891-4KH50 | SIMATIC RF200 / RF300 CONNEX. CABLE, PREFABRICATED, BETWEEN READER AND PC (RS232), PUR, CMG, TRAILING, LENGTH 5 M 24V-SIDE WITH M12 CONNECTOR |
| 99. | 6GT2891-4KH50-0AX0 | SIMATIC RF200/RF300 CONNECT. CABLE, PREASSEMBLED, BETWEEN READER AND PC (RS232), PUR, CMG, TRAILING, LENGTH 5 M 24V-SIDE WITH OPEN ENDS |
| 100. | 6GT2891-4KH50-0AX1 | SIMATIC RF200 / RF300; CONNECTING CABLE, PREASSEMBLED, BETWEEN READER AND PC (RS232), PUR, CMG, TRAILING, LENGTH 5 M; 24V-SIDE WITH M8 CONNECTOR; READER CONNECTOR ANGLED |
| 101. | 6GT2891-4LH50 | SIMATIC RF IO-LINK PLUG-IN CABLE, PREASSEMBLED, BETWEEN IO-LINK MASTER AND READER, M12 4-POLE AND OPEN END, PUR, LENGTH 5 M |
| 102. | 6GT2891-4LN10 | SIMATIC RF IO-LINK CONNECTING CABLE, PREASSEMBLED, BETWEEN IO-LINK MASTER AND READER, M12 4 POLE AND OPEN END, PUR, LENGTH 10 M |
| 103. | 6GT2891-4MH50 | SIMATIC RF IO-LINK CONNECTING CABLE, PREASSEMBLED, BETWEEN IO-LINK MASTER AND READER, M12 4-POLE ON BOTH SIDES CABLE 3-WIRE, PUR, LENGTH 5 M |
| 104. | 6GT2891-4MN10 | SIMATIC RF IO-LINK CONNECTING CABLE, PREASSEMBLED, BETWEEN IO-LINK MASTER AND READER, M12 4-POLE ON BOTH SIDES CABLE 3-WIRE, PUR, LENGTH 10 M |
| 105. | 6GT2891-7UA18 | Con. Cable RS232, sub-D/Pico/NV-St, 1,8m SIMATIC RF1000 RS232 plug-in cable for RF1000 reader to PC or CPs with D-sub 9-pin plug, 5V via low-voltage plug or USB port using adapter cable 6GT2091-7UH10 length 1,8 m |
| 106. | 6GT2898-0AC01 | SIMATIC RF600 POWER CABLE FOR WIDE RANGE POWER SUPPLY FOR SIMATIC RF-SYSTEMS WITH SCHUKO CONNECTOR TYPE CEE 7/7 |
| 107. | 6GT2898-0AC11 | SIMATIC RF600 POWER CABLE FOR WIDE RANGE POWER SUPPLY FOR SIMATIC RF-SYSTEMS CONNECTOR IN UK VERSION |
| 108. | 6GT2898-0AC21 | SIMATIC RF600 POWER CABLE FOR WIDE RANGE POWER SUPPLY FOR SIMATIC RF-SYSTEMS CONNECTOR IN US VERSION |
| 109. | 6NH7701-0AR | SINAUT ST7, TEST CABLE FOR CONNECTING TWO TIMS VIA THE RS232-INTERFACE WITHOUT INTERCONNECTION OF MODEMS (NULL-MODEM); CABLE LENGTH 6 M |
| 110. | 6NH7701-4AL | SINAUT ST7, CONNECTING CABLE FOR CONNECTING A TIM TO ONE OF THE SINAUT ST7 MODEMS MD2, MD3 OR MD4 VIA THE RS232-INTERFACE; ALSO SUITABLE FOR CONNECTING THE NAMED MODEMS TO A SIMATIC POINT-TO-POINT CP LIKE CP340, CP341 OR CP441 WITH |
| 111. | 6NH7701-4BN | SINAUT ST7, CONNECTING CABLE WITH SINGLE-SIDED OPEN END FOR CONNECTING A TIM TO A THIRD-PARTY MODEM OR RADIO DEVICE VIA THE RS232 INTERFACE; CABLE LENGTH 2,5 M |
| 112. | 6NH7701-5AN | SINAUT ST7, CONNECTING CABLE FOR CONNECTING A TIM TO THE GSM MODEM MC45T OR MD720-3 VIA THE RS232 INTERFACE; ALSO SUITABLE FOR THIRD-PARTY MODEMS OR RADIO DEVICES WITH STANDARD RS232 INTERFACE; CABLE LENGTH 2,5 M |
| 113. | 6NH9701-0AD | SINAUT PPI MODEM CABLE FOR CONNECTING GSM MODEM MD720-3 TO SERIAL PPI INTERFACE OF S7-200 |
| 114. | 6XV1801-2A | ROBUST ENERGY CABLE, 4-WIRE ENERGY CABLE, LITZ WIRE 4 X 1.0 MM2 MAX. CONSIGNMENT 1000 M, MIN. ORDER QUANTITY 20 M SOLD BY THE METER |
| 115. | 6XV1801-5AH10 | ROBUST POWER CONNECTING CABLE M12-180/M12-180, IP69, TO POWER SUPPLY OF ET200, PREASSEMBLED CABLES WITH M12 CONNECTORS A. M12 FEMALE CONNETOR, A-CODED, 4-POLE, 1,0 M |
| 116. | 6XV1801-5AH20 | ROBUST POWER CONNECTING CABLE M12-180/M12-180, IP69, TO POWER SUPPLY OF ET200, PREASSEMBLED CABLES WITH M12 CONNECTORS A. M12 FEMALE CONNETOR, A-CODED, 4-POLE, 2,0 M |
| 117. | 6XV1801-5AH30 | ROBUST POWER CONNECTING CABLE M12-180/M12-180, IP69, TO POWER SUPPLY OF ET200, PREASSEMBLED CABLES WITH M12 CONNECTORS A. M12 FEMALE CONNETOR, A-CODED, 4-POLE, 3,0 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 118. | 6XV1801-5AH50 | ROBUST POWER CONNECTING CABLE M12-180/M12-180, IP69, TO POWER SUPPLY OF ET200, PREASSEMBLED CABLES WITH M12 CONNECTORS A. M12 FEMALE CONNETOR, A-CODED, 4-POLE, 5.0 M |
| 119. | 6XV1801-5DE30 | POWER CONNECTING CABLE M12-180/M12-180 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH M12 CONNECT. AND M12 A-CODE FEMALE CONNECTOR 4-POLE 0.3 M |
| 120. | 6XV1801-5DE50 | POWER CONNECTING CABLE M12-180/M12-180 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH M12 CONNECT. AND M12 A-CODE FEMALE CONNECTOR 4-POLE 0.5 M |
| 121. | 6XV1801-5DH10 | POWER CONNECTING CABLE M12-180/M12-180 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH M12 CONNECT. AND M12 A-CODE FEMALE CONNECTOR 4-POLE 1.0 M |
| 122. | 6XV1801-5DH15 | POWER CONNECTING CABLE M12-180/M12-180 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH M12 CONNECT. AND M12 A-CODE FEMALE CONNECTOR 4-POLE 1.5 M |
| 123. | 6XV1801-5DH20 | POWER CONNECTING CABLE M12-180/M12-180 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH M12 CONNECT. AND M12 A-CODE FEMALE CONNECTOR 4-POLE 2.0 M |
| 124. | 6XV1801-5DH30 | POWER CONNECTING CABLE M12-180/M12-180 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH M12 CONNECT. AND M12 A-CODE FEMALE CONNECTOR 4-POLE 3.0 M |
| 125. | 6XV1801-5DH50 | POWER CONNECTING CABLE M12-180/M12-180 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH M12 CONNECT. AND M12 A-CODE FEMALE CONNECTOR 4-POLE 5.0 M |
| 126. | 6XV1801-5DN10 | POWER CONNECTING CABLE M12-180/M12-180 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH M12 CONNECT. AND M12 A-CODE FEMALE CONNECTOR 4-POLE 10.0 M |
| 127. | 6XV1801-5DN15 | POWER CONNECTING CABLE M12-180/M12-180 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH M12 CONNECT. AND M12 A-CODE FEMALE CONNECTOR 4-POLE 15.0 M |
| 128. | 6XV1801-5GE30 | POWER CONNECTING CABLE M12-90/M12-90 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE W/ M12 CONNECT. AND M12 FEM. CONN., A CODED, 4 WIRE, 0.3 M |
| 129. | 6XV1801-5GE50 | POWER CONNECTING CABLE M12-90/M12-90 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE W/ M12 CONNECT. AND M12 FEM. CONN., A CODED, 4 WIRE 0.5 M |
| 130. | 6XV1801-5GH10 | POWER CONNECTING CABLE M12-90/M12-90 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE W/ M12 CONNECT., AND M12 FEM. CONN., A CODED, 4 WIRE 1 M |
| 131. | 6XV1801-5GH15 | POWER CONNECTING CABLE M12-90/M12-90 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE W/ M12 CONNECT. AND M12 FEM. CONN., A CODED, 4 WIRE 1.5 M |
| 132. | 6XV1801-5GH20 | POWER CONNECTING CABLE M12-90/M12-90 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE W/ M12 CONNECT. AND M12 FEM. CONN., A CODED, 4 WIRE 2 M |
| 133. | 6XV1801-5GH30 | POWER CONNECTING CABLE M12-90/M12-90 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE W/ M12 CONNECT. AND M12 FEM. CONN., A CODED, 4 WIRE 3 M |
| 134. | 6XV1801-5GH50 | POWER CONNECTING CABLE M12-90/M12-90 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE W/ M12 CONNECT. AND M12 FEM. CONN., A CODED, 4 WIRE 5 M |
| 135. | 6XV1801-5GN10 | POWER CONNECTING CABLE M12-90/M12-90 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE W/ M12 CONNECT. AND M12 FEM. CONN., A CODED, 4 WIRE 10 M |
| 136. | 6XV1801-5GN15 | POWER CONNECTING CABLE M12-90/M12-90 FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE W/ M12 CONNECT. AND M12 FEM. CONN., A CODED, 4 WIRE 15 M |
| 137. | 6XV1812-8A | SIMATIC NET ENERGY CABLE, 2-WIRE ENERGY CABLE, LITZ WIRE, 2 X 0.75 SQMM, TRAILING TYPE MAX. CONSIGNMENT: 2000 M, MIN. LENGTH ORDERED: 20 M SOLD BY THE METER |
| 138. | 6XV1820-5AH10 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125), STANDARD CABLE, SPLITTABLE, W/O CONNECTOR, SOLD BY THE METER MAX. LENGTH: 2000 M MIN. LENGTH ORDERED: 20 M |
| 139. | 6XV1820-5BH10 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125) STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 1M |
| 140. | 6XV1820-5BH20 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125) STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 2M |
| 141. | 6XV1820-5BH30 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125) STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 3 M |
| 142. | 6XV1820-5BH40 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125) STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS LENGTH: 4 M |
| 143. | 6XV1820-5BH50 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125) STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 5 M |
| 144. | 6XV1820-5BN10 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125) STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 10 M |
| 145. | 6XV1820-5BN15 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125) STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 15 M |
| 146. | 6XV1820-5BN20 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125) STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 20 M |
| 147. | 6XV1820-5BN30 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125) STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 30 M |
| 148. | 6XV1820-5BN40 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125) STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 40 M |
| 149. | 6XV1820-5BN50 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125) STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 50 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 150. | 6XV1820-5BN55 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE, PREASS. WITH 4 BFOC CONNECTORS LENGTH: 55 M |
| 151. | 6XV1820-5BN60 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 60 M |
| 152. | 6XV1820-5BN65 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE, PREASS. WITH 4 BFOC CONNECTORS LENGTH: 65 M |
| 153. | 6XV1820-5BN70 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE, PREASS. WITH 4 BFOC CONNECTORS LENGTH: 70 M |
| 154. | 6XV1820-5BN75 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 75 M |
| 155. | 6XV1820-5BN80 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE PREASS. WITH 4 BFOC CONNECTORS LENGTH: 80 M |
| 156. | 6XV1820-5BT10 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 100 M |
| 157. | 6XV1820-5BT12 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 120 M |
| 158. | 6XV1820-5BT13 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE PREASS. WITH 4 BFOC CONNECTORS LENGTH: 130 M |
| 159. | 6XV1820-5BT15 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 150 M |
| 160. | 6XV1820-5BT20 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 200 M |
| 161. | 6XV1820-5BT25 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 250 M |
| 162. | 6XV1820-5BT30 | SIMATIC NET, FIBER OPTIC CABLE (62.5/125)STANDARD CABLE, SPLITTABLE PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 300 M |
| 163. | 6XV1820-6AH10 | SIMATIC NET, FLEXIBLE FIBER OPTIC CABLE (62.5/125), TRAILING CABLE, SPLITTABLE, WITHOUT CONNECTOR, SOLD BY THE METER MAX. CONSIGNMENT: 2000 M MIN. ORDER QUANTITY: 20 M |
| 164. | 6XV1820-6BH10 | SIMATIC NET, FLEXIBLE FIBER OPTIC CABLE (62.5/125), TRAILING CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 1 M |
| 165. | 6XV1820-6BH20 | SIMATIC NET, FLEXIBLE FIBER OPTIC CABLE (62.5/125), TRAILING CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 2 M |
| 166. | 6XV1820-6BH30 | SIMATIC NET, FLEXIBLE FIBER OPTIC CABLE (62.5/125), TRAILING CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 3 M |
| 167. | 6XV1820-6BH50 | SIMATIC NET, FLEXIBLE FIBER OPTIC CABLE (62.5/125), TRAILING CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 5 M |
| 168. | 6XV1820-6BN10 | SIMATIC NET, FLEXIBLE FIBER OPTIC CABLE (62.5/125), TRAILING CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 10 M |
| 169. | 6XV1820-6BN15 | SIMATIC NET, FLEXIBLE FIBER OPTIC CABLE (62.5/125), TRAILING CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 15 M |
| 170. | 6XV1820-6BN20 | SIMATIC NET, FLEXIBLE FIBER OPTIC CABLE (62.5/125), TRAILING CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 20 M |
| 171. | 6XV1820-6BN30 | SIMATIC NET, FLEXIBLE FIBER OPTIC CABLE (62.5/125), TRAILING CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 30 M |
| 172. | 6XV1820-6BN50 | SIMATIC NET, FLEXIBLE FIBER OPTIC CABLE (62.5/125), TRAILING CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 50 M |
| 173. | 6XV1820-6BN75 | SIMATIC NET, FLEXIBLE FIBER OPTIC CABLE (62.5/125), TRAILING CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 75 M |
| 174. | 6XV1820-6BT10 | SIMATIC NET, FLEXIBLE FIBER OPTIC CABLE (62.5/125), TRAILING CABLE, SPLITTABLE, PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH: 100 M |
| 175. | 6XV1820-7AH10 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESIS. TO TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT., SOLD BY THE METER, MAX. LENGTH: 2000 M MIN. LENGTH ORDERED: 20 M |
| 176. | 6XV1820-7BH05 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESIS. TO, TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT. PREASSEMBLED WITH 4 BFOC CONNECTORS; L = 0.5 M |
| 177. | 6XV1820-7BH10 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESIS. TO, TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT. PREASSEMBLED W. 4 BFOC CONNEX. L = 1 M |
| 178. | 6XV1820-7BH20 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESIS. TO, TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT. PREASSEMBLED W. 4 BFOC CONNEX. L = 2 M |
| 179. | 6XV1820-7BH30 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESISANT TO, TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT. PREASSEMBLED WITH 4 BFOC CONNECTORS, LENGTH = 3 M |
| 180. | 6XV1820-7BH50 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESISANT TO TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT. PREASSEMBLED W. 4 BFOC CONNEX. LENGTH = 5 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snabe; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 181. | 6XV1820-7BN10 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESISANT TO, TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT. PREASSEMBLED W. 4 BFOC CONNEC. LENGTH = 10 M |
| 182. | 6XV1820-7BN15 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESISANT TO, TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT. PREASSEMBLED W. 4 BFOC CONNEC. LENGTH = 15 M |
| 183. | 6XV1820-7BN20 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESISANT TO, TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT. PREASSEMBLED W. 4 BFOC CONNEC. LENGTH = 20 M |
| 184. | 6XV1820-7BN25 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESISANT TO, TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT. PREASSEMBLED W. 4 BFOC CONNEC. LENGTH = 25 M |
| 185. | 6XV1820-7BN50 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESISANT TO, TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT. PREASSEMBLED W. 4 BFOC CONNEC. LENGTH = 50 M |
| 186. | 6XV1820-7BN75 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESISANT TO, TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT. PREASSEMBLED W. 4 BFOC CONNEC. LENGTH = 75 M |
| 187. | 6XV1820-7BT10 | SIMATIC NET, INDOOR FIBER OPTIC (62.5/125), FREE OF HALOGEN, RESIS. TO, TREADING, FLAME-RETARDANT GLASS FO CABLE FOR INDOOR INSTALLAT. PREASSEMBLED W. 4 BFOC CONNEC. L = 100 M |
| 188. | 6XV1821-0AH10 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC (980/1000), STANDARD CABLE SOLD BY THE METER MIN. ORDER QUANTITY: 20 M MAX. CONSIGNMENT: 500 M |
| 189. | 6XV1821-0AN50 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC (980/1000), STANDARD CABLE 50 M RING |
| 190. | 6XV1821-0AT10 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC (980/1000), STANDARD CABLE 100 M RING |
| 191. | 6XV1821-0BH10 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC, STANDARD CABLE WITH 4 BFOC CONNECTORS LENGTH = 1 M |
| 192. | 6XV1821-0BH20 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC, STANDARD CABLE WITH 4 BFOC CONNECTORS LENGTH = 2 M |
| 193. | 6XV1821-0BH50 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC, STANDARD CABLE WITH 4 BFOC CONNECTORS LENGTH = 5 M |
| 194. | 6XV1821-0BN10 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC, STANDARD CABLE WITH 4 BFOC CONNECTORS L = 10 M |
| 195. | 6XV1821-0BN15 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC, STANDARD CABLE WITH 4 BFOC CONNECTORS L = 15 M |
| 196. | 6XV1821-0BN20 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC, STANDARD CABLE WITH 4 BFOC CONNECTORS L = 20 M |
| 197. | 6XV1821-0BN25 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC, STANDARD CABLE WITH 4 BFOC CONNECTORS L = 25 M |
| 198. | 6XV1821-0BN30 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC, STANDARD CABLE WITH 4 BFOC CONNECTORS L = 30 M |
| 199. | 6XV1821-0BN50 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC, STANDARD CABLE WITH 4 BFOC CONNECTORS L = 50 M |
| 200. | 6XV1821-0BN65 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC, STANDARD CABLE WITH 4 BFOC CONNECTORS L = 65 M |
| 201. | 6XV1821-0BN80 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC, STANDARD CABLE WITH 4 BFOC CONNECTORS L = 80 M |
| 202. | 6XV1821-1BN75 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF BFOC CONNECTORS L = 75 M |
| 203. | 6XV1821-1BT10 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF BFOC CONNECTORS L = 100 M |
| 204. | 6XV1821-1BT15 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF BFOC CONNECTORS L = 150 M |
| 205. | 6XV1821-1BT20 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF BFOC CONNECTORS L = 200 M |
| 206. | 6XV1821-1BT25 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF BFOC CONNECTORS L = 250 M |
| 207. | 6XV1821-1BT30 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF BFOC CONNECTORS L = 300 M |
| 208. | 6XV1821-1BT40 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF BFOC CONNECTORS L = 400 M |
| 209. | 6XV1821-1CN50 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF SIMPLEX CONNECTORS L = 50 M |
| 210. | 6XV1821-1CN75 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF SIMPLEX CONNECTORS L = 75 M |
| 211. | 6XV1821-1CT10 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF SIMPLEX CONNECTORS L = 100 M |
| 212. | 6XV1821-1CT15 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF SIMPLEX CONNECTORS L = 150 M |
| 213. | 6XV1821-1CT20 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF SIMPLEX CONNECTORS LENGTH = 200 M |
| 214. | 6XV1821-1CT25 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF SIMPLEX CONNECTORS L = 250 M |
| 215. | 6XV1821-1CT30 | SIMATIC NET, PROFIBUS PCF FIBER OPTIC, WITH 4 PCF SIMPLEX CONNECTORS L = 300 M |
| 216. | 6XV1821-2AN50 | SIMATIC NET, PROFIBUS PLASTIC FIBER OPTIC, DUPLEX CORE, 50 M RING |
| 217. | 6XV1822-5.... | SIMATIC NET, 7/8" CONN. CABLE FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE, CONNECTOR: |
| 218. | 6XV1822-5BE30 | SIMATIC NET, 7/8" CONN. CABLE FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH 2 7/8" CONNECTORS, 5-PIN, 0.3 M |
| 219. | 6XV1822-5BE50 | SIMATIC NET, 7/8" CONN. CABLE FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH 2 7/8" CONNECTORS, 5-PIN, 0.5 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|--|
| 220. | 6XV1822-5BH10 | SIMATIC NET, 7/8" CONN. CABLE F. POWER SUPPLY OF THE ET200, PREASSEMBLED CABLE WITH 2 7/8" CONNECTORS, 5-PIN, 1.0 M |
| 221. | 6XV1822-5BH15 | SIMATIC NET, 7/8" CONN. CABLE FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH 2 7/8" CONNECTORS, 5-PIN, 1.5 M |
| 222. | 6XV1822-5BH20 | SIMATIC NET, 7/8" CONN. CABLE F. POWER SUPPLY OF THE ET200, PREASSEMBLED CABLE WITH 2 7/8" CONNECTORS, 5-PIN, 2.0 M |
| 223. | 6XV1822-5BH30 | SIMATIC NET, 7/8" CONN. CABLE FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH 2 7/8" CONNECTORS, 5-PIN, 3 M |
| 224. | 6XV1822-5BH50 | SIMATIC NET, 7/8" CONN. CABLE FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH 2 7/8" CONNECTORS, 5-PIN, 5 M |
| 225. | 6XV1822-5BN10 | SIMATIC NET, 7/8" CONN. CABLE FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH 2 7/8" CONNECTORS, 5-PIN, 10 M |
| 226. | 6XV1822-5BN15 | SIMATIC NET, 7/8" CONN. CABLE FOR POWER SUPPLY OF ET200, PREASSEMBLED CABLE WITH 2 7/8" CONNECTORS, 5-PIN, 15 M |
| 227. | 6XV1830-0AH10 | SIMATIC NET, LAN CABLE FOR PROFIBUS, TWO-CORE, SHIELDED, MAX. CONSIGNMENT: 1000M, MIN. ORDER QUANTITY: 20 M SOLD BY THE METER |
| 228. | 6XV1830-0EH10 | SIMATIC NET, PB FC STANDARD CABLE GP, 2-WIRE, SHIELDED, SPECIAL DESIGN FOR RAPID INSTALLATION, MAX. CONSIGNMENT: 1000 M, MIN. ORDERING QUANTITY: 20 M SOLD BY THE METER |
| 229. | 6XV1830-0EN20 | SIMATIC NET, PB FC STANDARD, BUS CABLE, 2-WIRE, SHIELDED, SPEC. DESIGN FOR RAPID INSTALL. 20 M |
| 230. | 6XV1830-0EN50 | SIMATIC NET, PB FC STANDARD, BUS CABLE, 2-WIRE, SHIELDED, SPEC. DESIGN FOR RAPID INSTALL. 50 M |
| 231. | 6XV1830-0ET10 | SIMATIC NET, PB FC STANDARD, BUS CABLE, 2-WIRE, SHIELDED, SPEC. DESIGN FOR RAPID INSTALL. 100 M |
| 232. | 6XV1830-0ET20 | SIMATIC NET, PB FC STANDARD, BUS CABLE, 2-WIRE, SHIELDED, SPEC. DESIGN FOR RAPID INSTALL. 200 M |
| 233. | 6XV1830-0ET50 | SIMATIC NET, PB FC STANDARD, BUS CABLE, 2-WIRE, SHIELDED, SPEC. DESIGN FOR RAPID INSTALL. 500 M |
| 234. | 6XV1830-0EU10 | SIMATIC NET, PB FC STANDARD CABLE, LAN CABLE TWO-WIRE, SHIELDED, SPECIAL DESIGN FOR RAPID INSTALLATION, MAX. CONSIGNMENT: 1000 M, |
| 235. | 6XV1830-0GH10 | SIMATIC NET, PROFIBUS FC FOOD BUS CABLE WITH PE-SHEATH FOR APPLICATION IN FOOD AND BEVERAGE INDUSTRY, 2-WIRE, SHIELDED, SOLD BY THE METER, MAX. CONSIGNMENT: 1000M, MIN. ORDERING QUANTITY: 20 M |
| 236. | 6XV1830-0JH10 | SIMATIC NET, PROFIBUS FC ROBUST BUS CABLE WITH PUR-SHEATH FOR APPLICATION IN CHEMICALLY AND MECHANICALLY HAZARDOUS ENVIRONMENT, SOLD BY THE METER MAX. CONSIGNMENT: 1000 M MIN. ORDERING QUANTITY: 20 M |
| 237. | 6XV1830-0LH10 | SIMATIC NET, PB FC FRNC CABLE GP, BUS CABLE FLAME-RETARDANT AND HALOGEN-FREE BUS CABLE WITH COPOLYMER SHEATH, FRNC SOLD BY THE METER MAX. CONSIGNMENT: 1000 M MIN. ORDERING QUANTITY: 20 M |
| 238. | 6XV1830-0MH10 | SIMATIC NET, PROFIBUS SHIPBOARD CABLE SIENOPYR, COPPER CABLE, FOR WIRING ON SHIPBOARD AND OFFSHORE, SOLD BY THE METER MAX. CONSIGNMENT: 1000 M MIN. ORDER QUANTITY: 20 M |
| 239. | 6XV1830-0NH10 | SIMATIC NET, SIENOPYR FO CABLE SHIPBOARD CABLE, FO CABLE FOR INSTALLATION ON SHIPS AND OFFSHORE UNITS, SOLD BY METER MAX. CONSIGNMENT: 1000 M MIN. ORDER QUANTITY: 20 M |
| 240. | 6XV1830-0PH10 | SIMATIC NET, PROFIBUS TORSION CABLE, FOR USE IN HIGHLY FLEXIBLE APPLICATIONS(TORSION), MAX. LENGTH ORDERED: 1000M, MIN. LENGTH ORDERED: 20 M SOLD BY THE METER |
| 241. | 6XV1830-1CH15 | SIMATIC NET, 830-1T CONNECTING CABLE FOR PROFIBUS, FOR CONNECT. OF DATA TERMINALS W. OLM A. OBT ASSEMBLED WITH TWO SUB D MALE CONNECTORS, 9-PIN, TERMINATED AT BOTH ENDS 1.5 M |
| 242. | 6XV1830-1CH30 | SIMATIC NET, 830-1T CONNECTING CABLE FOR PROFIBUS, FOR CONNECT. OF DATA TERMINALS W. OLM A. OBT ASSEMBLED WITH TWO SUB D MALE CONNECTORS, 9-PIN, TERMINATED AT BOTH ENDS, 3M |
| 243. | 6XV1830-1EN50 | SIMATIC NET, PB FC STANDARD, BUS CABLE 2-WIRE, SHIELDED, SPEC. DESIGN FOR RAPID INSTALL. 50 M IN SPOOL BOX |
| 244. | 6XV1830-1ET10 | SIMATIC NET, PB FC STANDARD, BUS CABLE 2-WIRE, SHIELDED, SPEC. DESIGN FOR RAPID INSTALL. 100 M IN SPOOL BOX |
| 245. | 6XV1830-2AH30 | SIMATIC NET, CONN. CABLE 830-2 F. PROFIBUS, PREASSEMBLED CABLE WITH 2 SUB-D-CONNECTORS 9-POLE, SWITCHABLE TERMINATING RESISTORS, 3M |
| 246. | 6XV1830-2AH50 | SIMATIC NET, CONN. CABLE 830-2 F. PROFIBUS, PREASSEMBLED CABLE WITH 2 SUB-D-CONNECTORS 9-POLE, SWITCHABLE TERMINATING RESISTORS, 5 M |
| 247. | 6XV1830-2AN10 | SIMATIC NET, CONN. CABLE 830-2 F. PROFIBUS, PREASSEMBLED CABLE WITH 2 SUB-D-CONNECTORS 9-POLE, SWITCHABLE TERMINATING RESISTORS 10 M |
| 248. | 6XV1830-3BH10 | SIMATIC NET, TRAILING CABLE FOR PROFIBUS TWO-CORE, SHIELDED, MAX. SPEED: 80M/MIN, MAX. ACCELERATION: 4M/QS MIN. BENDING RADIUS: 65MM APPR. MIN. OF 5 MIO BENDING CYCLES SOLD BY THE METER, MAX. CONSIGNMENT: 1000 M, MIN. ORDER QUANTITY: 20 M |
| 249. | 6XV1830-3DE30 | SIMATIC NET, PROFIBUS M12 CONNECTING CABLE, (ET200), PREASSEMBLED PB FC TRAILING CABLE WITH 2 M12 CONNECTORS, B-CODED, 5-PIN, 0.3 M |
| 250. | 6XV1830-3DE50 | SIMATIC NET, PROFIBUS M12 CONNECTING CABLE, (ET200), PREASSEMBLED PB FC TRAILING CABLE WITH 2 M12 CONNECTORS, B-CODED, 5-PIN, 0.5 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|--|
| 251. | 6XV1830-3DH10 | SIMATIC NET, PROFIBUS M12 CONNECTING CABLE, (ET200), PREASSEMBLED PB FC TRAILING CABLE WITH 2 M12 CONNECTORS, B-CODED, 5-PIN, 1.0 M |
| 252. | 6XV1830-3DH15 | SIMATIC NET, PROFIBUS M12 CONNECTING CABLE, (ET200), PREASSEMBLED PB FC TRAILING CABLE WITH 2 M12 CONNECTORS, B-CODED, 5-PIN, 1.5 M |
| 253. | 6XV1830-3DH20 | SIMATIC NET, PROFIBUS M12 CONNECTING CABLE, (ET200), PREASSEMBLED PB FC TRAILING CABLE WITH 2 M12 CONNECTORS, B-CODED, 5-PIN, 2.0 M |
| 254. | 6XV1830-3DH30 | SIMATIC NET, PROFIBUS M12 CONNECTING CABLE, (ET200), PREASSEMBLED PB FC TRAILING CABLE WITH 2 M12 CONNECTORS, B-CODED, 5-PIN, 3 M |
| 255. | 6XV1830-3DH50 | SIMATIC NET, PROFIBUS M12 CONNECTING CABLE, (ET200), PREASSEMBLED PB FC TRAILING CABLE WITH 2 M12 CONNECTORS, B-CODED, 5-PIN; 5 M |
| 256. | 6XV1830-3DN10 | SIMATIC NET, PROFIBUS M12 CONNECTING CABLE, (ET200), PREASSEMBLED PB FC TRAILING CABLE WITH 2 M12 CONNECTORS, B-CODED, 5-PIN, 10 M |
| 257. | 6XV1830-3DN15 | SIMATIC NET, PROFIBUS M12 CONNECTING CABLE, (ET200), PREASSEMBLED PB FC TRAILING CABLE WITH 2 M12 CONNECTORS, B-CODED, 5-PIN, 15 M |
| 258. | 6XV1830-3EH10 | SIMATIC NET, PB FC TRAILING CABLE, PROFIBUS TRAILING CABLE MAX. ACCELERATION:4M/QS MIN. OF 3 MILL. BENDING CYCLES MIN. BENDING RADIUS: APPROX.120 MM, 2-WIRE SHIELDED, SOLD BY THE METER MAX. CONSIGNMENT: 1000 M MIN. ORDERING QUANTITY: 20 M |
| 259. | 6XV1830-3FH10 | SIMATIC NET, PROFIBUS FC UNDERGROUND CABLE, UNDERGROUND LAYING CABLE 2-WIRE SHIELDED, SOLD BY METER MAX. CONSIGNMENT: 1000M MIN. ORDERING QUANTITY: 20 M |
| 260. | 6XV1830-3GH10 | SIMATIC NET, PROFIBUS FESTOON CABLE GP FOR FESTOONED CABLING, 2-WIRE, SHIELDED, MAX. ACCELERATION: 4 M/QS, MIN. 5 MIO BENDING CYCLES, SOLD BY THE METER, MAX. CONSIGNMENT: 1000 M, MIN. ORDERING QUANTITY: 20 M |
| 261. | 6XV1830-5EH10 | SIMATIC NET,PB FC PROCESS CABLE BUS CABLE FOR IEC 61158-2 BLUE SHEATH FOR EX APPLICATIONS 2-WIRE SHIELDED, SOLD BY METER MAX. CONSIGNMENT: 1000 M MIN. ORDERING QUANTITY: 20 M |
| 262. | 6XV1830-5FH10 | SIMATIC NET,PB FC PROCESS CABLE BUS CABLE FOR IEC 61158-2 BLACK SHEATH FOR NON-EX APPLICATIONS, 2-WIRE SHIELDED, SOLD BY THE METER MAX. CONSIGNMENT: 1000 M MIN. ORDERING QUANTITY: 20 M |
| 263. | 6XV1830-5GH10 | FOUNDATION FIELDBUS CABLE; BUS CABLE FOR IEC61158-2; SHEATH COLOR BLUE FOR EX- APPLICATIONS; 2-WIRE SHIELDED; DRAIN WIRE; SOLD BY THE M; MAX. ORDER QUANTITY: 1000 M MIN. ORDER QUANTITY: 20 M |
| 264. | 6XV1830-5HH10 | FOUNDATION FIELDBUS CABLE; BUS CABLE FOR IEC61158-2; SHEATH COLOR YELLOW FOR NOT EX-APPLICATIONS; 2-WIRE SHIELDED; DRAIN WIRE; SOLD BY THE METER; MAX. ORDER QUANTITY: 1000 M MIN. ORDER QUANTITY: 20 M |
| 265. | 6XV1830-6CH10 | SIMATIC NET, ECOFAST FIBER OPTIC HYBRID CABLE DESINA COMPLIANT, TRAILING TYPE CABLE WITH TWO PLASTIC FO C. AND 4 COPPER CONDUCTORS 1.5 SQMM, SOLD BY THE METER, MIN. ORDER QUANTITY: 5000 M |
| 266. | 6XV1830-7AH10 | SIMATIC NET,PROFIBUS ECOFAST HYBRID CABLE, TRAILING TYPE CABLE WITH 4XCU (1.5 SQMM) AND 2XCU (0.64 MM) SHIELDED, SOLD BY THE METER, MAX. CONSIGNMENT: 1000 M MIN. ORDER QUANTITY: 20 M |
| 267. | 6XV1830-7AN20 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE, TRAILING TYPE CABLE WITH 2XCU 0.64 MM AND 4XCU 1.5 SQMM, NOT PREASSEMBLED PREFERRED LENGTH, 20 M |
| 268. | 6XV1830-7AN50 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE, TRAILING TYPE CABLE WITH 2XCU 0.64 MM AND 4XCU 1.5 SQMM, NOT PREASSEMBLED PREFERRED LENGTH, 50 M |
| 269. | 6XV1830-7AT10 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE, TRAILING TYPE CABLE WITH 2XCU 0.64 MM AND 4XCU 1.5 SQMM, NOT PREASSEMBLED PREFERRED LENGTH, 100 M |
| 270. | 6XV1830-7BH05 | SIMATIC NET,PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 0.5 M |
| 271. | 6XV1830-7BH10 | SIMATIC NET,PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 1.0 M |
| 272. | 6XV1830-7BH15 | SIMATIC NET,PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH: 1.5 M |
| 273. | 6XV1830-7BH30 | SIMATIC NET,PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH: 3 M |
| 274. | 6XV1830-7BH50 | SIMATIC NET,PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH: 5 M |
| 275. | 6XV1830-7BN10 | SIMATIC NET,PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH: 10 M |
| 276. | 6XV1830-7BN15 | SIMATIC NET,PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH: 15 M |
| 277. | 6XV1830-7BN20 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 20 M |
| 278. | 6XV1830-7BN25 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 25 M |
| 279. | 6XV1830-7BN30 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 30 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 280. | 6XV1830-7BN35 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 35 M |
| 281. | 6XV1830-7BN40 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 40 M |
| 282. | 6XV1830-7BN45 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 45 M |
| 283. | 6XV1830-7BN50 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 50 M |
| 284. | 6XV1830-8AH10 | SIMATIC NET ENERGY CABLE, 5-WIRE ENERGY CABLE, LITZ WIRE, 5 X 1.5 SQMM, TRAILING TYPE MAX. CONSIGNMENT: 1000 M, MIN. LENGTH ORDERED: 20 M SOLD BY THE METER |
| 285. | 6XV1831-2A | SIMATIC NET, PB FC STANDARD CABLE IS GP, BUS CABLE 2-WIRE, SHIELDED, SPECIAL- MOUNT F. FAST MOUNTING, MAXIMAL LENGTH: 1000 M, MINIMAL LENGTH: 20 M SOLD BY THE METER |
| 286. | 6XV1831-2K | SIMATIC NET, PB FC FLEXIBLE CABLE GP, 2-WIRE, SHIELDED, SPEC. DESIGN FOR RAPID INSTALL. MAXIMAL LENGTH: 1000 M MIN. ORDERING QUANTITY: 20 M SOLD BY THE METER |
| 287. | 6XV1831-2L | SIMATIC NET, PB FC TRAILING CABLE, PROFIBUS TRAILING CABLE MAX. ACCELERATION 4M/QS MIN. 3 MIO BENDING CYCLES MIN. BENDING RADIUS CA. 120 MM TWO-CORE SHIELDED, SOLD BY THE METER, MAX. CONSIGNMENT: 1000 M MIN. ORDERING QUANTITY: 20 M |
| 288. | 6XV1840-2AH10 | Industrial Ethernet FC TP STANDARD CABLE, GP 2X2 (PROFINET TYP A), TP INSTALLATION CABLE FOR CONNECTION TO IE FC RJ45 2x2, FOR UNIVERSAL APPLICATION, 4-WIRE, SHIELDED CAT. 5E, SOLD BY THE METER MAX. CONSIGNMENT: 2000 M, |
| 289. | 6XV1840-2AN20 | IE FC TP STANDARD CABLE GP 2X2 (PROFINET TYPE A), CAT5E, BUS CABLE 4-WIRE, SHIELDED, SPEC. DESIGN FOR RAPID INSTALLATION TO IE FC RJ45 PLUG 2X2, 20 M |
| 290. | 6XV1840-2AN50 | IE FC TP STANDARD CABLE GP 2X2 (PROFINET TYPE A), CAT5E, BUS CABLE 4-WIRE, SHIELDED, SPEC. DESIGN FOR RAPID INSTALL. TO IE FC RJ45 PLUG 2X2, 50 M |
| 291. | 6XV1840-2AT10 | IE FC TP STANDARD CABLE GP 2X2 (PROFINET TYPE A), CAT5E, BUS CABLE 4-WIRE, SHIELDED, SPECIAL DESIGN FOR RAPID INSTALLATION TO IE FC RJ45 PLUG 2X2, 100 M |
| 292. | 6XV1840-2AT20 | IE FC TP STANDARD CABLE GP 2X2, (PROFINET TYPE A), CAT5E, BUS CABLE 4-WIRE, SHIELDED, SPECIAL DESIGN FOR RAPID INSTALLTION TO IE FC RJ45 PLUG 2X2, 200 M |
| 293. | 6XV1840-2AT50 | IE FC TP STANDARD CABLE GP 2X2 (PROFINET TYPE A), CAT5E, BUS CABLE 4-WIRE, SHIELDED, SPECIAL DESIGN FOR RAPID INSTALLATION TO IE FC RJ45 PLUG 2X2, 500 M |
| 294. | 6XV1840-2AU10 | SIMATIC NET, IE FC TP STANDARD CABLE GP, TP INSTALLATION CABLE FOR CONNECTION TO FC OUTLET RJ 45, FOR UNIVERSAL APPLICATIONS, CAT 5, 1000 M |
| 295. | 6XV1840-3AH10 | SIMATIC NET, IE FC TP TRAILING CABLE, 2X2 (PROFINET TYP C), TP INSTALLATION CABLE FOR CONNECTION TO FC OUTLET RJ 45, F. FESTOONING, 4-WIRE, SHIELDED, CAT. 5, SOLD BY THE METER (4 MIO. BENDING CYCLES), MAX. CONSIGNMENT: 2000 M, |
| 296. | 6XV1840-4AH10 | SIMATIC NET, IE FC TP MARINE CABLE, TP INSTALLATION CABLE FOR CONNECTION TO FC OUTLET RJ45, CERTIFIED FOR SHIPBUILDING INDUSTRY CAT. 5, SOLD BY THE METER MAX. CONSIGNMENT: 1000 M, MIN. ORDERING QUANTITY: 20 M |
| 297. | 6XV1841-2A | IE FC TP ROBUST STANDARD CABLE GP 2X2 (PROFINET TYPE A), TPE- OUTER SHEATH, FIXED INSTALLAT. FOR CONNECT. TO FC RJ45 PLUG A. FC OUTLET RJ45, FOR UNIVERSAL- USE, 4-WIRE, SHIELDED CAT 5, SOLD BY THE METER, MAX. ORDER QUANTITY 2000 M MIN. ORDER QUANTITY 20 M |
| 298. | 6XV1841-2B | IE FC TP ROBUST FLEXIBLE CABLE GP 2X2 (PROFINET TYPE B), TPE OUTER SHEATH, WITH FLEXIBLE WIRES, FOR CONNECT. TO FC RJ45 PLUG A. FC OUTLET RJ45, 4-WIRE, SHIELDED, CAT 5, SOLD BY THE M, MAX. ORDER QUANTITY 1000 M MIN. ORDER QUANTITY 20 M |
| 299. | 6XV1843-2R | SM FO ROBUST CABLE GP (4E9/125) OUTDOOR CABLE; WITH PROTECTION AGAINST RODENTS; SPLITTABLE; W/O CONNECTOR; SOLD BY THE METER; MIN. ORDER QUANTITY: 20 M, MAX. LENGTH 2000 M |
| 300. | 6XV1843-5EH10-0AA0 | MM FO CORD LC/LC; 50/125; PREASSEMBLED WITH 2X LC DUPLEX CONNECTORS; LENGTH 1.0 M |
| 301. | 6XV1843-5EH10-0AB0 | MM FO Cord BFOC/LC; 50/125, preassembled with 1x LC Duplex plug and 2x BFOC/ST plugs length 1.0m |
| 302. | 6XV1843-5EH10-0CA0 | MM FO CORD SC/LC; 50/125; PREASSEMBLED WITH 1X SC DUPLEX CONNECTOR AND 1X LC DUPLEX CONNECTOR; LENGTH 1.0 M |
| 303. | 6XV1843-5EH10-0CB0 | MM FO CORD SC/BFOC; 50/125; PREASSEMBLED WITH 1X SC DUPLEX CONNECTOR AND 1X BFOC CONNECTOR; LENGTH 1.0 M |
| 304. | 6XV1843-5EH10-0CC0 | MM FO CORD SC/SC; 50/125; PREASSEMBLED WITH 2X SC DUPLEX CONNECTORS; LENGTH 1.0 M |
| 305. | 6XV1843-5FH10-0AA0 | SM FO CORD LC/LC; 9/125, PREASSEMBLED WITH 2X2 LC DUPLEX CONNECTORS, LENGTH 1.0 M |
| 306. | 6XV1843-5FH10-0AB0 | SM FO Cord BFOC/LC; 9/125, preassembled with 1 x LC Duplex plug and 2 x BFOC/ST plugs length 1.0m |
| 307. | 6XV1843-5FH10-0CA0 | SM FO CORD SC/LC; 9/125, PREASSEMBLED WITH 1X SC DUPLEX CONNECTOR AND 1X LC DUPLEX CONNECTORS; LENGTH 1.0 M |
| 308. | 6XV1843-5FH10-0CB0 | SM FO CORD SC/BFOC; 9/125, PREASSEMBLED WITH 1X SC DUPLEX CONNECTOR AND 1X, BFOC CONNECTOR; LENGTH 1.0 M |
| 309. | 6XV1843-5FH10-0CC0 | SM FO CORD SC/SC; |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

EU-Konformitätserklärung / EU-Declaration of Conformity

Nr./No. A5E50284620A, Rev.: 003

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Seite/page 12 von/of 24

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|--|
| 310. | 6XV1847-2A | SIMATIC NET FC FO STANDARD CABLE (62.5/200/230), STANDARD- CABLE SPLITTABLE, UL-CERTIFICATION,MAX. LENGTH 1000M MINIMAL ORDER: 20 M SOLD BY THE METER |
| 311. | 6XV1847-2C | FC FO TRAILING CABLE (62.5/200/230), TRAILING CABLE , SPLITTABLE, SOLD BY THE METER MAX. LENGTH: 1000 M MINIMAL ORDER: 20 M |
| 312. | 6XV1850-0AH10 | SIMATIC NET,ITP STANDARD CABLE FOR INDUSTRIAL ETHERNET J-02YSCY 2X2X0.64/1.5 PIMF F, 2 X 2-CORE INSTALLATION CABLE F. "ON-SITE" INSTALLATION NOT PREASSEM.,SOLD BY THE METER MIN. ORDERING LENGTH: 20 M MAX. CONSEIGNMENT: 1000 M |
| 313. | 6XV1850-0BH20 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONNECTOR, FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT. COMPON. WITH ITP INTERFACE, LENGTH: 2 M |
| 314. | 6XV1850-0BH50 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONN., FOR CONNECTING TERMINALS WITH ITP INTERFACE TO ACT. COMPONENTS WITH ITP INTERFACE, LENGTH: 5 M |
| 315. | 6XV1850-0BH80 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONNECTOR, FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT. ITP NETWORK COMPONENTS, LENGTH: 8 M |
| 316. | 6XV1850-0BN12 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONNECTOR, FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT. ITP NETWORK COMPONENTS, LENGTH: 12 M |
| 317. | 6XV1850-0BN15 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONNECTOR, FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT. ITP NETWORK COMPONENTS, LENGTH: 15 M |
| 318. | 6XV1850-0BN20 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONNECTOR, FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT. ITP NETWORK COMPONENTS, LENGTH: 20 M |
| 319. | 6XV1850-0BN30 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONNECTOR, FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT. ITP NETWORK COMPONENTS, LENGTH: 30 M |
| 320. | 6XV1850-0BN40 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONNECTOR, FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT. ITP NETWORK COMPONENTS, LENGTH: 40 M |
| 321. | 6XV1850-0BN50 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONNECTOR, FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT.ITP NETWORK COMPONENTS, LENGTH: 50 M |
| 322. | 6XV1850-0BN60 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONNECTOR, FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT. ITP NETWORK COMPONENTS, LENGTH: 60 M |
| 323. | 6XV1850-0BN70 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONNECTOR, FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT. ITP NETWORK COMPONENTS, LENGTH: 70 M |
| 324. | 6XV1850-0BN80 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONNECTOR, FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT. ITP NETWORK COMPONENTS, LENGTH: 80 M |
| 325. | 6XV1850-0BN88 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONN., FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT. COMPON. W. ITP INTERFACE, LENGTH: 90 M |
| 326. | 6XV1850-0BT10 | SIMATIC NET,ITP STANDARD CABLE 9/15 FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 1X 9-PIN AND 1 X 15-PIN ITP CONN., FOR CONNECTING TERMINALS W. ITP INTERF.TO ACT. COMPON. W. ITP INTERF., LENGTH: 100 M |
| 327. | 6XV1850-0CH20 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 2 M |
| 328. | 6XV1850-0CH50 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 5 M |
| 329. | 6XV1850-0CH80 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 8 M |
| 330. | 6XV1850-0CN12 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 12 M |
| 331. | 6XV1850-0CN15 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 15 M |
| 332. | 6XV1850-0CN20 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 20 M |
| 333. | 6XV1850-0CN30 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 30 M |
| 334. | 6XV1850-0CN40 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE,PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 40 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 335. | 6XV1850-0CN50 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE, PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 50 M |
| 336. | 6XV1850-0CN60 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE, PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 60 M |
| 337. | 6XV1850-0CN70 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE, PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 70 M |
| 338. | 6XV1850-0CN80 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE, PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 80 M |
| 339. | 6XV1850-0CN88 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR INDUSTR. ETHERNET ITP STANDARD CABLE, PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 90 M |
| 340. | 6XV1850-0CT10 | SIMATIC NET, ITP XP STANDARD CABLE 9/9 FOR IND. ETHERNET ITP STANDARD, PREASSEMBLED WITH 2 X 9-PIN ITP CONNECTORS, FOR CASCADING OF ACTIVE ITP NETWORK COMPONENTS, LENGTH: 100 M |
| 341. | 6XV1850-0DH20 | SIMATIC NET, ITP XP STANDARD 15/15 CABLE FOR INDUSTRIAL ETHERNET ITP STANDARD CABLE, PREASSEMBLED WITH 2 X 15-PIN ITP CONNECTORS, FOR DIRECT CONN. OF 2 TERMINALS WITH ITP INTERFACES, LENGTH: 2 M |
| 342. | 6XV1850-0DH60 | SIMATIC NET, ITP XP STANDARD 15/15 CABLE FOR IND. ETHERNET ITP STANDARD CABLE, PREASSEMBLED WITH 2 X 15-PIN ITP CONNECTORS, FOR DIRECT CONN. OF 2 TERMINALS WITH ITP INTERFACES, LENGTH: 6 M |
| 343. | 6XV1850-0DN10 | SIMATIC NET, ITP XP STANDARD 15/15 CABLE FOR IND. ETHERNET ITP STANDARD CABLE, PREASSEMBLED WITH 2 X 15-PIN ITP CONNECTORS, FOR DIRECT CONN. OF 2 TERMINALS WITH ITP INTERFACES, LENGTH: 10 M |
| 344. | 6XV1850-2EE50 | SIMATIC NET, TP CONVERTER CORD 15/RJ45 FOR INDUSTR. ETHERNET TP CORD, PREASS. W. 1 X 15-PIN ITP SOCKET AND 1 X RJ45 PLUG, F. CONN. TERMINALS W. RJ45 IF TO THE ITP CABLING SYSTEM, W. MOUNT. BRACKET, LENGTH: 0.5 M |
| 345. | 6XV1850-2EH20 | SIMATIC NET, TP CONVERTER CORD 15/RJ45 FOR INDUSTR. ETHERNET TP CORD, PREASS. W. 1 X 15-PIN ITP SOCKET AND 1 X RJ45 PLUG F. CONN. TERMINALS W. RJ45 IF TO THE ITP CABLING SYSTEM, W. MOUNT. BRACKET, LENGTH: 2 M |
| 346. | 6XV1850-2GE50 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, TP CORD PREASSEMBLED WITH 2 RJ45 CONNECTORS, LENGTH 0.5 M |
| 347. | 6XV1850-2GH10 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, TP CORD PREASSEMBLED WITH 2 RJ45 CONNECTORS, LENGTH 1 M |
| 348. | 6XV1850-2GH20 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, TP CORD PREASSEMBLED WITH 2 RJ45 CONNECTORS, LENGTH 2 M |
| 349. | 6XV1850-2GH60 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, TP CORD PREASSEMBLED WITH 2 RJ45 CONNECTORS, LENGTH: 6 M |
| 350. | 6XV1850-2GN10 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, TP CORD PREASSEMBLED WITH 2 RJ45 CONNECTORS, LENGTH: 10 M |
| 351. | 6XV1850-2HE50 | SIMATIC NET, IND. ETHERNET TP XP CORD RJ45/RJ45, TP CABLE PREASS. WITH 2 RJ45 CONNECTORS, CROSSED SEND AND RECEIVE CABLE, LENGTH: 0.5 M |
| 352. | 6XV1850-2HH10 | SIMATIC NET, IND. ETHERNET TP XP CORD RJ45/RJ45, TP CABLE PREASS. WITH 2 RJ45 CONNECTORS, CROSSED SEND AND RECEIVE CABLE, LENGTH: 1 M |
| 353. | 6XV1850-2HH20 | SIMATIC NET, IND. ETHERNET TP XP CORD RJ45/RJ45, TP CABLE PREASS. WITH 2 RJ45 CONNECTORS, CROSSED SEND AND RECEIVE CABLE, LENGTH: 2 M |
| 354. | 6XV1850-2HH60 | SIMATIC NET, IND. ETHERNET TP XP CORD RJ45/RJ45, TP CABLE PREASS. WITH 2 RJ45 CONNECTORS, CROSSED SEND AND RECEIVE CABLE, LENGTH: 6 M |
| 355. | 6XV1850-2HN10 | SIMATIC NET, IND. ETHERNET TP XP CORD RJ45/RJ45, TP CABLE PREASS. WITH 2 RJ45 CONNECTORS, CROSSED SEND AND RECEIVE CABLE, LENGTH: 10 M |
| 356. | 6XV1850-2JE50 | SIMATIC NET, IND. ETHERNET TP CORD 9/RJ45, TP CORD PREASSEMBLED WITH 1 RJ45 CONNECTOR A. 1 9-PIN ITP CONN. LENGTH: 0.5 M |
| 357. | 6XV1850-2JH10 | SIMATIC NET, IND. ETHERNET TP CORD 9/RJ45, TP CORD PREASSEMBLED WITH 1 RJ45 CONNECTOR A. 1 9-PIN ITP CONN. LENGTH: 1 M |
| 358. | 6XV1850-2JH20 | SIMATIC NET, IND. ETHERNET TP CORD 9/RJ45, TP CORD PREASSEMBLED WITH 1 RJ45 CONNECTOR A. 1 9-PIN ITP CONN. LENGTH: 2 M |
| 359. | 6XV1850-2JH60 | SIMATIC NET, IND. ETHERNET TP CORD 9/RJ45, TP CORD PREASSEMBLED WITH 1 RJ45 CONNECTOR A. 1 9-PIN ITP CONN. LENGTH: 6 M |
| 360. | 6XV1850-2JN10 | SIMATIC NET, IND. ETHERNET TP CORD 9/RJ45, TP CORD PREASSEMBLED WITH 1 RJ45 CONNECTOR A. 1 9-PIN ITP CONN. LENGTH: 10 M |
| 361. | 6XV1850-2LE50 | SIMATIC NET, IND. ETHERNET TP CORD 15/RJ45, TP CORD PREASSEMBLED WITH 1 RJ45 CONNECTOR AND 1 15-PIN ITP CONNECTOR, LENGTH 0.5 M |
| 362. | 6XV1850-2LH10 | SIMATIC NET, IND. ETHERNET TP CORD 15/RJ45, TP CORD PREASSEMBLED WITH 1 RJ45 CONNECTOR AND 1 15-PIN ITP CONNECTOR, LENGTH 1 M |
| 363. | 6XV1850-2LH20 | SIMATIC NET, IND. ETHERNET TP CORD 15/RJ45, TP CORD PREASSEMBLED WITH 1 RJ45 CONNECTOR AND 1 15-PIN ITP CONNECTOR, LENGTH 2 M |
| 364. | 6XV1850-2LH60 | SIMATIC NET, IND. ETHERNET TP CORD 15/RJ45, TP CORD PREASSEMBLED WITH 1 RJ45 CONNECTOR AND 1 15-PIN ITP CONNECTOR, LENGTH 6 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|--|
| 365. | 6XV1850-2LN10 | SIMATIC NET, IND. ETHERNET TP CORD 15/RJ45, TP CORD PREASSEMBLED WITH 1 RJ45 CONNECTOR AND 1 15-PIN ITP CONNECTOR, LENGTH 10 M |
| 366. | 6XV1850-2ME50 | SIMATIC NET, IND. ETHERNET TP XP CORD 9/RJ45, TP CORD PREASS. WITH 1 RJ45 CONNECTOR A. 1 9-PIN ITP CONN. CROSSED TRANSMISSION AND RECEPTION CABLE LENGTH 0.5 M |
| 367. | 6XV1850-2MH10 | SIMATIC NET, IND. ETHERNET TP XP CORD 9/RJ45, TP CORD PREASS. WITH 1 RJ45 CONNECTOR A. 1 9-PIN ITP CONN. CROSSED TRANSMISSION AND RECEPTION CABLE LENGTH 1 M |
| 368. | 6XV1850-2MH20 | SIMATIC NET, IND. ETHERNET TP XP CORD 9/RJ45, TP CORD PREASS. WITH 1 RJ45 CONNECTOR A. 1 9-PIN ITP CONN. CROSSED TRANSMISSION AND RECEPTION CABLE LENGTH 2 M |
| 369. | 6XV1850-2MH60 | SIMATIC NET, IND. ETHERNET TP XP CORD 9/RJ45, TP CORD PREASS. WITH 1 RJ45 CONNECTOR A. 1 9-PIN ITP CONN. CROSSED TRANSMISSION AND RECEPTION CABLE LENGTH 6 M |
| 370. | 6XV1850-2MN10 | SIMATIC NET, IND. ETHERNET TP XP CORD 9/RJ45, TP CORD PREASS. WITH 1 RJ45 CONNECTOR A. 1 9-PIN ITP CONN. CROSSED TRANSMISSION AND RECEPTION CABLE LENGTH 10 M |
| 371. | 6XV1850-2NH10 | SIMATIC NET, IND. ETHERNET TP CORD 9-45/RJ45, TP CORD PREASSEMBLED WITH 1 RJ45 CONNECTOR A. 1 9-PIN ITP CONN. 45 DEGR. CABLE OUTLET LENGTH 1 M |
| 372. | 6XV1850-2PH10 | SIMATIC NET, IND. ETHERNET TP XP CORD 9-45/RJ45, TP CORD PREASS. WITH 1 X RJ45 CONNECTOR A. 1X9-PIN ITP CONN. 45 DEGR. CABLE OUTLET, L = 1 M, CROSSED TRANSMISSION AND RECEPTION CABLE |
| 373. | 6XV1850-2RH10 | SIMATIC NET, IND. ETHERNET TP XP CORD 9/9, TP CORD PREASSEMBLED W. 2 X 9-PIN ITP CONNECT., CROSSED TRANSMISSION AND RECEPTION CABLE LENGTH 1 M |
| 374. | 6XV1850-2SE50 | SIMATIC NET, IND. ETHERNET TP XP CORD 15/RJ45, TP CORD PREASS. W. 1 X 15-PIN ITP CONN., CROSSED TRANSMISSION AND RECEPTION CABLE LENGTH 0,5 M |
| 375. | 6XV1850-2SH10 | SIMATIC NET, IND. ETHERNET TP XP CORD 15/RJ45, TP CORD PREASS. W. 1 X 15-PIN ITP CONN., CROSSED TRANSMISSION AND RECEPTION CABLE LENGTH 1 M |
| 376. | 6XV1850-2SH20 | SIMATIC NET, IND. ETHERNET TP XP CORD 15/RJ45, TP CORD PREASS. W. 1 X 15-PIN ITP CONN., CROSSED TRANSMISSION AND RECEPTION CABLE LENGTH 2 M |
| 377. | 6XV1850-2SH60 | SIMATIC NET, IND. ETHERNET TP XP CORD 15/RJ45, TP CORD PREASS. W. 1 X 15-PIN ITP CONN., CROSSED TRANSMISSION AND RECEPTION CABLE LENGTH 6 M |
| 378. | 6XV1850-2SN10 | SIMATIC NET, IND. ETHERNET TP XP CORD 15/RJ45, CROSSED TP CORD PREASS. W. 1 X 15-PIN ITP CONN., CROSSED TRANSMISSION AND RECEPTION CABLE LENGTH 10 M |
| 379. | 6XV1851-0AH10 | SIMATIC NET, ITP FRNC CABLE FOR INDUSTRIAL ETHERNET CAT5, 2X2-CORE, HALOGEN-FREE INSTALLATION CABLE FOR CONNECTOR ASSEMBLY ON SITE, NOT PREASS., SOLD BY THE METER MIN. QUANTITY ORDERED: 20 M MAX. CONSIGNMENT: 1000 M |
| 380. | 6XV1851-1AH20 | SIMATIC NET, ITP FRNC CABLE 9/15 FOR INDUSTRIAL ETHERNET, HALOGEN-FREE ITP CABLE, PREASSEMBLED WITH 1X 9-PIN AND 1X 15-PIN ITP CONNECTOR, FOR CONN. OF TERMINALS WITH ITP INTERF. TO AN ACT. ITP NETWORK COMPONENT, LENGTH: 2 M |
| 381. | 6XV1851-1AH50 | SIMATIC NET, ITP FRNC CABLE 9/15 FOR INDUSTRIAL ETHERNET, HALOGEN-FREE ITP CABLE, PREASSEMBLED WITH 1X 9-PIN AND 1X 15-PIN ITP CONNECTOR, FOR CONN. OF TERMINALS WITH ITP INTERF. TO AN ACT. ITP NETWORK COMPONENT, LENGTH: 5 M |
| 382. | 6XV1851-1AH80 | SIMATIC NET, ITP FRNC CABLE 9/15 FOR INDUSTRIAL ETHERNET, HALOGEN-FREE ITP CABLE, PREASSEMBLED WITH 1X 9-PIN AND 1X 15-PIN ITP CONNECTOR, FOR CONN. OF TERMINALS WITH ITP INTERF. TO AN ACT. ITP NETWORK COMPONENT, LENGTH: 8 M |
| 383. | 6XV1851-1AN12 | SIMATIC NET, ITP FRNC CABLE 9/15 FOR INDUSTRIAL ETHERNET, HALOGEN-FREE ITP CABLE, PREASSEMBLED WITH 1X 9-PIN AND 1X 15-PIN ITP CONNECTOR, FOR CONN. OF TERMINALS WITH ITP INTERF. TO AN ACT. ITP NETWORK COMPONENT, LENGTH: 12 M |
| 384. | 6XV1851-1AN15 | SIMATIC NET, ITP FRNC CABLE 9/15 FOR INDUSTRIAL ETHERNET, HALOGEN-FREE ITP CABLE, PREASSEMBLED WITH 1X 9-PIN AND 1X 15-PIN ITP CONNECTOR, FOR CONN. OF TERMINALS WITH ITP INTERF. TO AN ACT. ITP NETWORK COMPONENT, LENGTH: 15 M |
| 385. | 6XV1851-1AN20 | SIMATIC NET, ITP FRNC CABLE 9/15 FOR INDUSTRIAL ETHERNET, HALOGEN-FREE ITP CABLE, PREASSEMBLED WITH 1X 9-PIN AND 1X 15-PIN ITP CONNECTOR, FOR CONN. OF TERMINALS WITH ITP INTERF. TO AN ACT. ITP NETWORK COMPONENT, LENGTH: 20 M |
| 386. | 6XV1851-1AN30 | SIMATIC NET, ITP FRNC CABLE 9/15 FOR INDUSTRIAL ETHERNET, HALOGEN-FREE ITP CABLE, PREASSEMBLED WITH 1X 9-PIN AND 1X 15-PIN ITP CONNECTOR, FOR CONN. OF TERMINALS WITH ITP INTERF. TO AN ACT. ITP NETWORK COMPONENT, LENGTH: 30 M |
| 387. | 6XV1851-4AT10 | SIMATIC NET, PB FC STANDARD CABLE, BUS CABLE 2-WIRE, SHIELDED, OUTFITTED FOR FAST MOUNTING SUPPLIED IN UNITS OF 100 M, |
| 388. | 6XV1851-4AT50 | SIMATIC NET, PB FC STANDARD CABLE, BUS CABLE 2-WIRE, SHIELDED, OUTFITTED FOR FAST MOUNTING SUPPLIED IN UNITS OF 500 M, |
| 389. | 6XV1851-4AU10 | SIMATIC NET, PB FC STANDARD CABLE, BUS CABLE 2-WIRE, SHIELDED, OUTFITTED FOR FAST MOUNTING SUPPLIED IN UNITS OF 1000 M, |
| 390. | 6XV1851-5ET10 | PROFIBUS FC Process Cable, bus cable for IEC 61158-2m blue sheath for ex-applications 2-wire shielded, 100m consignment: 100m |
| 391. | 6XV1851-5ET50 | PROFIBUS FC Process Cable, bus cable for IEC 61158-2, blue sheath for ex-applications 2-wire consignment: 500 m |
| 392. | 6XV1851-5EU10 | PROFIBUS FC Process Cable, bus cable for IEC 61158-2, blue sheath for ex-applications 2-wire shielded, 1000m shielded, consignment: 1000m |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|--|
| 393. | 6XV1851-5FT10 | PROFIBUS FC Process Cable, bus cable for IEC 61158-2, black sheath not for ex-applications 2-wire shielded, consignment: 100m |
| 394. | 6XV1851-5FT50 | PROFIBUS FC Process Cable, bus cable for IEC 61158-2, black sheath not for ex-applications 2-wire shielded, consignment: 500m |
| 395. | 6XV1851-5FU10 | PROFIBUS FC Process Cable, bus cable for IEC 61158-2, black sheath not for ex-applications 2-wire shielded, consignment: 1000m |
| 396. | 6XV1860-2P | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, TRAILING CABLE WITH 4 X CU (1.5 SQMM) AND 2XCU (0.64 MM) SHIELDED, SOLD BY THE METER, MAX. CONSIGNMENT: 1000 M, MIN. ORDER LENGTH: 20 M |
| 397. | 6XV1860-2R | SIMATIC NET, PROFIBUS HYBRID STANDARD CABLE GP, CABLE WITH 2XCU(1.5 SQMM) AND 2XCU (0.64 MM) SHIELDED, ET200 SOLD BY THE METER, MAX. LENGTH: 1000 M MIN. LENGTH: 20 M |
| 398. | 6XV1860-2S | SIMATIC NET, PROFIBUS HYBRID ROBUST CABLE, WELD-SPATTER RESISTANT, TRAILING TYPE CABLE, WITH 2XCU (1.5 QMM) AND 2XCU 0.64 MM) SHIELDED, ET200 SOLD BY THE METER, MAX. LENGTH: 1000 M MIN. LENGTH: 20 M |
| 399. | 6XV1860-3PH05 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 0,5 M |
| 400. | 6XV1860-3PH10 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 1.0 M |
| 401. | 6XV1860-3PH15 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 1.5 M |
| 402. | 6XV1860-3PH30 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 3 M |
| 403. | 6XV1860-3PH50 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 5 M |
| 404. | 6XV1860-3PN10 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 10 M |
| 405. | 6XV1860-3PN15 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 15 M |
| 406. | 6XV1860-3PN20 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 20 M |
| 407. | 6XV1860-3PN25 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 25 M |
| 408. | 6XV1860-3PN30 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 30 M |
| 409. | 6XV1860-3PN35 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 35 M |
| 410. | 6XV1860-3PN40 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 40 M |
| 411. | 6XV1860-3PN45 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 45 M |
| 412. | 6XV1860-3PN50 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, 2XCU 0.64 MM, 4XCU 1.5 SQMM, CABLE PREASSEMBLED WITH ECOFAST CONNECTOR AND SOCKET, TRAILING TYPE, LENGTH 50 M |
| 413. | 6XV1860-4PN20 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, TRAILING CABLE WITH 2 X CU 0.64 MM AND 4XCU 1.5 SQMM, NOT PREASSEMBLED, PREFERRED LENGTH, 20 M |
| 414. | 6XV1860-4PN50 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, TRAILING CABLE WITH 2 X CU 0.64 MM AND 4XCU 1.5 SQMM, NOT PREASSEMBLED, PREFERRED LENGTH, 50 M |
| 415. | 6XV1860-4PT10 | SIMATIC NET, PROFIBUS ECOFAST HYBRID CABLE GP, TRAILING CABLE WITH 2 X CU 0.64 MM AND 4XCU 1.5 SQMM, NOT PREASSEMBLED, PREFERRED LENGTH, 100 M |
| 416. | 6XV1861-2A | SIMATIC NET PCF STANDARD CABLE, (200/230), STANDARD CABLE, SPLITTABLE, UL APPROVED, W/O CONNECTORS, SOLD BY THE METER, MIN. ORDER LENGTH: 20M, MAX. LENGTH: 2000M |
| 417. | 6XV1861-2C | SIMATIC NET PCF TRAILING CABLE, (200/230) TRAILING CABLE, SPLITTABLE, W/O CONNECT., SOLD BY THE METER MAX. LENGTH: 2000 M MIN. ORDER LENGTH: 20 M |
| 418. | 6XV1861-2D | SIMATIC NET PCF TRAILING CABLE, GP (200/230), UL APPROVED, TRAILING CABLE, SPLITTABLE, W/O CONNECT., SOLD BY THE METER MAX. LENGTH: 2000 M, MIN. ORDER LENGTH: 20 M |
| 419. | 6XV1861-3AN75 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 75 M |
| 420. | 6XV1861-3AT10 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 421. | 6XV1861-3AT15 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 150 M |
| 422. | 6XV1861-3AT20 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 200 M |
| 423. | 6XV1861-3AT25 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 250 M |
| 424. | 6XV1861-3AT30 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 300 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 425. | 6XV1861-3AT40 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 400 M |
| 426. | 6XV1861-3CN75 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 75 M |
| 427. | 6XV1861-3CT10 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 428. | 6XV1861-3CT15 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 150 M |
| 429. | 6XV1861-3CT20 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 200 M |
| 430. | 6XV1861-3CT25 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 250 M |
| 431. | 6XV1861-3CT30 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 300 M |
| 432. | 6XV1861-3CT40 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 400 M |
| 433. | 6XV1861-3DN75 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 75 M |
| 434. | 6XV1861-3DT10 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 435. | 6XV1861-3DT15 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 150 M |
| 436. | 6XV1861-3DT20 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 200 M |
| 437. | 6XV1861-3DT25 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 250 M |
| 438. | 6XV1861-3DT30 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 300 M |
| 439. | 6XV1861-3DT40 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 400 M |
| 440. | 6XV1861-4AT10 | SIMATIC NET, IE FC TP STANDARD CABLE, 2X2 (PROFINET TYPE A), TP INSTALLATION CABLE FOR CONNECTION TO FC RJ45 PLUG 2X2, FC OUTLET RJ45, FOR UNIVERSAL USAGE, 4-WIRE, SHIELDED CAT 5, SUPPLIED IN UNITS OF 100 M, |
| 441. | 6XV1861-4AT50 | SIMATIC NET, IE FC TP STANDARD CABLE, 2X2 (PROFINET TYPE A), TP INSTALLATION CABLE FOR CONNECTION TO FC RJ45 PLUG 2X2, FC OUTLET RJ45, FOR UNIVERSAL USAGE, 4-WIRE, SHIELDED CAT 5, SUPPLIED IN UNITS OF 500 M, |
| 442. | 6XV1861-4AU10 | SIMATIC NET, IE FC TP STANDARD CABLE, 2X2 (PROFINET TYPE A), TP INSTALLATION CABLE FOR CONNECTION TO FC RJ45 PLUG 2X2, FC OUTLET RJ45, FOR UNIVERSAL USAGE, 4-WIRE, SHIELDED CAT 5, SUPPLIED IN UNITS OF 1000 M |
| 443. | 6XV1861-7AN50 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 50 M |
| 444. | 6XV1861-7AN75 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 75 M |
| 445. | 6XV1861-7AT10 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 446. | 6XV1861-7AT15 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 150 M |
| 447. | 6XV1861-7AT20 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 200 M |
| 448. | 6XV1861-7AT25 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 250 M |
| 449. | 6XV1861-7AT30 | SIMATIC NET PCF STANDARD CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 300 M |
| 450. | 6XV1861-7CN50 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 50 M |
| 451. | 6XV1861-7CN75 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 75 M |
| 452. | 6XV1861-7CT10 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 453. | 6XV1861-7CT15 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 150 M |
| 454. | 6XV1861-7CT20 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 200 M |
| 455. | 6XV1861-7CT25 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 250 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

*This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties.
The safety instructions of the accompanying product documentation shall be observed.*

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snape; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|--|
| 456. | 6XV1861-7CT30 | SIMATIC NET PCF TRAILING CABLE, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 300 M |
| 457. | 6XV1861-7DN50 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 50 M |
| 458. | 6XV1861-7DN75 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 75 M |
| 459. | 6XV1861-7DT10 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 460. | 6XV1861-7DT15 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 150 M |
| 461. | 6XV1861-7DT20 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 200 M |
| 462. | 6XV1861-7DT25 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 250 M |
| 463. | 6XV1861-7DT30 | SIMATIC NET PCF TRAILING CABLE GP, PREASSEMBLED WITH 2X2 SIMPLEX CONNECTORS, INSERTION GUIDE, LENGTH 300 M |
| 464. | 6XV1870-2B | SIMATIC NET, IE FC FLEXIBLE CABLE, GP 2X2 (PROFINET TYP B) TP INSTALLATION CABLE W. FLEXIBLE CORES, PROFINET TYPE B, 4-WIRE, SHIELDED, CAT 5, SOLD BY THE M, MAX. CONSIGNMENT: 1000 M, MIN. ORDERING QUANTITY: 20 M |
| 465. | 6XV1870-2D | SIMATIC NET, IE FC TRAILING CABLE GP 2X2 (PROFINET TYP C), TP INSTALLATION CABLE, F.FESTOONING; 4-WIRE, CAT. 5, SOLD BY THE METER (3 MIO BEND. CYCL.) MAX. CONSIGNMENT: 1000 M, MIN. ORDERING QUANTITY: 20 M |
| 466. | 6XV1870-2E | SIMATIC NET, IE FC TP STANDARD CABLE 4X2, TP INSTALLATION CABLE, CAT6 F. CONNECTION TO FC RJ45 MODULAR OUTLET, AWG22 SOLD BY THE METER, MAX. CONSIGNMENT: 1000 M MIN. ORDER QUANTITY: 20 M |
| 467. | 6XV1870-2F | SIMATIC NET, IE FC TORSION CABLE, 2X2 (PROFINET TYP C), TP INSTALLATION CABLE, 4-WIRE, FOR USE IN ENHANCED FLEXIBILITY APPLICATION (TORSION), SOLD BY THE METER MAX. CONSIGNMENT: 1000 M, MIN. ORDERING QUANTITY: 20 M |
| 468. | 6XV1870-2J | SIMATIC NET, IE HYBRID CABLE 2X2 + 4X0.34, FLEXIBLE CABLE, 4X CU CAT5, SHIELDED (0.75MM) AND 4X CU(0.34SQMM) FOR IE FC MODULAR OUTLET FOR POWER INSERT AND IP67 HYBRID CONNECTOR, SOLD BY THE METER, MAX. CONSIGNMENT: 1000 M, MIN. ORDER LENGTH: 20 M |
| 469. | 6XV1870-3QE30 | Industrial Ethernet TP Cord RJ45/RJ45, CAT 6A, TP cable 4x 2, preassembled with 2 RJ45 connectors, length 0.3m |
| 470. | 6XV1870-3QE50 | SIMATIC NET INDUSTRIAL ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W. W. 2 RJ45 CONNECTORS, L = 0.5 M |
| 471. | 6XV1870-3QH10 | SIMATIC NET INDUSTRIAL ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W. W. 2 RJ45 CONNECTORS, L = 1 M |
| 472. | 6XV1870-3QH20 | SIMATIC NET INDUSTRIAL ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W. W. 2 RJ45 CONNECTORS, L = 2 M |
| 473. | 6XV1870-3QH30 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W/ 2 RJ45 CONNECTORS, LENGTH 3M |
| 474. | 6XV1870-3QH40 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W/ 2 RJ45 CONNECTORS, LENGTH 4M |
| 475. | 6XV1870-3QH60 | SIMATIC NET INDUSTRIAL ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W. W. 2 RJ45 CONNECTORS, L = 6 M |
| 476. | 6XV1870-3QN10 | SIMATIC NET INDUSTRIAL ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W. W. 2 RJ45 CONNECTORS, L = 10 M |
| 477. | 6XV1870-3QN15 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W/ 2 RJ45 CONNECTORS, LENGTH 15M |
| 478. | 6XV1870-3QN20 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W/ 2 RJ45 CONNECTORS, LENGTH 20M |
| 479. | 6XV1870-3QN25 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W/ 2 RJ45 CONNECTORS, LENGTH 25M |
| 480. | 6XV1870-3QN30 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W/ 2 RJ45 CONNECTORS, LENGTH 30M |
| 481. | 6XV1870-3QN35 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W/ 2 RJ45 CONNECTORS, LENGTH 35M |
| 482. | 6XV1870-3QN40 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W/ 2 RJ45 CONNECTORS, LENGTH 40M |
| 483. | 6XV1870-3QN45 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W/ 2 RJ45 CONNECTORS, LENGTH 45M |
| 484. | 6XV1870-3QN50 | SIMATIC NET, IND. ETHERNET TP CORD RJ45/RJ45, CAT 6A, TP CABLE 4X2, PREASSEMBLED W/ 2 RJ45 CONNECTORS, LENGTH 50M |
| 485. | 6XV1870-3RE50 | SIMATIC NET INDUSTRIAL ETHERNET TP XP CORD RJ45/RJ45, CAT 6A, CROSSED TP CABLE 4X2, PREASSEMBLED W. 2 RJ45 CONNECTORS, LENGTH 0.5 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 486. | 6XV1870-3RH10 | SIMATIC NET INDUSTRIAL ETHERNET TP XP CORD RJ45/RJ45, CAT 6A, CROSSED TP CABLE 4X2, PREASSEMBLED W. 2 RJ45 CONNECTORS, LENGTH 1 M |
| 487. | 6XV1870-3RH20 | SIMATIC NET INDUSTRIAL ETHERNET TP XP CORD RJ45/RJ45, CAT 6A, CROSSED TP CABLE 4X2, PREASSEMBLED W. 2 RJ45 CONNECTORS, LENGTH 2 M |
| 488. | 6XV1870-3RH60 | SIMATIC NET INDUSTRIAL ETHERNET TP XP CORD RJ45/RJ45, CAT 6A, CROSSED TP CABLE 4X2, PREASSEMBLED W. 2 RJ45 CONNECTORS, LENGTH 6 M |
| 489. | 6XV1870-3RN10 | SIMATIC NET INDUSTRIAL ETHERNET TP XP CORD RJ45/RJ45, CAT 6A, CROSSED TP CABLE 4X2, PREASSEMBLED W. 2 RJ45 CONNECTORS, LENGTH 10 M |
| 490. | 6XV1870-8AE30 | SIMATIC NET,IE CONNECTING CABLE M12-180/M12-180, PREASSEMBLED IE FC TRAILING CABLE GP, WITH 2 M12 CONNECTORS (D-CODED), LENGTH 0.3 M |
| 491. | 6XV1870-8AE50 | SIMATIC NET,IE CONNECTING CABLE M12-180/M12-180, PREASSEMBLED IE FC TRAILING CABLE GP, WITH 2 M12 CONNECTORS (D-CODED) LENGTH 0.5 M |
| 492. | 6XV1870-8AH10 | SIMATIC NET,IE CONNECTING CABLE M12-180/M12-180, PREASSEMBLED IE FC TRAILING CABLE GP, WITH 2 M12 CONNECTORS (D-CODED), LENGTH 1M |
| 493. | 6XV1870-8AH15 | SIMATIC NET,IE CONNECTING CABLE M12-180/M12-180 PREASSEMBLED IE FC TRAILING CABLE GP, WITH 2 M12 CONNECTORS (D-CODED), LENGTH 1.5 M |
| 494. | 6XV1870-8AH20 | SIMATIC NET,IE CONNECTING CABLE M12-180/M12-180, PREASSEMBLED IE FC TRAILING CABLE GP, WITH 2 M12 CONNECTORS (D-CODED), LENGTH 2.0 M |
| 495. | 6XV1870-8AH30 | SIMATIC NET,IE CONNECTING CABLE M12-180/M12-180, PREASSEMBL. IE FC TRAILING CABLE GP, WITH 2 M12 CONNECTORS (D-CODED), LENGTH 3.0 M |
| 496. | 6XV1870-8AH50 | SIMATIC NET,IE CONNECTING CABLE M12-180/M12-180 PREASSEMBLED IE FC TRAILING CABLE GP, WITH 2 M12 CONNECTORS (D-CODED), LENGTH 5.0 M |
| 497. | 6XV1870-8AN10 | SIMATIC NET,IE CONNECTING CABLE M12-180/M12-180, PREASSEMBLED IE FC TRAILING CABLE GP, WITH 2 M12 CONNECTORS (D-CODED), LENGTH 10.0 M |
| 498. | 6XV1870-8AN15 | SIMATIC NET,IE CONNECTING CABLE M12-180/M12-180, PREASSEMBLED IE FC TRAILING CABLE GP, WITH 2 M12 CONNECTORS (D-CODED) LENGTH 15.0 M |
| 499. | 6XV1870-8GE30 | IE CONNECTING CABLE M12-90/M12-90, PREASSEMB. M12 CONNECT. (D-CODED), M12 CONNECT. (D-CODED), LENGTH 0.3 M |
| 500. | 6XV1870-8GE50 | IE CONNECTING CABLE M12-90/M12-90, PREASSEMB. M12 CONNECT. (D-CODED), M12 CONNECT. (D-CODED), LENGTH 0.5 M |
| 501. | 6XV1870-8GH10 | IE CONNECTING CABLE M12-90/M12-90, PREASSEMB. M12 CONNECT. (D-CODED), M12 CONNECT. (D-CODED), LENGTH 1M |
| 502. | 6XV1870-8GH15 | IE CONNECTING CABLE M12-90/M12-90, PREASSEMB. M12 CONNECT. (D-CODED), M12 CONNECT. (D-CODED), LENGTH 1.5 M |
| 503. | 6XV1870-8GH20 | IE CONNECTING CABLE M12-90/M12-90, PREASSEMB. M12 CONNECT. (D-CODED), M12 CONNECT. (D-CODED), LENGTH 2.0 M |
| 504. | 6XV1870-8GH30 | IE CONNECTING CABLE M12-90/M12-90, PREASSEMB. M12 CONNECT. (D-CODED), M12 CONNECT. (D-CODED), LENGTH 3.0 M |
| 505. | 6XV1870-8GH50 | IE CONNECTING CABLE M12-90/M12-90, PREASSEMB. M12 CONNECT. (D-CODED), M12 CONNECT. (D-CODED), LENGTH 5.0 M |
| 506. | 6XV1870-8GN10 | IE CONNECTING CABLE M12-90/M12-90, PREASSEMB. M12 CONNECT. (D-CODED), M12 CONNECT. (D-CODED), LENGTH 10.0 M |
| 507. | 6XV1870-8GN15 | IE CONNECTING CABLE M12-90/M12-90, PREASSEMB. M12 STECKERN (D-KODIERT) M12 STECKERN (D-KODIERT) LENGTH 15.0 M |
| 508. | 6XV1871-2F | SIMATIC NET, IE FC TP FRNC CABLE GP, TP-INSTALLATION CABLE FOR CONNECT. TO FC OUTLET RJ45, FOUR-CORE, SHIELDED, CAT 5, SOLD BY THE METER, MAX. CONSIGNMENT: 1000 M MIN. ORDERING QUANTITY: 20 M |
| 509. | 6XV1871-2G | IE GROUND CABLE 2X2 GROUND CABLE 4-WIRE SHIELDED, SOLD BY THE METER MAX. CONSIGNMENT 1000 M MIN. ORDER QUANTITY: 20 M |
| 510. | 6XV1871-2L | SIMATIC NET, IE FC TP FOOD CABLE GP 2X2, (PROFINET TYPE C) TP-INSTALLATION CABLE FOR USE IN FOOD AND BEVERAGE INDUSTRY, 4-WIRE CAT5E, SOLD BY THE METER, MAX. CONSEIGNMENT 1000 M, MIN. ORDER QUANTITY: 20 M |
| 511. | 6XV1871-2S | SIMATIC NET, IE FC TP FESTOON CABLE 2X2 (PROFINET TYPE B), TP-INSTALLATION CABLE FOR FESTOON SUSPENSION, 4-WIRE CAT5E, SOLD BY THE M,MIN. 5 MIO BENDING CYCLES, CONSEIGNMENT MAX. 1000 M, MIN. ORDER QUANTITY 20 M |
| 512. | 6XV1871-2T | IE TP TRAIN CABLE 2X2; CAT5 TP INSTALLATION CABLE F. TRAIN APPLICATIONS, FOR CONNECTION TO FC RJ45 PLUG 2X2, FC M12 PLUG PRO 2X2; TRAIN CERTIFIED, 4 WIRE,SHIELDED, BY THE METER, MAX. CONSIGNMENT 1000 M, MIN. ORDER QUANTITY 20 M |
| 513. | 6XV1871-5BH10 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP PREASS. W. 2X IE FC RJ45 PLUG 180; LENGTH 1.0 M |
| 514. | 6XV1871-5BH20 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP PREASS. W. 2X IE FC RJ45 PLUG 180; LENGTH 2.0 M |
| 515. | 6XV1871-5BH30 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP PREASS. W. 2X IE FC RJ45 PLUG 180; LENGTH 3.0 M |
| 516. | 6XV1871-5BH50 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP PREASS. W. 2X IE FC RJ45 PLUG 180; LENGTH 5.0 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 517. | 6XV1871-5BN10 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP PREASS. W. 2X IE FC RJ45 PLUG 180; LENGTH 10,0 M |
| 518. | 6XV1871-5BN12 | IE connecting Cable IE FC RJ45 Plug-180/IE FC RJ45 Plug-180; IE FC Trailing Cable GP preassembled mit 2x IE FC RJ45 Plug 180; length 12,0m |
| 519. | 6XV1871-5BN15 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP PREASS. W. 2X IE FC RJ45 PLUG 180; LENGTH 15,0 M |
| 520. | 6XV1871-5BN20 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP PREASS. W. 2X IE FC RJ45 PLUG 180; LENGTH 20 M |
| 521. | 6XV1871-5BN30 | IE connecting Cable IE FC RJ45 Plug-180/IE FC RJ45 Plug-180; IE FC Trailing Cable GP preassembled mit 2x IE FC RJ45 Plug 180; length 30m |
| 522. | 6XV1871-5TH20 | IE CONNECTING CABLE M12-180/IE FC RJ45 PLUG-145; IE FC TRAILING CABLE GP PREASSEMBLED WITH M12 CONNECTOR (D-CODED) A. IE FC RJ45 PLUG; LENGTH 2,0 M |
| 523. | 6XV1871-5TH30 | IE CONNECTING CABLE M12-180/IE FC RJ45 PLUG-145; IE FC TRAILING CABLE GP PREASSEMBLED WITH M12 CONNECTOR (D-CODED) A. IE FC RJ 45 PLUG LENGTH 3,0 M |
| 524. | 6XV1871-5TH50 | IE CONNECTING CABLE M12-180/IE FC RJ45 PLUG-145; IE FC TRAILING CABLE GP PREASSEMBLED WITH M12 CONNECTOR (D-CODED) A. IE FC RJ 45 PLUG; LENGTH 5,0 M |
| 525. | 6XV1871-5TN10 | IE CONNECTING CABLE M12-180/IE FC RJ45 PLUG-145; IE FC TRAILING CABLE GP PREASSEMBLED WITH M12 CONNECTOR (D-CODED) A. IE FC RJ 45 PLUG; LENGTH 10,0 M |
| 526. | 6XV1871-5TN15 | IE CONNECTING CABLE M12-180/IE FC RJ45 PLUG-145; IE FC TRAILING CABLE GP PREASSEMBLED WITH M12 CONNECTOR (D-CODED) A. IE FC RJ 45 PLUG; LENGTH 15,0 M |
| 527. | 6XV1873-2A | SIMATIC NET FO STANDARD CABLE GP(50/125), STANDARD CABLE CAN BE SECTIONALIZED, UL APPROVAL, MAX. LENGTH: 1000 M MIN. ORDER LENGTH: 20 M SOLD BY THE METER |
| 528. | 6XV1873-2B | SIMATIC NET FO FRNC CABLE (50/125/OM2), CABLE FREE OF HALOGEN, SPLITTABLE, FOR FIXED INSTALLATION,MAX. LENGTH 1000 M MIN. ORDER QUANTITY 20 M SOLD BY THE METER, |
| 529. | 6XV1873-2C | SIMATIC NET FO TRAILING CABLE, (50/125), TRAILING CABLE, SPLITTABLE, W/O CONNECT., SOLD BY THE METER MAX. LENGTH: 1000 M MIN. ORDER LENGTH: 20 M |
| 530. | 6XV1873-2D | SIMATIC NET FO TRAILING CABLE, GP (50/125), UL APPROVED, TRAILING CABLE, SPLITTABLE, W/O CONNECT., SOLD BY THE METER MAX. LENGTH: 1000 M MIN. ORDER LENGTH: 20 M |
| 531. | 6XV1873-2E | SIMATIC NET FO FRNC CABLE, (50/ 125/OM4), HALOGEN-FREE CABLE, SEPARABLE, FOR FIXED INSTALLATION, MAX. LENGTH 1000 M MIN. ORDER LENGTH 20 M SOLD BY THE METER |
| 532. | 6XV1873-2G | SIMATIC NET FO GROUND CABLE, (50/125),OUTDOOR CABLE W. PROT. AGAINST RODENTS, SPLITTABLE, W/O CONNECT., SOLD BY THE METER MIN. ORDER LENGTH: 20 M, MAX. LENGTH: 2000 M |
| 533. | 6XV1873-2R | MM FO ROBUST CABLE GP (2G50/125); CABLE FOR INDOOR AND OUTDOOR WITH PROTECTION AGAIST RODENTS, SPLITTABLE, W/O CONNECTOR, SOLD BY THE M MIN. ORDER QUANTITY: 20 M, MAX. LENGTH 2000 M |
| 534. | 6XV1873-3AH05 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 0,5 M |
| 535. | 6XV1873-3AH10 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 1,0 M |
| 536. | 6XV1873-3AH20 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 2,0 M |
| 537. | 6XV1873-3AH30 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 3,0 M |
| 538. | 6XV1873-3AH50 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 5,0 M |
| 539. | 6XV1873-3AN10 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 10 M |
| 540. | 6XV1873-3AN15 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 15 M |
| 541. | 6XV1873-3AN20 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 20 M |
| 542. | 6XV1873-3AN30 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 30 M |
| 543. | 6XV1873-3AN40 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 40 M |
| 544. | 6XV1873-3AN50 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 50 M |
| 545. | 6XV1873-3AN80 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 80 M |
| 546. | 6XV1873-3AT10 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 547. | 6XV1873-3AT15 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 150 M |
| 548. | 6XV1873-3AT20 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 200 M |
| 549. | 6XV1873-3AT30 | SIMATIC NET FO STANDARD CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 300 M |
| 550. | 6XV1873-3CH30 | SIMATIC NET FO TRAILING CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 3,0 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

EU-Konformitätserklärung / EU-Declaration of Conformity

Nr./No. A5E50284620A, Rev.: 003

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Seite/page 20 von/of 24

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 551. | 6XV1873-3CH50 | SIMATIC NET FO TRAILING CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 5.0 M |
| 552. | 6XV1873-3CN10 | SIMATIC NET FO TRAILING CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 10 M |
| 553. | 6XV1873-3CN20 | SIMATIC NET FO TRAILING CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 20 M |
| 554. | 6XV1873-3CN50 | SIMATIC NET FO TRAILING CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 50 M |
| 555. | 6XV1873-3CT10 | SIMATIC NET FO TRAILING CABLE 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 556. | 6XV1873-3DH30 | SIMATIC NET FO TRAILING CABLE GP 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 3.0 M |
| 557. | 6XV1873-3DH50 | SIMATIC NET FO TRAILING CABLE GP 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 5 M |
| 558. | 6XV1873-3DN10 | SIMATIC NET FO TRAILING CABLE GP 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 10 M |
| 559. | 6XV1873-3DN20 | SIMATIC NET FO TRAILING CABLE GP 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, LENGTH 20 M |
| 560. | 6XV1873-3DN50 | SIMATIC NET FO TRAILING CABLE GP 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 50 M |
| 561. | 6XV1873-3DT10 | SIMATIC NET FO TRAILING CABLE GP 50/125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 562. | 6XV1873-3GT10 | SIMATIC NET FO GROUND CABLE 50/ 125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 563. | 6XV1873-3GT20 | SIMATIC NET FO GROUND CABLE 50/ 125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 200 M |
| 564. | 6XV1873-3GT30 | SIMATIC NET FO GROUND CABLE 50/ 125, PREASSEMBLED WITH 2X2 BFOC CONNECTORS, INSERTION GUIDE, LENGTH 300 M |
| 565. | 6XV1873-5AH10 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors, length 1.0m |
| 566. | 6XV1873-5AH20 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors, length 2.0m |
| 567. | 6XV1873-5AH30 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors, length 3.0m |
| 568. | 6XV1873-5AH50 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors, length 5.0m |
| 569. | 6XV1873-5AN10 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors, length 10m |
| 570. | 6XV1873-5AN15 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors, length 15m |
| 571. | 6XV1873-5AN20 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors, length 20m |
| 572. | 6XV1873-5AN30 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors, length 30m |
| 573. | 6XV1873-5AN40 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors, length 40m |
| 574. | 6XV1873-5AN50 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors,insertion guide length 50m |
| 575. | 6XV1873-5AN80 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors,insertion guide length 80m |
| 576. | 6XV1873-5AT10 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors,insertion guide length 100m |
| 577. | 6XV1873-5AT15 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors,insertion guide length 150m |
| 578. | 6XV1873-5AT20 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors,insertion guide length 200m |
| 579. | 6XV1873-5AT30 | FO Standard Cable 50/125, preassembled mit 2x2 BFOC connectors,insertion guide length 300m |
| 580. | 6XV1873-5CH50 | FO Trailing Cable GP 50/125, preassembled mit 2x2 BFOC connectors, length 5m |
| 581. | 6XV1873-5CN10 | FO Trailing Cable GP 50/125, preassembled mit 2x2 BFOC connectors, length 10m |
| 582. | 6XV1873-5CN15 | FO Trailing Cable GP 50/125, preassembled mit 2x2 BFOC connectors, length 20m |
| 583. | 6XV1873-5CN20 | FO Trailing Cable GP 50/125, preassembled mit 2x2 BFOC connectors,insertion guide length 50m |
| 584. | 6XV1873-5RH10 | SIMATIC NET FO ROBUST CABLE GP 50/125, PREASSEMBLED WITH 2 X LC DUPLEX CONNECTORS, LENGTH 1,0 M |
| 585. | 6XV1873-5RH20 | SIMATIC NET FO ROBUST CABLE GP 50/125, PREASSEMBLED WITH 2 X LC DUPLEX CONNECTORS, LENGTH 2,0 M |
| 586. | 6XV1873-5RH30 | SIMATIC NET FO ROBUST CABLE GP 50/125, PREASSEMBLED WITH 2 X LC DUPLEX CONNECTORS, LENGTH 3,0 M |
| 587. | 6XV1873-5RN10 | SIMATIC NET FO ROBUST CABLE GP 50/125, PREASSEMBLED WITH 2 X LC DUPLEX CONNECTORS, LENGTH 10 M |
| 588. | 6XV1873-5RN30 | SIMATIC NET FO ROBUST CABLE GP 50/125, PREASSEMBLED WITH 2 X LC DUPLEX CONNECTORS, LENGTH 30 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snabe; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 589. | 6XV1873-5RN50 | SIMATIC NET FO ROBUST CABLE GP 50/125, PREASSEMBLED WITH 2 X LC DUPLEX CONNECTORS, LENGTH 50 M |
| 590. | 6XV1873-5RT10 | SIMATIC NET FO ROBUST CABLE GP 50/125, PREASSEMBLED WITH 2 X LC DUPLEX CONNECTORS, LENGTH 100 M |
| 591. | 6XV1873-5RT15 | SIMATIC NET FO ROBUST CABLE GP 50/125, PREASSEMBLED WITH 2 X LC DUPLEX CONNECTORS, LENGTH 150 M |
| 592. | 6XV1873-6AH05 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 0.5 M |
| 593. | 6XV1873-6AH10 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 1.0 M |
| 594. | 6XV1873-6AH20 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 2.0 M |
| 595. | 6XV1873-6AH30 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 3.0 M |
| 596. | 6XV1873-6AH50 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 5.0 M |
| 597. | 6XV1873-6AN10 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 10 M |
| 598. | 6XV1873-6AN15 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2SC CONNECTORS, LENGTH 15 M |
| 599. | 6XV1873-6AN20 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 20 M |
| 600. | 6XV1873-6AN30 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 30 M |
| 601. | 6XV1873-6AN40 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 40 M |
| 602. | 6XV1873-6AN50 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 50 M |
| 603. | 6XV1873-6AN80 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 80 M |
| 604. | 6XV1873-6AT10 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 605. | 6XV1873-6AT15 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 150 M |
| 606. | 6XV1873-6AT20 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 200 M |
| 607. | 6XV1873-6AT30 | SIMATIC NET FO STANDARD CABLE GP (50/125), PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 300 M |
| 608. | 6XV1873-6CH30 | SIMATIC NET FO TRAILING CABLE 50/125, PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 3 M |
| 609. | 6XV1873-6CH50 | SIMATIC NET FO TRAILING CABLE 50/125, PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 5 M |
| 610. | 6XV1873-6CN10 | SIMATIC NET FO TRAILING CABLE 50/125, PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 10 M |
| 611. | 6XV1873-6CN20 | SIMATIC NET FO TRAILING CABLE 50/125, PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 20 M |
| 612. | 6XV1873-6CN50 | SIMATIC NET FO TRAILING CABLE 50/125, PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 50 M |
| 613. | 6XV1873-6CT10 | SIMATIC NET FO TRAILING CABLE 50/125, PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 614. | 6XV1873-6DH30 | SIMATIC NET FO TRAILING CABLE GP 50/125, PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 3 M |
| 615. | 6XV1873-6DH50 | SIMATIC NET FO TRAILING CABLE GP 50/125, PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 5 M |
| 616. | 6XV1873-6DN10 | SIMATIC NET FO TRAILING CABLE GP 50/125, PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 10 M |
| 617. | 6XV1873-6DN20 | SIMATIC NET FO TRAILING CABLE GP 50/125, PREASSEMBLED WITH 2X2 SC CONNECTORS, LENGTH 20 M |
| 618. | 6XV1873-6DN50 | SIMATIC NET FO TRAILING CABLE GP 50/125, PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 50 M |
| 619. | 6XV1873-6DT10 | SIMATIC NET FO TRAILING CABLE GP 50/125, PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 620. | 6XV1873-6GT10 | SIMATIC NET FO GROUND CABLE 50/ 125, PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 100 M |
| 621. | 6XV1873-6GT20 | SIMATIC NET FO GROUND CABLE 50/ 125, PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 200 M |
| 622. | 6XV1873-6GT30 | SIMATIC NET FO GROUND CABLE 50/ 125, PREASSEMBLED WITH 2X2 SC CONNECTORS, INSERTION GUIDE, LENGTH 300 M |
| 623. | 6XV1874-2A | SIMATIC NET, POF STANDARD CABLE GP 980/1000, PROFINET, STANDARD CABLE, SOLD BY THE METER MIN. LENGTH: 20 M MAX. LENGTH: 500 M |
| 624. | 6XV1874-2B | SIMATIC NET, POF TRAILING CABLE 980/1000, PROFINET, TRAILING CABLE, SOLD BY THE METER MIN. LENGTH ORDERED: 20 M MAX. LENGTH 500 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 625. | 6XV1875-5AH10 | SIMATIC NET N-CONNECT MALE/ MALE FLEXIBLE CONNECTION CABLE PRE-ASSEMBLED; LENGTH 1M; FLEXIBLE CONNECTION CABLE E. G. FOR 2 RCOAX SEGMENTS |
| 626. | 6XV1875-5AH20 | SIMATIC NET N-CONNECT MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED; LENGTH 2M FLEXIBLE CONNECTION CABLE E. G. FOR 2 RCOAX SEGMENTS |
| 627. | 6XV1875-5AH50 | SIMATIC NET N-CONNECT MALE/ MALE FLEXIBLE CONNECTION CABLE PRE-ASSEMBLED; LENGTH 5M FLEXIBLE CONNECTION CABLE E. G. FOR 2 RCOAX SEGMENTS |
| 628. | 6XV1875-5AN10 | SIMATIC NET N-CONNECT MALE/ MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED; LENGTH 10M FLEXIBLE CONNECTION CABLE E. G. FOR 2 RCOAX SEGMENTS |
| 629. | 6XV1875-5CE30 | SIMATIC NET N-CONNECT/ R-SMA MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED LENGTH 0.3M FLEXIBLE CONNECT. CABLE ACCESSPOINT - ANTENNA (RCOAX AND OTHERS) |
| 630. | 6XV1875-5CH10 | SIMATIC NET N-CONNECT/ R-SMA MALE/MALE FLEXIBLE CONNECTION CABLE PRE-ASSEMBLED, LENGTH 1M FLEXIBLE CONNECTION CABLE ACCESSPOINT - ANTENNA (RCOAX AND OTHERS) |
| 631. | 6XV1875-5CH20 | SIMATIC NET N-CONNECT/ R-SMA MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, LENGTH 2M FLEXIBLE CONNECTION CABLE ACCESSPOINT - ANTENNA (RCOAX AND OTHERS) |
| 632. | 6XV1875-5CH50 | SIMATIC NET N-CONNECT/ R-SMA MALE/MALE FLEXIBLE CONNECTION CABLE PRE-ASSEMBLED, LENGTH 5M FLEXIBLE CONNECTION CABLE ACCESSPOINT - ANTENNA (RCOAX AND OTHERS) |
| 633. | 6XV1875-5CN10 | SIMATIC NET N-CONNECT/ R-SMA MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, LENGTH 10M FLEXIBLE CONNECTION CABLE ACCESSPOINT - ANTENNA (RCOAX AND OTHERS) |
| 634. | 6XV1875-5DE30 | SIMATIC NET, IWLAN R-SMA/SMA MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, LENGTH 0.30M FLEXIBLE CONNECTION CABLE FOR COMPONENTS WITH R-SMA AND SMA CONNECTION |
| 635. | 6XV1875-5DH20 | SIMATIC NET, IWLAN R-SMA/ SMA MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, LENGTH 2M FLEXIBLE CONNECTION CABLE FOR COMPONENTS WITH R-SMA AND SMA CONNECTION |
| 636. | 6XV1875-5JH10 | SIMATIC NET QMA / N-CONNECT. MALE/FEMALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, LENGTH 1M; FLEXIBLE ADAPTER CABLE FROM ANTENNA WITH QMA-SOCKET TO ANTENNA CONNECT. CABLE; SCOPE OF SUPPLY: 3 PCS. |
| 637. | 6XV1875-5LE30 | SIMATIC NET N-CONNECT/SMA MALE/ MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, LENGTH 0.3M, FLEXIBLE CONNECTION CABLE SCALANCE M - ANTENNA |
| 638. | 6XV1875-5LH10 | SIMATIC NET N-CONNECT/SMA MALE/ MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, LENGTH 1M, FLEXIBLE CONNECTION CABLE SCALANCE M - ANTENNA |
| 639. | 6XV1875-5LH20 | SIMATIC NET N-CONNECT/SMA MALE/ MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, LENGTH 2M, FLEXIBLE CONNECTION CABLE SCALANCE M - ANTENNA |
| 640. | 6XV1875-5LH50 | SIMATIC NET N-CONNECT/SMA MALE/ MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, LENGTH 5M, FLEXIBLE CONNECTION CABLE SCALANCE M - ANTENNA |
| 641. | 6XV1875-5SH10 | SIMATIC NET N-CONNECT MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED; WITH RAILWAY CERTIFICAT.; LENGTH 1M; FLEXIBLE CONNECTION CABLE E.G. FOR ANTENNA - LIGHTNING PROTECTOR |
| 642. | 6XV1875-5SH20 | SIMATIC NET N-CONNECT MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED; WITH RAILWAY CERTIFICAT.; LENGTH 2M; FLEXIBLE CONNECTION CABLE E.G. FOR ANTENNA - LIGHTNING PROTECTOR |
| 643. | 6XV1875-5SH50 | SIMATIC NET N-CONNECT MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED; WITH RAILWAY CERTIFICAT.; LENGTH 5M; FLEXIBLE CONNECTION CABLE E.G. FOR ANTENNA - LIGHTNING PROTECTOR |
| 644. | 6XV1875-5TH10 | SIMATIC NET N-CONNECT/ R-SMA MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, WITH RAILWAY CERTIFICAT., LENGTH 1M FLEXIBLE CONNECTION CABLE E.G. FOR ACCESSPOINT - ANTENNA |
| 645. | 6XV1875-5TH20 | SIMATIC NET N-CONNECT/ R-SMA MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, WITH RAILWAY CERTIFICAT., LENGTH 2M FLEXIBLE CONNECTION CABLE E.G. FOR ACCESSPOINT - ANTENNA |
| 646. | 6XV1875-5TH30 | SIMATIC NET CABLE N/R-SMA RAILWAY MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, WITH RAILWAY CERTIFICAT., LENGTH 3M FLEXIBLE CONNECTION CABLE E.G. FOR ACCESSPOINT - ANTENNA |
| 647. | 6XV1875-5TH50 | SIMATIC NET N-CONNECT/ R-SMA MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, WITH RAILWAY CERTIFICAT., LENGTH 5M FLEXIBLE CONNECTION CABLE E.G. FOR ACCESSPOINT - ANTENNA |
| 648. | 6XV1875-5UH10 | SIMATIC NET N-CONNECT/ SMA MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, WITH RAILWAY CERTIFICAT., LENGTH 1M FLEXIBLE CONNECTION CABLE E.G. FOR SCALANCE M - ANTENNA |
| 649. | 6XV1875-5UH20 | SIMATIC NET N-CONNECT/ SMA MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, WITH RAILWAY CERTIFICAT., LENGTH 2M FLEXIBLE CONNECTION CABLE E.G. FOR SCALANCE M - ANTENNA |
| 650. | 6XV1875-5UH50 | SIMATIC NET CABLE N / R-SMA RAILWAY 5MSIMATIC NET N-CONNECT/ SMA MALE/MALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, WITH RAILWAY CERTIFICAT., LENGTH 5M FLEXIBLE CONNECTION CABLE E.G. FOR ACCESSPOINT - ANTENNA |
| 651. | 6XV1875-5VH10 | SIMATIC NET QMA / N-CONNECT MALE/FEMALE FLEXIBLE CONNECTION CABLE PREASSEMBLED, LENGTH 1M; APPROPRIATE FOR RAILROAD APPLICATION; FLEXIBLE ADAPTER CABLE FROM ANTENNA WITH QMA-SOCKET TO ANTENNA-CONNECTION CABLE; |
| 652. | 6XV1878-2A | IE FC TP STANDARD CABLE GP 4X2, TP-INSTALLATIONS CABLE CAT6A FOR CONNECTING TO IE FC RJ45 PLUG 4X2, AWG24, SOLD BY THE METER, MAX. CONSIGNMENT: 1000 M, MIN. LENGTH ORDERED: 20 M |
| 653. | 6XV1878-2B | IE FC TP FLEXIBLE CABLE GP 4X2, TP-INSTALLATIONS CABLE CAT6A FOR CONNECTING TO IE FC RJ45 PLUG 4X2, AWG24, SOLD BY THE METER, MAX. CONSIGNMENT: 1000 M, MIN. LENGTH ORDERED: 20 M |
| 654. | 6XV1878-2C | IE FC TP TRAILING CABLE GP 4X2, TP-INSTALLATION CABLE CAT6A, AWG 24, FOR CONNECTING TO IE FC RJ45 PLUG 4X2, AWG24, SOLD BY THE METER, MAX. CONSIGNMENT 1000 M MIN. ORDER QUANTITY 20 M |
| 655. | 6XV1878-2G | IE GROUND CABLE 4X2 BURIED CABLE, CAT6A, 8-WIRE SHIELDED, CABLE FOR CONNECT. TO IE FC RJ45 PLUG 4X2, AWG24, SOLD BY THE M MAX. CONSIGNMENT 1000 M MIN. ORDER LENGTH 20 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties. The safety instructions of the accompanying product documentation shall be observed.

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322

| Nr.: No. | Bestellnummer: Order No. | Produktbezeichnung: Product identification |
|-------------|-----------------------------|---|
| 656. | 6XV1878-2T | IE TP TRAIN CABLE 4X2; CAT7 TP INSTALLATION CABLE F. TRAIN APPLICATIONS, FOR CONNECTION TO FC M12 PLUG PRO 4X2, TRAIN CERTIFIED, 8 WIRE, SHIELDED, SOLD BY THE METER, MAX. CONSIGNMENT 1000 M, MIN. ORDER QUANTITY 20 M |
| 657. | 6XV1878-5BH20 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP 4X2 PREASSEM. W/ 2X IE FC RJ45 PLUG 180 4 X 2; LENGTH 2.0 M |
| 658. | 6XV1878-5BH30 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP 4X2 PREASSEM. W/ 2X IE FC RJ45 PLUG 180 4 X 2; LENGTH 3.0 M |
| 659. | 6XV1878-5BH50 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP 4X2 PREASSEM. W/ 2X IE FC RJ45 PLUG 180 4 X 2; LENGTH 5.0 M |
| 660. | 6XV1878-5BN10 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP 4X2 PREASSEM. W/ 2X IE FC RJ45 PLUG 180 4 X 2; LENGTH 10.0 M |
| 661. | 6XV1878-5BN15 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP 4X2 PREASSEM. W/ 2X IE FC RJ45 PLUG 180 4 X 2; LENGTH 15.0 M |
| 662. | 6XV1878-5BN20 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP 4X2 PREASSEM. W/ 2X IE FC RJ45 PLUG 180 4 X 2; LENGTH 20 M |
| 663. | 6XV1878-5BN25 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP 4X2 PREASSEM. W/ 2X IE FC RJ45 PLUG 180 4 X 2; LENGTH 25 M |
| 664. | 6XV1878-5BN30 | IE CONNECTING CABLE IE FC RJ45 PLUG-180/IE FC RJ45 PLUG-180; IE FC TRAILING CABLE GP 4X2 PREASSEM. W/ 2X IE FC RJ45 PLUG 180 4 X 2; LENGTH 30 M |
| 665. | 6XV1878-5HE30 | IE TP CORD M12-180/M12-180, PREASSEM. IE FLEXIBLE CABLE, WITH 2 M12 PLUGS (X-CODED), LENGTH 0.3 M |
| 666. | 6XV1878-5HE50 | IE TP CORD M12-180/M12-180 PREASSEM. IE FLEXIBLE CABLE, WITH 2 M12 PLUGS (X-CODED), LENGTH 0.5 M |
| 667. | 6XV1878-5HH10 | IE TP CORD M12-180/M12-180 PREASSEM. IE FLEXIBLE CABLE, WITH 2 M12 PLUGS, (X-CODED), LENGTH 1M |
| 668. | 6XV1878-5HH15 | IE TP CORD M12-180/M12-180 PREASSEMBLED IE FLEXIBLE CABLE, WITH 2 M12 PLUGS(X-CODED), LENGTH 1.5 M |
| 669. | 6XV1878-5HH20 | IE TP CORD M12-180/M12-180 PREASSEMBLED IE FLEXIBLE CABLE, WITH 2 M12 PLUGS, (X-CODED), LENGTH 2.0 M |
| 670. | 6XV1878-5HH30 | IE TP CORD M12-180/M12-180, PREASSEMBLED IE FLEXIBLE CABLE, WITH 2 M12 PLUGS (X-CODED), LENGTH 3.0 M |
| 671. | 6XV1878-5HH50 | IE TP CORD M12-180/M12-180, PREASSEMBLED IE FLEXIBLE CABLE, WITH 2 M12 PLUGS,(X-CODED), LENGTH 5.0 M |
| 672. | 6XV1878-5HN10 | IE TP CORD M12-180/M12-180, PREASSEMBLED IE FLEXIBLE CABLE, WITH 2 M12 PLUGS, (X-CODED), LENGTH 10.0 M |
| 673. | 6XV1878-5HN15 | IE TP CORD M12-180/M12-180 PREASSEMBLED IE FLEXIBLE CABLE, WITH 2 M12 PLUGS (X-CODED), LENGTH 15.0 M |
| 674. | 6XV1881-2A | IE FC TP ROBUST FOOD CABLE GP 2X2, (PROFINET TYPE C) TP-INSTALLATION CABLE FOR USE IN FOOD AND BEVERAGE INDUSTRIES, 4-WIRE CAT5E, SOLD BY THE METER MAX. CONSIGNMENT 1000 M, MIN. ORDER QUANTITY 20 M |
| 675. | 6XV1881-5AH10 | IE ROBUST CONNECTING CABLE M12-180/M12-180, IP69, PREASS. IE FC ROBUST FOOD CABLE GP 2X2, W. 2 M12 CONNECTORS (D-CODED), LENGTH 1 M |
| 676. | 6XV1881-5AH20 | IE ROBUST CONNECTING CABLE M12-180/M12-180, IP69, PREASS. IE FC ROBUST FOOD CABLE GP 2X2, W. 2 M12 CONNECTORS (D-CODED), LENGTH 2.0 M |
| 677. | 6XV1881-5AH30 | IE ROBUST CONNECTING CABLE M12-180/M12-180, IP69, PREASS. IE FC ROBUST FOOD CABLE GP 2X2, W. 2 M12 CONNECTORS (D-CODED), LENGTH 3.0 M |
| 678. | 6XV1881-5AH50 | IE ROBUST CONNECTING CABLE M12-180/M12-180, IP69, PREASS. IE FC ROBUST FOOD CABLE 2X2, W. 2 M12 CONNECTORS (D-CODED), LENGTH 5.0 M |

Diese Erklärung bescheinigt die Übereinstimmung mit den genannten Richtlinien, ist jedoch keine Beschaffenheits- oder Haltbarkeitsgarantie. Die Sicherheitshinweise der mitgelieferten Produktdokumentation sind zu beachten.

*This declaration certifies the compliance with the indicated directives but does not imply any warranty for properties.
The safety instructions of the accompanying product documentation shall be observed.*

Siemens Aktiengesellschaft: Chairman of the Supervisory Board: Jim Hagemann Snaube; Managing Board: Joe Kaeser, Chairman, President and Chief Executive Officer; Roland Busch, Klaus Helmrich, Cedrik Neike, Matthias Rebellius, Ralf P. Thomas, Judith Wiese; Registered offices: Berlin and Munich, Germany; Commercial registries: Berlin-Charlottenburg, HRB 12300, Munich, HRB 6684; WEEE-Reg.-No. DE 23691322