



ALPHA 400, nástěnná skříň, ploché balení, IP43, třída ochrany 1, v: 950 mm, š: 550 mm, h: 210 mm, RAL 9016

Verze	
Název značky produktu	ALPHA
označení produktu	nástěnná skříň
provedení produktu	Flat Pack
obrábění povrchů	ošetřen práškovou technologií
Třída ochrany	
Druh krytí IP	IP43
třída ochrany provozního prostředí	třída ochrany 1
způsobilost k vzájemnému působení bleskojistka	Ano
způsobilost k použití pro venkovní použití	Ne
Vzhled	
číslo barvy RAL	9016
součást produktu	
• kabelový přívod	Ano
• montážní panel	Ne
rozšíření produktu volitelná výbava sériové uspořádání	Ano
Mechanická konstrukce	
výška	950 mm
šířka	550 mm
hloubka	210 mm
montážní hloubka	210 mm
hmotnost netto	18,8 kg
materiál krytu	ocel
General Product Approval	
Declaration of Conformity	

[Confirmation](#)



[Miscellaneous](#)



Declaration of Conformity

Test Certificates

other



[Special Test Certificate](#)

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

Další informace

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=8GK1102-4KK22>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/cz/ps/8GK1102-4KK22>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=8GK1102-4KK22

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



