

Fork-type busbar touch-safe, 3-phase 16 mm², 56 MW



Model	
product brand name	SENTRON
product designation	Fork-type busbar
design of the product	3PH 16mm ² 56MW
busbar design	laminated
General technical data	
surface processing tin-plated	No
Main circuit	
operational current rated value	120 A
Product details	
product feature flexible	Yes
Mechanical Design	
width	15.1 mm
length	1 000 mm
thickness of busbar	15 mm
material of the busbar	SF-Cu F 24
General Product Approval	
Declaration of Conformity	
other	

[Confirmation](#)

[Miscellaneous](#)



[Confirmation](#)

other	
Environment	

[Miscellaneous](#)

[Environmental Conformations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST2192>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST2192>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST2192

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



¹⁾ Fork spacings in MW (Modular widths, 1 MW = 18 mm).

last modified:

12/20/2020

