



instalační stykač s 4 spínacími kontakty kontakt pro AC 230V, 400V 25A ovládání AC/DC 24V

Verze	
Název značky produktu	SETRON
označení produktu	instalační stykač
provedení produktu	4 spínací kontakty
druh napětí provozního napětí	AC
druh napětí provozního napětí k ovládání	AC/DC
Napájecí napětí	
provozní napětí jmenovitá hodnota	
• minimální	400 V
• maximální	400 V
Třída ochrany	
Druh krytí IP	IP20
Rozptýlení	
ztrátový výkon [W] při jmenovité hodnotě proudu u AC za teplého provozního stavu na každý pól	2,2 W
Řídicí proud	
řídící napětí	
• jmenovitá hodnota	24 V
• jmenovitá hodnota maximální	24 V
• u DC jmenovitá hodnota	24 V
Podrobnosti o produktu	
součást produktu posuvný uzávěr pro ruční řazení	Ne
počet rozpínacích kontaktů	0
počet zapínacích kontaktů	4
rozšíření produktu lze namontovat přídatná zařízení	Ano
Připojení	
pokyny pro instalaci, resp. montáž	Pro zaručení odvodu tepla je nutné naplánovat distanční kusy
Mechanická konstrukce	
výška	90 mm
šířka	35 mm
hloubka	71 mm
montážní hloubka	64 mm
počet jednotek dělení na šířku	2
hmotnost netto	150 g
Aprobace Certifikáty	
General Product Approval	Declaration of Conformity



Test Certificates	other	Environment	
-------------------	-------	-------------	--

[Special Test Certificate](#)

[Confirmation](#)

[Miscellaneous](#)

[Environmental Confirmations](#)

Další informace

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Informace o balení

[Informace o balení](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TT5030-2>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/cz/ps/5TT5030-2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT5030-2


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





Poslední změna:

25.06.2022 

