

27030200

Limanda II



Limanda II

[Catalogues](#)[Assembly instructions](#)[Declaration of Conformity](#)[Drawing](#)[3D Data](#)

Technical data

Höhe	248 mm
Breite	270 mm
Tiefe	64 mm
Material	Polyamide 6 (PA6)
Colour	black-grey (RAL 7021)
Ingress protection	IP65
Degree of protection norm	EN 60529
temperature min.	-20 °C
temperature max.	60 °C
Seal material	CR-(Chloroprene)
Surface resistance	10 ¹² Ohm

Commercial data

Country of origin	HU
Order unit	1 Piece
Customs tariff number	39269097
Weight	0.6 kg
GTIN	4250157917171













ETIM classification

ETIM 8	EC001031
--------	----------

ROSE SYSTEMTECHNIK GMBH
Erbeweg 13-15
32457 Porta Westfalica, Germany

Tel.: +49 571 50 41-0
Fax: +49 571 50 41-6
Mail: rose@rose-pw.de

Accessories

	27030084 Limanda Mounting system		27030085 Limanda Carrying strap
	27030087 Limanda I/II Table stand (Set=2 pcs)		27030089 Limanda II Quiver
	27030091 Limanda II Quiver with Intermediate frame		27030092 Limanda Carrying strap 2
	27030280 Limanda II Front plate		27030281 Limanda II Intermediate frame
	27030282 Limanda II Installation set Siemens TP170/TP70		50020005 Inclining Adapter for Limanda and GT 48/2 Tube
	50020006 Inclining Adapter for Limanda and GTKe Profile		50020007 Inclining Adapter for Limanda wall-mounting