

# Ex Aluminium enclosures



- Enclosure systems of diecast aluminium usable in all Ex-areas
- Empty enclosures for individual fittings or Ex e / Ex ia junction box
- Optional version with window
- Temperature classes T6 / T5 / T4



## Technical Data

### Explosion protection

⊕ II 2 G

⊕ II 2 D

Ex e II T6 (increased safety)

Ex ia IIC T6 (intrinsic safety)

Ex e(ia) IIC T6 (mixed fitting)

### Certificates

IECEX PTB 08.0005U, PTB 98 ATEX 3101U, Gost R, INMETRO MC AEX-8297-X, Gost K  
IECEX PTB 08.0006, PTB 00 ATEX 1063, Gost R, INMETRO MC AEX-8502-X, Gost K  
S-XPL/12.0779

### Material

Aluminium diecast DIN EN 1706 EN AC-ALSi 12 (Fe)

### Painting

Powder coating

### Colour

RAL 7001, silver grey

### Ingress protection

IP 66 to EN 60529

### Impact resistance

7 Joule to EN 60079-0

### Temperature range

-20°C to +40°C (corresponds T6 = 85°C max. surface temperature)

-20°C to +55°C (corresponds T5 = 100°C max. surface temperature)

-20°C to +90°C (corresponds T4 = 135°C max. surface temperature)

to -55°C with special marking on request

## Included in delivery

Empty enclosure:

Enclosure with silicone seal and external earth connection

Junction box:

Enclosure system - depending on version either with silicone seal, external earthing, DIN rails, internal earthing connection, terminals, manufacturing, cable glands

## Product range

Order No.			
Ex e	Ex ia	empty enclosures	dimensions (mm) H x W x D
05.06 06 03	15.06 06 03	25.06 06 03	64 x 58 x 34
05.06 10 03	15.06 10 03	25.06 10 03	64 x 98 x 34
05.06 15 03	15.06 15 03	25.06 15 03	64 x 150 x 34
05.08 08 06	15.08 08 06	25.08 08 06	80 x 75 x 57
05.08 13 06	15.08 13 06	25.08 13 06	80 x 125 x 57
05.08 18 06	15.08 18 06	25.08 18 06	80 x 175 x 57
05.08 25 05	15.08 25 05	25.08 25 05	80 x 250 x 52
05.10 10 08	15.10 10 08	25.10 10 08	100 x 100 x 81
05.10 16 08	15.10 16 08	25.10 16 08	100 x 160 x 81
05.10 20 08	15.10 20 08	25.10 20 08	100 x 200 x 81
05.12 12 08	15.12 12 08	25.12 12 08	120 x 122 x 81
05.12 12 09	15.12 12 09	25.12 12 09	120 x 122 x 91
05.12 22 08	15.12 22 08	25.12 22 08	120 x 220 x 81
05.12 22 09	15.12 22 09	25.12 22 09	120 x 220 x 91
05.12 36 08	15.12 36 08	25.12 36 08	120 x 360 x 81
05.14 14 09	15.14 14 09	25.14 14 09	140 x 140 x 91
05.14 20 09	15.14 20 09	25.14 20 09	140 x 200 x 91
05.16 16 09	15.16 16 09	25.16 16 09	160 x 160 x 91
05.16 26 09	15.16 26 09	25.16 26 09	160 x 260 x 91
05.16 36 09	15.16 36 09	25.16 36 09	160 x 360 x 91
05.16 56 09	15.16 56 09	25.16 56 09	160 x 560 x 91
05.18 18 10	15.18 18 10	25.18 18 10	180 x 180 x 101
05.18 28 10	15.18 28 10	25.18 28 10	180 x 280 x 101
05.23 10 11	15.23 10 11	25.23 10 11	230 x 100 x 111
05.23 28 11	15.23 28 11	25.23 28 11	230 x 280 x 111
05.23 33 11	15.23 33 11	25.23 33 11	230 x 330 x 111
05.23 33 18	15.23 33 18	25.23 33 18	230 x 330 x 181
05.23 40 11	15.23 40 11	25.23 40 11	230 x 400 x 111
05.23 40 23	15.23 40 23	25.23 40 23	230 x 400 x 225
05.23 60 11	15.23 60 11	25.23 60 11	230 x 600 x 111
05.23 20 11	15.23 20 11	25.23 20 11	232 x 202 x 111
05.23 20 18	15.23 20 18	25.23 20 18	232 x 202 x 181
05.31 60 11	15.31 60 11	25.31 60 11	310 x 600 x 111
05.31 60 18	15.31 60 18	25.31 60 18	310 x 600 x 181
05.31 40 14	15.31 40 14	25.31 40 14	312 x 403 x 141
05.31 40 11	15.31 40 11	25.31 40 11	313 x 404 x 111
05.31 40 18	15.31 40 18	25.31 40 18	313 x 404 x 181
05.31 40 23	15.31 40 23	25.31 40 23	313 x 404 x 227
05.60 60 20	15.60 60 20	25.60 60 20	600 x 600 x 202

# Ex Aluminium enclosures



## Terminal mounting

Make	Phoenix																	Bartec										
DIN rail TS 15				X	X				X																			
DIN rail TS 32																												
DIN rail TS 35	X	X	X				X	X		X	X	X	X	X	X	X												
Voltage (V)	352	550	690	275	420	690	690	275	690	690	690	690	880	1100	1100	380	380											
Current (A)	17	22	23	22,5	27	32,5	43,5	37	57	74	118,5	137	216	256	350													
Nominal cross section (mm²)	1,5	2,5	2,5	2,5	4	4	6	6	10	16	35	50	95	150	240	2,5	2,5											
Terminal width (mm)	4,2	5,2	5,2	5,2	6,2	6,2	8,2	8,2	10,2	12,2	16	20	25	31	36	30	30											
Terminal Type																												
Enclosure Type	UK 1,5 N	UK 2,5 N	UK 3 N	MBK 3/E-Z	MXK 4	UK 5 N	UK 6 N	MBK 6/E	UK 10 N	UK 16 N	UK 35	UKH 50	UKH 95	UKH 150	UKH 240	Ex-Mini-clamp	Ex-Mini-clamp, blue	Sheath clamp (2 x 4 mm², 3 x 2,5 mm² each clamp)	Sheath clamp (2 x 4 mm² each clamp)	Sheath clamp (2 x 6 mm², 3 x 4 mm², 4 x 2,5 mm² each clamp)	PE bar 1,5 to 6 mm²	PE terminal 2,5 mm²	External PE connection up to 4 mm²	External PE connection up to 10 mm²	External PE connection 16 mm² to 120 mm²	External PE connection up to 2,5 mm²		
05/15./25.06 06 03																3	3					2						1
05/15./25.06 10 03																6	6					2						1
05/15./25.06 15 03																10	10					2						1
05/15./25.08 08 06					6	5													2						1			
05/15./25.08 13 06					12	9													4						1			
05/15./25.08 18 06					25	21													4						1			
05/15./25.08 25 05					40	33													4						1			
05/15./25.10 10 08	14	11	11	11	9	9	7	7											2					1				
05/15./25.10 16 08	28	23	23	23	19	19	14	14											2					1				
05/15./25.10 20 08	38	30	30	30	25	25	19	19											2					1				
05/15./25.12 12 08	19	15	15	15	13	13	10	10	8	6										2						1		
05/15./25.12 12 09	19	15	15	15	13	13	10	10	8	6										2						1		
05/15./25.12 22 08	42	34	34	34	29	29	21	21	17	14										4						1		
05/15./25.12 22 09	42	34	34	34	29	29	21	21	17	14										4						1		
05/15./25.12 36 08	76	61	61	61	51	51	39	39	31	26										4						1		
05/15./25.14 14 09	23	19	19	19	16	16	12	12	9	8											8					1		
05/15./25.14 20 09	38	30	30	30	25	25	19	19	15	13											16					1		
05/15./25.16 16 09	28	23	23	23	19	19	14	14	11	9	7										10					1		
05/15./25.16 26 09	52	42	42	42	35	35	26	26	21	18	14										22					1		
05/15./25.16 36 09	76	61	61	61	51	51	39	39	31	26	21										32					1		
05/15./25.16 56 09	123	100	100	100	83	83	63	63	50	42	34										52					1		
05/15./25.18 18 10	33	26	26	26	22	22	17	17	13	11	9										12					1		
05/15./25.18 28 10	57	46	46	46	38	38	29	29	23	19	15										24					1		
05/15./25.23 10 11	45	36	36	36	30	30	23	23												2			1					
05/15./25.23 20 11	76	62	62	62	52	52	38	38	15	13	10										16					1		
05/15./25.23 20 18	76	62	62	62	52	52	38	38	15	13	10	8									16					1		
05/15./25.23 28 11	114	92	92	92	76	76	58	58	46	19	15										24					1		
05/15./25.23 33 11	138	110	110	110	92	92	70	70	56	23	19										28					1		
05/15./25.23 33 18	138	110	110	110	92	92	70	70	56	23	19	14									28					1		
05/15./25.23 40 11	170	138	138	138	116	116	86	86	70	29	23										38					1		
05/15./25.23 40 23	170	138	138	138	116	116	86	86	70	29	23	18									38					1		
05/15./25.23 60 11	266	214	214	214	180	180	136	136	54	45	36										58					1		
05/15./25.31 40 11	258	210	210	210	174	174	132	132	70	58	23										38					1		
05/15./25.31 40 14	258	210	210	210	174	174	132	132	70	58	23	18	14								38					1		
05/15./25.31 40 18	258	210	210	210	174	174	132	132	70	58	23	18	14								38					1		
05/15./25.31 40 23	258	210	210	210	174	174	132	132	70	58	23	18	14								38					1		
05/15./25.31 60 11	399	321	321	321	270	270	204	204	108	90	36										58					1		
05/15./25.31 60 18	399	321	321	321	270	270	204	204	108	90	36	28	22								58					1		
05/15./25.60 60 20	532	428	428	428	360	360	204	204	162	135	108	56	22	18	15						56					1		

PE terminal as required



# Ex Aluminium enclosures

## Terminal mounting

Make	Weidmüller																						
DIN rail TS 15	X	X	X	X																			
DIN rail TS 32							X	X		X		X		X			X						
DIN rail TS 35					X	X			X		X		X		X	X		X	X	X	X	X	
Voltage (V)	275	176	176	275	440	550	550	550	690	550	550	550	690	690	690	550	690	690	690	880	1100	1100	
Current (A)	14	10	15	21	21	21	21	28	28	36	36	50	50	66	66	109	109	126	167	202	243	300	
Nominal cross section (mm²)	1,5	1,5	2,5	4	2,5	2,5	2,5	4	4	6	6	10	10	16	16	35	35	50	70	95	120	240	
Terminal width (mm)	3,5	5,1	5,1	6,1	5,1	5,1	6	6,5	6,1	8	7,9	10	9,9	12	11,9	16	18	18,5	20,5	27	27	36	
Terminal Type																							
Enclosure Type	WDU 1,5 / R 3,5/E	AKZ 1,5	AKZ 2,5	AKZ 4	WDU 2,5 N	WDU 2,5	SAK 2,5	SAK 4	WDU 4	SAK 6N	WDU 6	SAK 10	WDU 10	SAK 16	WDU 16	WDU 35	SAK 35	WDU 50N	WDU 70N	WDU 70/95	WDU 95N/120N	WDU 120/150	WDU 240
05/15./25.06 06 03																							
05/15./25.06 10 03																							
05/15./25.06 15 03																							
05/15./25.08 08 06	10	4	4	3																			
05/15./25.08 13 06	24	14	14	11																			
05/15./25.08 18 06	38	24	23	20																			
05/15./25.08 25 05	59	38	38	32																			
05/15./25.10 10 08	17	9	9	7	11																		
05/15./25.10 16 08	34	21	20	17	24																		
05/15./25.10 20 08	45	28	28	24	32																		
05/15./25.12 12 08		13	12	10	13	13	11	11	11	8	8												
05/15./25.12 12 09		13	12	10	13	13	11	11	11	8	8	6	6										
05/15./25.12 22 08		32	32	27	33	33	27	27	27	21	21	16	16										
05/15./25.12 22 09		32	32	27	33	33	27	27	27	21	21	16	16										
05/15./25.12 36 08		59	59	49	61	61	50	50	50	38	38	30	30										
05/15./25.14 14 09		16	16	14	16	16	13	13	13	10	10	8	8										
05/15./25.14 20 09		28	28	23	28	28	23	23	23	17	17	14	14										
05/15./25.16 16 09		20	20	17	20	20	17	17	17	13	13	10	10										
05/15./25.16 26 09		40	39	33	40	40	33	33	33	25	25	20	20										
05/15./25.16 36 09		59	59	49	61	61	50	50	50	38	38	30	30										
05/15./25.16 56 09		98	98	82	100	100	84	84	84	63	63	50	50										
05/15./25.18 18 10		24	24	20	24	24	20	20	20	15	15	12	12	10	10								
05/15./25.18 28 10		43	43	36	44	44	37	37	37	28	28	22	22	18	18								
05/15./25.23 10 11		34	33	28			28	28		21													
05/15./25.23 20 11		56	56	46	56	56	46	46	46	36	36	14	14	11	11	9	8						
05/15./25.23 20 18		56	56	46	56	56	46	46	46	36	36	14	14	11	11	9	8	7					
05/15./25.23 28 11		86	86	72	88	88	72	72	72	56	56	44	44	18	18	14	12						
05/15./25.23 33 11		106	106	88	108	108	90	90	90	68	68	54	54	22	22	17	15						
05/15./25.23 33 18		106	106	88	108	108	90	90	90	68	68	54	54	22	22	17	15	14					
05/15./25.23 40 11		132	132	110	136	136	114	114	114	86	86	68	68	29	29	21	19						
05/15./25.23 40 23		132	132	110	136	136	114	114	114	86	86	68	68	29	29	21	19	18					
05/15./25.23 60 11		212	210	176	216	216	180	180	180	134	134	54	54	45	45	33	30						
05/15./25.31 40 11		198	198	165	204	204	171	171	171	129	129	51	51	42	42	21	19						
05/15./25.31 40 14		198	198	165	204	204	171	171	171	129	129	51	51	42	42	21	19	18	16			14	
05/15./25.31 40 18		198	198	165	204	204	171	171	171	129	129	51	51	42	42	21	19	18	16			14	
05/15./25.31 40 23		198	198	165	204	204	171	171	171	129	129	51	51	42	42	21	19	18	16			14	
05/15./25.31 60 11		318	315	264	324	324	270	270	270	204	204	108	108	90	90	34	30						
05/15./25.31 60 18		318	315	264	324	324	270	270	270	204	204	108	108	90	90	34	30	28	26			20	
05/15./25.60 60 20		416	416	348	432	432	360	360	360	204	204	162	162	135	135	132	120	56	39	20	20	16	15


PE terminal as required

Sheath clamp, PE bar, PE terminal and external PE connection s. page 174


# Ex Aluminium enclosures




## Accessories




PE bar




PE bus bar




PE connection on DIN rail



PE terminal block




External earth, stainless steel



Optimal corrosion protection


## Accessories




External mounting brackets (4 pcs.), stainless steel




Allen lid screw, stainless steel




Sealable lid screw, corrosion resistant



External hinges (pair), Aluminium diecast, swivel range 150°  
Please specify mounting side



Internal hinges (pair), stainless steel swivel range 95°  
Please specify mounting side



Mounting plate, stainless steel galvanized

# Ex Aluminium enclosures



Type: **Ex e 05.06 06 03**

**Ex ia 15.06 06 03**




**25.06 06 03**

**ATEX**

**h x w x d 64 x 58 x 34 mm**

**160 g**

l in mm	in mm	N	N	mm <sup>2</sup>						
				2,5	•	•				



	1,5	2,5	4	6	10	16	25	35	50	70	95
	**	3	3								
	6										
	10	18									
	16	6	12								
	20	2	7								
	25		3								
	35										
	50										
	63										
	80										
	100										
	125										
	160										
	200										
	225										
	250										
	315										
400											
500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	2	1	7	17,25	2	1
16	25,30			9	21,85	1	1
20	27,60			11	25,30		
25	37,95			13,5	27,60		
32	48,30			16	31,05		
40	60,95			21	37,95		
50	69,00			29	48,30		
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.06 10 03**

**Ex ia 15.06 10 03**




**25.06 10 03**

**ATEX**

**h x w x d 64 x 98 x 34 mm**

**220 g**

l in mm	in mm	N	N	mm <sup>2</sup>						
TS 15				2,5	•	•				
87,5										



	1,5	2,5	4	6	10	16	25	35	50	70	95
	**	6	6								
	6										
	10	20									
	16	7	13								
	20	2	7								
	25		3								
	35										
	50										
	63										
	80										
	100										
	125										
	160										
	200										
	225										
	250										
	315										
400											
500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	4	1	7	17,25	4	1
16	25,30			9	21,85	3	1
20	27,60			11	25,30		
25	37,95			13,5	27,60		
32	48,30			16	31,05		
40	60,95			21	37,95		
50	69,00			29	48,30		
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174



# Ex Aluminium enclosures



Type: **Ex e 05.06 15 03**

**Ex ia 15.06 15 03**




**25.06 15 03**

## ATEX

**h x w x d 64 x 150 x 34 mm**

**360 g**

l in mm	in mm	N	N	mm <sup>2</sup>						
TS 15										
139				2,5	•	•				



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	10	10									
	N											
	6											
	10	20										
	16	7	13									
	20	3	8									
	25		3									
	35											
	50											
	63											
	80											
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	8	1	7	17,25	8	1
16	25,30			9	21,85	6	1
20	27,60			11	25,30		
25	37,95			13,5	27,60		
32	48,30			16	31,05		
40	60,95			21	37,95		
50	69,00			29	48,30		
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.08 08 06**

**Ex ia 15.08 08 06**




**25.08 08 06**

## ATEX

**h x w x d 80 x 75 x 57 mm**

**300 g**

l in mm	in mm	N	N	mm <sup>2</sup>						
TS 15			2 x 4 mm <sup>2</sup>							
63	46		2	4	•	•	•			•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	6	6	5								
	N	1	1	1								
	6											
	10	27										
	16	9	18	70								
	20	3	10	20								
	25		5	11								
	35			3								
	50											
	63											
	80											
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	3	5	7	17,25	2	5
16	25,30	1	2	9	21,85	1	2
20	27,60	1	2	11	25,30	1	2
25	37,95	1	1	13,5	27,60	1	2
32	48,30			16	31,05	1	1
40	60,95			21	37,95		
50	69,00			29	48,30		
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

# Ex Aluminium enclosures



Type: **Ex e 05.08 13 06**

**Ex ia 15.08 13 06**



**25.08 13 06**


**ATEX**

**h x w x d 80 x 125 x 57 mm**



**475 g**

l in mm	in mm	N	N	mm <sup>2</sup>							
TS 15			2 x 4 mm <sup>2</sup>								
113	85,5		2	4	•	•	•				•



	1,5	2,5	4	6	10	16	25	35	50	70	95
	**	12	12	9							
	N	1	1	1							
	6										
	10	29									
	16	10	19	76							
	20	4	11	22							
	25		5	12							
	35			3							
	50										
	63										
	80										
	100										
	125										
	160										
	200										
	225										
	250										
	315										
400											
500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	9	5	7	17,25	8	5
16	25,30	4	2	9	21,85	6	2
20	27,60	3	2	11	25,30	3	2
25	37,95	2	1	13,5	27,60	3	2
32	48,30			16	31,05	2	1
40	60,95			21	37,95	2	
50	69,00			29	48,30		
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.08 18 06**

**Ex ia 15.08 18 06**



**25.08 18 06**


**ATEX**

**h x w x d 80 x 175 x 57 mm**



**550 g**

l in mm	in mm	N	N	mm <sup>2</sup>							
TS 15			2 x 4 mm <sup>2</sup>								
163	135,5		2	4	•	•	•				•



	1,5	2,5	4	6	10	16	25	35	50	70	95
	**	25	25	21							
	N	1	1	1							
	6										
	10	29									
	16	10	19	77							
	20	4	11	22							
	25		5	12							
	35			3							
	50										
	63										
	80										
	100										
	125										
	160										
	200										
	225										
	250										
	315										
400											
500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	14	5	7	17,25	14	5
16	25,30	6	2	9	21,85	9	2
20	27,60	5	2	11	25,30	6	2
25	37,95	3	1	13,5	27,60	5	2
32	48,30			16	31,05	4	1
40	60,95			21	37,95	3	
50	69,00			29	48,30		
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174



# Ex Aluminium enclosures



Type: **Ex e 05.08 25 05**

**Ex ia 15.08 25 05**




**25.08 25 05**

## ATEX

**h x w x d 80 x 250 x 52 mm**

**730 g**

l in mm	in mm	N	N	mm <sup>2</sup>						
TS 15			2 x 4 mm <sup>2</sup>							
238	209,5		2	4	•	•	•			



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	40	40	33								
	N	1	1	1								
	6											
	10	28										
	16	9	19	73								
	20	4	11	21								
	25		5	12								
	35			3								
	50											
	63											
	80											
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	23	6	7	17,25	22	6
16	25,30	9	2	9	21,85	15	3
20	27,60	8	2	11	25,30	9	2
25	37,95	5	1	13,5	27,60	8	2
32	48,30			16	31,05	6	1
40	60,95			21	37,95	5	1
50	69,00			29	48,30		
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.10 10 08**

**Ex ia 15.10 10 08**




**25.10 10 08**

## ATEX

**h x w x d 100 x 100 x 81 mm**

**620 g**

l in mm	in mm	N	N	mm <sup>2</sup>						
TS 15/35										
87,5	59,5			6	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	14	11	9	7							
	N	1	1	1	1							
	6											
	10	37										
	16	12	24	95								
	20	5	14	27								
	25		6	15	30							
	35			4	11							
	50											
	63											
	80											
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	12	9	7	17,25	12	9
16	25,30	6	4	9	21,85	8	5
20	27,60	5	3	11	25,30	5	4
25	37,95	2	1	13,5	27,60	5	3
32	48,30	1	1	16	31,05	4	2
40	60,95			21	37,95	2	1
50	69,00			29	48,30	1	1
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

# Ex Aluminium enclosures



Type: **Ex e 05.10 16 08**

**Ex ia 15.10 16 08**




**25.10 16 08**

**ATEX**

**h x w x d 100 x 160 x 81 mm**

**1000 g**

l in mm	in mm	N	N	mm²						
148	120			6	•	•	•	•		•



	1,5	2,5	4	6	10	16	25	35	50	70	95
	28	23	19	14							
<b>UL N</b>	1	1	1	1							
	6										
	10	39									
	16	13	26	101							
	20	5	15	29							
	25		7	16	32						
	35			4	12						
	50										
	63										
	80										
	100										
	125										
	160										
	200										
	225										
	250										
315											
400											
500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	24	9	7	17,25	22	8
16	25,30	11	4	9	21,85	17	5
20	27,60	10	3	11	25,30	11	4
25	37,95	4	1	13,5	27,60	10	3
32	48,30	3	1	16	31,05	8	2
40	60,95			21	37,95	4	1
50	69,00			29	48,30	3	1
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.10 20 08**

**Ex ia 15.10 20 08**




**25.10 20 08**

**ATEX**

**h x w x d 100 x 200 x 81 mm**

**970 g**

l in mm	in mm	N	N	mm²						
188	160			6	•	•	•	•		•




	1,5	2,5	4	6	10	16	25	35	50	70	95
	38	30	25	19							
<b>UL N</b>	1	1	1	1							
	6										
	10	39									
	16	13	26	102							
	20	5	15	29							
	25		7	16	32						
	35			5	12						
	50										
	63										
	80										
	100										
	125										
	160										
	200										
	225										
	250										
315											
400											
500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	32	9	7	17,25	30	9
16	25,30	14	4	9	21,85	21	5
20	27,60	12	3	11	25,30	12	4
25	37,95	5	1	13,5	27,60	12	3
32	48,30	3	1	16	31,05	10	2
40	60,95			21	37,95	5	1
50	69,00			29	48,30	3	1
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174


# Ex Aluminium enclosures














Type: **Ex e 05.12 12 08**    **Ex ia 15.12 12 08**     **25.12 12 08**





## ATEX



**h x w x d** 120 x 122 x 81 mm

 **940 g**


									
l in mm	in mm	N	N	mm <sup>2</sup>					
TS 35			2 x 6 mm <sup>2</sup>						
107	65		2	16	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	19	15	13	10	8	6					
	N	1	1	1	1	1	1					
	6											
	10	40										
	16	13	26	103								
	20	5	15	30								
	25		7	17	32							
	35			5	12	31						
	50					10	26					
	63					3	12					
	80						4					
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												


M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	10	11	7	17,25	10	11
16	25,30	5	5	9	21,85	8	6
20	27,60	4	4	11	25,30	5	4
25	37,95	2	2	13,5	27,60	4	3
32	48,30	1	1	16	31,05	3	2
40	60,95			21	37,95	2	2
50	69,00			29	48,30	1	1
63	74,75			36	60,95		
				42	69,00		
				48	74,75		











\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174


Type: **Ex e 05.12 12 09**    **Ex ia 15.12 12 09**     **25.12 12 09**





## ATEX



**h x w x d** 120 x 122 x 91 mm

 **960 g**

									
l in mm	in mm	N	N	mm <sup>2</sup>					
TS 35			2 x 6 mm <sup>2</sup>						
107	65		2	16	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	19	15	13	10	8	6					
	N	1	1	1	1	1	1					
	6											
	10	43										
	16	14	28	110								
	20	6	16	32								
	25		7	18	35							
	35			5	13	34						
	50				2	11	28					
	63					3	13					
	80						5					
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	10	11	7	17,25	10	11
16	25,30	5	5	9	21,85	8	6
20	27,60	4	4	11	25,30	5	4
25	37,95	2	2	13,5	27,60	4	3
32	48,30	1	1	16	31,05	3	2
40	60,95			21	37,95	2	2
50	69,00			29	48,30	1	1
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

# Ex Ex Aluminium enclosures



Type: **Ex e 05.12 22 08**

**Ex ia 15.12 22 08**



**25.12 22 08**

**ATEX**

**h x w x d 120 x 220 x 81 mm**

**1410 g**

l in mm	in mm	N	N	mm²	TS 35	205	164,5	2	16	•	•	•	•	•
								2 x 6 mm²						

**DIN 50262**

A B C D

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	30	11	7	17,25	30	11
16	25,30	12	6	9	21,85	20	6
20	27,60	12	4	11	25,30	12	4
25	37,95	5	2	13,5	27,60	12	4
32	48,30	3	1	16	31,05	10	2
40	60,95			21	37,95	5	2
50	69,00			29	48,30	3	1
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

	1,5	2,5	4	6	10	16	25	35	50	70	95
	42	34	29	21	17	14					
	1	1	1	1	1	1					
6											
10	42										
16	14	28	111								
20	6	16	32								
25		8	18	35							
35			5	13	34						
50				2	11	28					
63					3	13					
80						5					
100											
125											
160											
200											
225											
250											
315											
400											
500											

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.12 22 09**

**Ex ia 15.12 22 09**



**25.12 22 09**

**ATEX**

**h x w x d 120 x 220 x 91 mm**

**1430 g**

l in mm	in mm	N	N	mm²	TS 35	205	164,5	2	16	•	•	•	•	•
								2 x 6 mm²						

**DIN 50262**

A B C D

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	34	11	7	17,25	34	11
16	25,30	15	6	9	21,85	24	6
20	27,60	14	4	11	25,30	15	4
25	37,95	6	2	13,5	27,60	14	4
32	48,30	4	1	16	31,05	11	2
40	60,95			21	37,95	6	2
50	69,00			29	48,30	4	1
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

	1,5	2,5	4	6	10	16	25	35	50	70	95
	42	34	29	21	17	14					
	1	1	1	1	1	1					
6											
10	45										
16	15	30	118								
20	6	17	34								
25		8	19	37							
35			5	14	36						
50				2	11	30					
63					4	14					
80						5					
100											
125											
160											
200											
225											
250											
315											
400											
500											

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174


# Ex Aluminium enclosures















Type: **Ex e 05.12 36 08**    **Ex ia 15.12 36 08**     **25.12 36 08**





## ATEX



**h x w x d** 120 x 360 x 81 mm

 **1970 g**


										
l in mm	in mm	N	N	mm <sup>2</sup>						
TS 35			2 x 6 mm <sup>2</sup>							
343	305		2	16	•	•	•	•		•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	76	61	51	39	31	26					
	N	1	1	1	1	1	1					
	6											
	10	43										
	16	14	28	112								
	20	6	16	32								
	25		8	18	35							
	35			5	13	34						
	50				2	11	28					
	63					3	13					
	80						5					
	100											
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												


M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	58	11	7	17,25	58	11
16	25,30	26	5	9	21,85	41	6
20	27,60	24	4	11	25,30	26	4
25	37,95	10	2	13,5	27,60	24	3
32	48,30	7	1	16	31,05	20	2
40	60,95			21	37,95	10	2
50	69,00			29	48,30	7	1
63	74,75			36	60,95		
				42	69,00		
				48	74,75		












\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174


Type: **Ex e 05.14 14 09**    **Ex ia 15.14 14 09**     **25.14 14 09**





## ATEX



**h x w x d** 140 x 140 x 91 mm

 **1500 g**

										
l in mm	in mm	N	N	mm <sup>2</sup>						
TS 35		8 x 6 mm <sup>2</sup>								
126	86	1		25	•	•	•	•		•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	23	19	16	12	9	8	6				
	N	1	1	1	1	1	1	1				
	6											
	10	45										
	16	15	30	117								
	20	6	17	34								
	25		8	19	37							
	35			5	14	36						
	50				2	11	30					
	63					4	14	49				
	80						5	15				
	100							6				
	125											
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	18	12	7	17,25	18	12
16	25,30	8	6	9	21,85	12	6
20	27,60	8	4	11	25,30	8	5
25	37,95	3	2	13,5	27,60	8	4
32	48,30	2	1	16	31,05	6	3
40	60,95			21	37,95	3	2
50	69,00			29	48,30	2	1
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

# Ex Aluminium enclosures



Type: **Ex e 05.14 20 09**

**Ex ia 15.14 20 09**




**25.14 20 09**

**ATEX**

**h x w x d 140 x 200 x 91 mm**

**2270 g**

l in mm	in mm	N	N	mm²							
TS 35			6 x 6 mm²								
186	140		2	25	•	•	•	•			•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	38	30	25	19	15	13	10				
	N	1	1	1	1	1	1	1				
	A	6										
		10	48									
		16	16	32	125							
		20	6	18	36							
		25		9	20	39						
		35			6	15	38					
		50				2	12	31				
		63					4	14	52			
		80						5	16			
		100							7			
		125										
		160										
		200										
		225										
		250										
		315										
	400											
	500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	28	12	7	17,25	28	12
16	25,30	12	6	9	21,85	20	6
20	27,60	12	4	11	25,30	12	6
25	37,95	5	2	13,5	27,60	12	4
32	48,30	3	1	16	31,05	10	3
40	60,95			21	37,95	5	2
50	69,00			29	48,30	3	1
63	74,75			36	60,95		
				42	69,00		
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.16 16 09**

**Ex ia 15.16 16 09**




**25.16 16 09**

**ATEX**

**h x w x d 160 x 160 x 91 mm**

**1500 g**

l in mm	in mm	N	N	mm²							
TS 35		10 x 6 mm²									
144	105	1		16	•	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	28	23	19	14	11	9	7	7			
	N	1	1	1	1	1	1	1	1			
	A	6										
		10	48									
		16	16	32	125							
		20	6	18	36							
		25		9	20	39						
		35			6	15	38					
		50				2	12	31				
		63					4	14	52			
		80						5	16	58		
		100							7	15		
		125								6		
		160										
		200										
		225										
		250										
		315										
	400											
	500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	26	16	7	17,25	26	16
16	25,30	12	8	9	21,85	15	11
20	27,60	9	6	11	25,30	12	6
25	37,95	5	3	13,5	27,60	9	6
32	48,30	3	2	16	31,05	8	5
40	60,95	2	1	21	37,95	5	3
50	69,00	2		29	48,30	2	2
63	74,75			36	60,95	2	1
				42	69,00	1	
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174



# Ex Aluminium enclosures



Type: **Ex e 05.16 26 09**

**Ex ia 15.16 26 09**




**25.16 26 09**

**ATEX**

**h x w x d 160 x 260 x 91 mm**

**2370 g**

l in mm	in mm	N	N	mm <sup>2</sup>						
TS 35		22 x 6 mm <sup>2</sup>								
245	205	1		16	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	52	42	35	26	21	18	14	14			
	N	1	1	1	1	1	1	1	1			
	6											
	10	52										
	16	18	34	135								
	20	7	20	39								
	25		9	22	42							
	35			6	16	41						
	50				2	13	34					
	63					4	16	56				
	80						6	17	63			
	100							7	16			
	125								6			
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12		17,25	50	16	7	17,25	50
16		25,30	24	8	9	21,85	30
20		27,60	17	6	11	25,30	23
25		37,95	10	3	13,5	27,60	17
32		48,30	5	2	16	31,05	14
40		60,95	3	1	21	37,95	9
50		69,00	3		29	48,30	5
63		74,75			36	60,95	3
					42	69,00	3
					48	74,75	

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.16 36 09**

**Ex ia 15.16 36 09**




**25.16 36 09**

**ATEX**

**h x w x d 160 x 360 x 91 mm**

**2540 g**

l in mm	in mm	N	N	mm <sup>2</sup>						
TS 35		32 x 6 mm <sup>2</sup>								
343	305	1		16	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	76	61	51	39	31	26	21	21			
	N	1	1	1	1	1	1	1	1			
	6											
	10	53										
	16	18	35	138								
	20	7	20	40								
	25		9	22	43							
	35			6	17	42						
	50				2	13	35					
	63					4	16	58				
	80						6	18	64			
	100							7	17			
	125								6			
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12		17,25	72	16	7	17,25	72
16		25,30	36	8	9	21,85	42
20		27,60	24	6	11	25,30	33
25		37,95	15	3	13,5	27,60	24
32		48,30	7	2	16	31,05	20
40		60,95	5	1	21	37,95	14
50		69,00	4		29	48,30	7
63		74,75			36	60,95	5
					42	69,00	4
					48	74,75	

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

# Ex Aluminium enclosures



Type: **Ex e 05.16 56 09**

**Ex ia 15.16 56 09**




**25.16 56 09**

**ATEX**

**h x w x d 160 x 560 x 91 mm**

**4390 g**

l in mm	in mm	N	N	mm²							
TS 35		56x6 mm²									
543	505	1		16	•	•	•	•	•	•	•



	1,5	2,5	4	6	10	16	25	35	50	70	95
	**	123	100	83	63	50	42	34	34		
	N	1	1	1	1	1	1	1	1		
	6										
	10	53									
	16	18	35	138							
	20	7	20	40							
	25		9	22	43						
	35			6	17	42					
	50				2	13	35				
	63					4	16	58			
	80						6	18	64		
	100							7	17		
	125								6		
	160										
	200										
	225										
	250										
	315										
400											
500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	104	16	7	17,25	104	16
16	25,30	58	8	9	21,85	66	11
20	27,60	40	6	11	25,30	58	6
25	37,95	24	3	13,5	27,60	40	6
32	48,30	12	2	16	31,05	32	5
40	60,95	8	1	21	37,95	24	3
50	69,00	6		29	48,30	12	2
63	74,75			36	60,95	8	1
				42	69,00	6	
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.18 18 10**

**Ex ia 15.18 18 10**




**25.18 18 10**

**ATEX**

**h x w x d 180 x 180 x 101 mm**

**2410 g**

l in mm	in mm	N	N	mm²							
TS 35		12x6 mm²									
166	126	1		16	•	•	•	•	•	•	•



	1,5	2,5	4	6	10	16	25	35	50	70	95
	**	33	26	22	17	13	11	9	9		
	N	1	1	1	1	1	1	1	1		
	6										
	10	54									
	16	18	36	139							
	20	7	21	40							
	25		10	23	44						
	35			6	17	43					
	50				2	14	35				
	63					4	16	58			
	80						6	18	65		
	100							7	17		
	125								7		
	160										
	200										
	225										
	250										
	315										
400											
500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	30	20	7	17,25	28	20
16	25,30	15	9	9	21,85	18	14
20	27,60	11	8	11	25,30	15	8
25	37,95	6	3	13,5	27,60	11	8
32	48,30	3	2	16	31,05	8	6
40	60,95	2	2	21	37,95	6	3
50	69,00	2		29	48,30	3	2
63	74,75			36	60,95	2	2
				42	69,00	2	
				48	74,75		

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

# Ex Aluminium enclosures















Type: **Ex e 05.18 28 10**    **Ex ia 15.18 28 10**     **25.18 28 10**





## ATEX



**h x w x d** 180 x 280 x 101 mm

 **2920 g**


										
l in mm	in mm	N	N	mm <sup>2</sup>						
TS 35		24 x 6 mm <sup>2</sup>								
264	221,5	1		16	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	57	46	38	29	23	19	15	15			
	N	1	1	1	1	1	1	1	1			
	6											
	10	58										
	16	20	38	150								
	20	8	22	43								
	25		10	24	47							
	35			7	18	46						
	50				2	15	38					
	63					5	17	63				
	80						6	19	70			
	100							8	18			
	125								7			
	160											
	200											
	225											
	250											
315												
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	52	22	7	17,25	52	22
16	25,30	26	10	9	21,85	33	15
20	27,60	18	8	11	25,30	23	10
25	37,95	11	4	13,5	27,60	18	8
32	48,30	5	2	16	31,05	14	7
40	60,95	4	2	21	37,95	10	4
50	69,00	3		29	48,30	5	2
63	74,75			36	60,95	4	2
				42	69,00	3	
				48	74,75		












\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174


Type: **Ex e 05.23 10 11**    **Ex ia 15.23 10 11**     **25.23 10 11**





## ATEX



**h x w x d** 230 x 100 x 111 mm

 **1800 g**

										
l in mm	in mm	N	N	mm <sup>2</sup>						
TS 35			4 x 6 mm <sup>2</sup>							
214	172		2	6	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	45	36	30	23							
	N	1	1	1	1							
	6											
	10	47										
	16	16	31	123								
	20	6	18	35								
	25		8	20	39							
	35			6	15							
	50				2							
	63											
	80											
	100											
	125											
	160											
	200											
	225											
	250											
315												
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	15	45	7	17,25	15	45
16	25,30	8	18	9	21,85	10	28
20	27,60	6	17	11	25,30	6	18
25	37,95	3	8	13,5	27,60	6	17
32	48,30	2	5	16	31,05	5	12
40	60,95	1	3	21	37,95	3	8
50	69,00	1	2	29	48,30	1	4
63	74,75			36	60,95	1	3
				42	69,00	1	2
				48	74,75	1	2

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

# Ex Aluminium enclosures



Type: **Ex e 05.23 20 11**

**Ex ia 15.23 20 11**




**25.23 20 11**

**ATEX**

**h x w x d 232 x 202 x 111 mm**

**2440 g**

l in mm	in mm	N	N	mm²										
TS 35		16x6mm²												
186	140	1		16	•	•	•	•	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	76	62	52	38	15	13	10	10			
	N	2	2	2	2	1	1	1	1			
	A	6										
		10	62									
		16	21	41	160							
		20	8	24	46							
		25		11	26	50						
		35			7	19	49					
		50				2	16	40				
		63					5	19	67			
		80						7	21	75		
		100							9	19		
		125								8		
		160										
		200										
		225										
		250										
		315										
	400											
	500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	45	45	7	17,25	45	45
16	25,30	22	18	9	21,85	28	28
20	27,60	18	17	11	25,30	20	18
25	37,95	8	8	13,5	27,60	18	17
32	48,30	6	5	16	31,05	15	12
40	60,95	3	3	21	37,95	8	8
50	69,00	2	2	29	48,30	5	4
63	74,75	2	2	36	60,95	3	3
				42	69,00	2	2
				48	74,75	2	2

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.23 20 18**

**Ex ia 15.23 20 18**




**25.23 20 18**

**ATEX**

**h x w x d 232 x 202 x 181 mm**

**3980 g**

l in mm	in mm	N	N	mm²										
TS 35		16x6mm²												
186	140	1		35	•	•	•	•	•	•	•	•	•	•




		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	76	62	52	38	15	13	10	10	8		
	N	2	2	2	2	1	1	1	1	1		
	A	6										
		10	82									
		16	28	54	211							
		20	11	31	61							
		25		15	34	67						
		35			10	26	65					
		50				3	21	54				
		63					7	25	88			
		80						9	27	99		
		100							12	26		
		125								10	26	
		160									9	
		200										
		225										
		250										
		315										
	400											
	500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	90	81	7	17,25	90	81
16	25,30	42	36	9	21,85	56	49
20	27,60	33	33	11	25,30	42	36
25	37,95	18	16	13,5	27,60	33	33
32	48,30	10	9	16	31,05	25	25
40	60,95	6	6	21	37,95	16	16
50	69,00	5	5	29	48,30	10	9
63	74,75	4	4	36	60,95	6	5
				42	69,00	5	4
				48	74,75	4	4

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174


# Ex Aluminium enclosures















Type: **Ex e 05.23 28 11**    **Ex ia 15.23 28 11**     **25.23 28 11**





**ATEX**



**h x w x d** 230 x 280 x 111 mm

 **2990 g**


										
l in mm	in mm	N	N	mm <sup>2</sup>						
TS 35		24 x 6 mm <sup>2</sup>								
264	220	1		16	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	114	92	76	58	46	19	15	15			
	N	2	2	2	2	2	1	1	1			
	6											
	10	67										
	16	23	44	173								
	20	9	26	50								
	25		12	28	54							
	35			8	21	53						
	50				3	17	44					
	63					5	20	72				
	80						7	22	81			
	100							9	21			
	125								8			
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	70	45	7	17,25	68	45
16	25,30	32	18	9	21,85	44	28
20	27,60	24	17	11	25,30	32	18
25	37,95	12	8	13,5	27,60	24	17
32	48,30	9	5	16	31,05	21	12
40	60,95	4	3	21	37,95	12	8
50	69,00	3	2	29	48,30	9	4
63	74,75	3	2	36	60,95	4	3
				42	69,00	3	2
				48	74,75	3	2












\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174


Type: **Ex e 05.23 33 11**    **Ex ia 15.23 33 11**     **25.23 33 11**





**ATEX**



**h x w x d** 230 x 330 x 111 mm

 **4050 g**

										
l in mm	in mm	N	N	mm <sup>2</sup>						
TS 35		28 x 6 mm <sup>2</sup>								
314	270	1		16	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	138	110	92	70	56	23	19	19			
	N	2	2	2	2	2	1	1	1			
	6											
	10	69										
	16	23	45	178								
	20	9	26	51								
	25		12	29	56							
	35			8	22	54						
	50				3	18	45					
	63					6	21	74				
	80						8	23	83			
	100							10	22			
	125								9			
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	84	45	7	17,25	81	45
16	25,30	42	18	9	21,85	52	28
20	27,60	30	17	11	25,30	38	18
25	37,95	15	8	13,5	27,60	30	17
32	48,30	11	5	16	31,05	27	12
40	60,95	5	3	21	37,95	15	8
50	69,00	4	2	29	48,30	11	4
63	74,75	4	2	36	60,95	5	3
				42	69,00	4	2
				48	74,75	4	2

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

# Ex Aluminium enclosures



Type: **Ex e 05.23 33 18**

**Ex ia 15.23 33 18**




**25.23 33 18**

**ATEX**

**h x w x d 230 x 330 x 181 mm**

**5260 g**

l in mm	in mm	N	N	mm²											
TS 35		28x6 mm²													
314	270	1			35	•	•	•	•	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	138	110	92	70	56	23	19	19	14		
	N	2	2	2	2	2	1	1	1	1		
	A	6										
	10	88										
	16	30	59	228								
	20	12	34	66								
	25		16	37	72							
	35			11	28	70						
	50				4	23	58					
	63					7	27	96				
	80						10	30	107			
	100							13	28			
	125								11	28		
	160									10		
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	165	81	7	17,25	144	81
16	25,30	77	36	9	21,85	104	49
20	27,60	60	33	11	25,30	77	36
25	37,95	30	16	13,5	27,60	60	33
32	48,30	18	9	16	31,05	45	25
40	60,95	11	6	21	37,95	30	16
50	69,00	8	5	29	48,30	18	9
63	74,75	8	4	36	60,95	11	5
				42	69,00	8	4
				48	74,75	8	4

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.23 40 11**

**Ex ia 15.23 40 11**




**25.23 40 11**

**ATEX**

**h x w x d 230 x 400 x 111 mm**

**3840 g**

l in mm	in mm	N	N	mm²											
TS 35		36x6 mm²													
381	340	1			16	•	•	•	•	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	170	138	116	86	70	29	23	23			
	N	2	2	2	2	2	1	1	1			
	A	6										
	10	70										
	16	24	47	182								
	20	10	27	52								
	25		13	30	57							
	35			8	22	56						
	50				3	18	46					
	63					6	21	76				
	80						8	24	85			
	100							10	22			
	125								9			
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	103	45	7	17,25	103	45
16	25,30	50	18	9	21,85	64	28
20	27,60	39	17	11	25,30	46	18
25	37,95	20	8	13,5	27,60	39	17
32	48,30	14	5	16	31,05	33	12
40	60,95	6	3	21	37,95	18	8
50	69,00	5	2	29	48,30	13	4
63	74,75	5	2	36	60,95	6	3
				42	69,00	5	2
				48	74,75	5	2

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174



# Ex Aluminium enclosures



Type: **Ex e 05.23 40 23**

**Ex ia 15.23 40 23**




**25.23 40 23**

## ATEX

**h x w x d 230 x 400 x 225 mm**

**6840 g**

l in mm	in mm	N	N	mm <sup>2</sup>						
TS 35		36 x 6 mm <sup>2</sup>								
381	340	1		35	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	170	138	116	86	70	29	23	23	18		
	N	2	2	2	2	2	1	1	1	1		
	6											
	10	102										
	16	35	67	263								
	20	14	39	76								
	25		18	43	83							
	35			12	32	81						
	50				4	26	67					
	63					9	31	110				
	80						12	34	123			
	100							15	32			
	125								13	33		
	160									11		
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side		
		A/B	C/D			A/B	C/D	
12		17,25	240	108	7	17,25	240	108
16		25,30	122	48	9	21,85	160	63
20		27,60	100	44	11	25,30	112	48
25		37,95	54	21	13,5	27,60	100	44
32		48,30	30	13	16	31,05	77	35
40		60,95	18	9	21	37,95	54	21
50		69,00	15	6	29	48,30	30	13
63		74,75	12	5	36	60,95	18	6
					42	69,00	15	6
					48	74,75	12	5

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.23 60 11**

**Ex ia 15.23 60 11**




**25.23 60 11**

## ATEX

**h x w x d 230 x 600 x 111 mm**

**6950 g**

l in mm	in mm	N	N	mm <sup>2</sup>						
TS 35		56 x 6 mm <sup>2</sup>								
581	540	1		16	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	266	214	180	136	54	45	36	36			
	N	2	2	2	2	1	1	1	1			
	6											
	10	72										
	16	24	47	185								
	20	10	28	54								
	25		13	30	58							
	35			9	23	57						
	50				3	18	47					
	63					6	22	78				
	80						8	24	87			
	100							10	23			
	125								9			
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side		
		A/B	C/D			A/B	C/D	
12		17,25	150	43	7	17,25	150	43
16		25,30	72	18	9	21,85	96	28
20		27,60	54	17	11	25,30	68	18
25		37,95	28	8	13,5	27,60	54	15
32		48,30	20	4	16	31,05	28	12
40		60,95	10	3	21	37,95	28	8
50		69,00	8	2	29	48,30	20	4
63		74,75	6	2	36	60,95	10	2
					42	69,00	8	2
					48	74,75	6	2

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

# Ex Aluminium enclosures



Type: **Ex e 05.31 40 11**

**Ex ia 15.31 40 11**




**25.31 40 11**

**ATEX**

**h x w x d 313 x 404 x 111 mm**

**5300 g**

l in mm	in mm	N	N	mm²							
TS 35		36 x 6 mm²									
381	340	2		16	•	•	•	•	•	•	•



	1,5	2,5	4	6	10	16	25	35	50	70	95
	**	258	210	174	132	70	58	23	23		
	N	3	3	3	2	2	2	1	1		
	6										
	10	81									
	16	27	54	209							
	20	11	31	60							
	25		15	34	66						
	35			10	26	64					
	50				3	21	43				
	63					7	24	87			
	80						9	27	98		
	100							11	26		
	125								10		
	160										
	200										
	225										
	250										
	315										
400											
500											

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	105	68	7	17,25	103	68
16	25,30	50	28	9	21,85	64	42
20	27,60	39	26	11	25,30	46	27
25	37,95	20	12	13,5	27,60	39	24
32	48,30	14	7	16	31,05	33	18
40	60,95	6	4	21	37,95	18	12
50	69,00	5	3	29	48,30	13	7
63	74,75	5	3	36	60,95	6	4
				42	69,00	5	3
				48	74,75	5	3

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.31 40 14**

**Ex ia 15.31 40 14**




**25.31 40 14**

**ATEX**

**h x w x d 312 x 403 x 141 mm**

**7000 g**

l in mm	in mm	N	N	mm²							
TS 35		36 x 6 mm²									
381	340	2		50	•	•	•	•	•	•	•




	1,5	2,5	4	6	10	16	25	35	50	70	95	
	**	258	207	174	132	70	58	23	23	18	14	
	N	3	3	3	2	2	2	1	1	1	1	
	6											
	10	89										
	16	30	59	230								
	20	12	34	67								
	25		16	38	73							
	35			11	28	71						
	50				4	23	58					
	63					7	27	97				
	80						10	30	108			
	100							13	28			
	125								11	29		
	160									10	25	
	200										9	22
	225										3	12
	250											6
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	147	95	7	17,25	147	95
16	25,30	70	43	9	21,85	96	55
20	27,60	55	32	11	25,30	70	40
25	37,95	28	18	13,5	27,60	55	32
32	48,30	17	10	16	31,05	44	28
40	60,95	12	7	21	37,95	27	18
50	69,00	7	4	29	48,30	17	10
63	74,75	6	3	36	60,95	12	7
				42	69,00	7	4
				48	74,75	6	3

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174


# Ex Aluminium enclosures
















Type: **Ex e 05.31 40 18**    **Ex ia 15.31 40 18**     **25.31 40 18**





## ATEX



**h x w x d** 313 x 404 x 181 mm

 **9000 g**

											
l in mm	in mm	N	N	mm <sup>2</sup>							
TS 35		36 x 6 mm <sup>2</sup>									
381	340	2		50	•	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95	
	**	258	210	174	132	70	58	23	23	18	14	14	
	N	3	3	3	2	2	2	1	1	1	1	1	
	6												
	10	101											
	16	34	67	260									
	20	14	39	75									
	25		18	43	82								
	35			12	32	80							
	50				4	26	66						
	63					8	31	109					
	80						11	34	122				
	100							14	32				
	125								13	32			
	160									11	28		
	200										10	25	
	225										4	14	
	250											7	
	315												
	400												
500													


M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	205	122	7	17,25	205	122
16	25,30	98	54	9	21,85	128	77
20	27,60	78	51	11	25,30	98	54
25	37,95	40	24	13,5	27,60	75	48
32	48,30	22	15	16	31,05	60	38
40	60,95	15	9	21	37,95	38	24
50	69,00	11	6	29	48,30	22	15
63	74,75	8	6	36	60,95	14	8
				42	69,00	10	6
				48	74,75	10	6













\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174


Type: **Ex e 05.31 40 23**    **Ex ia 15.31 40 23**     **25.31 40 23**





## ATEX



**h x w x d** 313 x 404 x 227 mm

 **9200 g**

											
l in mm	in mm	N	N	mm <sup>2</sup>							
TS 35		36 x 6 mm <sup>2</sup>									
381	340	2		50	•	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95	
	**	258	210	174	132	70	58	23	23	18	14	14	
	N	3	3	3	2	2	2	1	1	1	1	1	
	6												
	10	114											
	16	39	75	294									
	20	16	44	85									
	25		21	48	93								
	35			14	36	90							
	50				5	29	75						
	63					10	35	123					
	80						13	38	138				
	100							16	36				
	125								14	37			
	160									12	32		
	200										11	28	
	225										4	16	
	250											8	
	315												
	400												
500													

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	246	162	7	17,25	246	162
16	25,30	126	72	9	21,85	160	99
20	27,60	100	68	11	25,30	112	72
25	37,95	54	33	13,5	27,60	100	64
32	48,30	30	20	16	31,05	77	53
40	60,95	18	12	21	37,95	54	33
50	69,00	15	9	29	48,30	30	20
63	74,75	12	8	36	60,95	18	12
				42	69,00	15	9
				48	74,75	14	8

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

# Ex Aluminium enclosures



Type: **Ex e 05.31 60 11**

**Ex ia 15.31 60 11**




**25.31 60 11**

**ATEX**

**h x w x d 310 x 600 x 111 mm**

**9200 g**

l in mm	in mm	N	N	mm²											
TS 35		56 x 6 mm²													
581	540	2		16	•	•	•	•	•	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	399	321	270	204	108	90	36	36			
	N	3	3	3	2	2	2	1	1			
	6											
	10	85										
	16	29	56	220								
	20	12	33	64								
	25		15	36	69							
	35			10	27	68						
	50				4	22	56					
	63					7	26	92				
	80						10	29	103			
	100							12	27			
	125								11			
	160											
	200											
	225											
	250											
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	150	68	7	17,25	150	68
16	25,30	76	28	9	21,85	96	42
20	27,60	60	24	11	25,30	72	27
25	37,95	30	12	13,5	27,60	60	24
32	48,30	20	7	16	31,05	48	18
40	60,95	10	4	21	37,95	28	12
50	69,00	8	3	29	48,30	20	6
63	74,75	6	3	36	60,95	10	4
				42	69,00	8	3
				48	74,75	6	3

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174

Type: **Ex e 05.31 60 18**

**Ex ia 15.31 60 18**




**25.31 60 18**

**ATEX**

**h x w x d 310 x 600 x 181 mm**

**12000 g**

l in mm	in mm	N	N	mm²											
TS 35		36 x 6 mm²													
581	540	2		50	•	•	•	•	•	•	•	•	•	•	•



		1,5	2,5	4	6	10	16	25	35	50	70	95
	**	399	321	270	204	108	90	36	36	28	22	22
	N	3	3	3	2	2	2	1	1	1	1	1
	6											
	10	104										
	16	36	69	269								
	20	15	40	78								
	25		19	44	85							
	35			13	33	83						
	50				5	27	68					
	63					9	32	113				
	80						12	35	126			
	100							15	33			
	125								13	34		
	160									11	30	
	200										10	26
	225										4	15
	250											8
	315											
400												
500												

M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	270	122	7	17,25	270	122
16	25,30	140	54	9	21,85	184	74
20	27,60	108	48	11	25,30	134	54
25	37,95	56	24	13,5	27,60	108	48
32	48,30	32	15	16	31,05	84	35
40	60,95	22	9	21	37,95	56	24
50	69,00	16	6	29	48,30	32	15
63	74,75	12	6	36	60,95	22	8
				42	69,00	16	6
				48	74,75	12	6












\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174





# Ex Aluminium enclosures






Type: **Ex e 05.60 60 20**    **Ex ia 15.60 60 20**     **25.60 60 20**

**ATEX**     **600 x 600 x 202 mm**     **26500 g**


										
l in mm	in mm	N	N	mm <sup>2</sup>						
TS 35		56 x 6 mm <sup>2</sup>								
575	540	3		120						•

		1,5	2,5	4	6	10	16	25	35	50	70	95	120	150	185	240
	**	532	428	360	204	162	135	108	108	56	22	22	18	18	15	15
	N	4	4	4	3	3	3	2	2	1	1	1	1	1	1	1
	6															
	10	142														
	16	49	95	368												
	20	20	55	107												
	25		26	60	116											
	35			18	45	113										
	50				6	37	94									
	63					12	43	154								
	80						16	48	173							
	100							20	45							
	125							2	18	46						
	160								16	41						
	200									14	35	109				
	225									5	20	42				
	250										10	26	54			
	315											5	15	32		
400														7	22	
500															3	

\*\* Base: Terminal block Phoenix Contact, further see page 173 + 174


 <p>DIN 50262</p> <p>A</p> <p>C    D</p> <p>B</p>							
M		Side		PG		Side	
		A/B	C/D			A/B	C/D
12	17,25	270	270	7	17,25	270	270
16	25,30	140	140	9	21,85	184	184
20	27,60	108	108	11	25,30	134	134
25	37,95	56	56	13,5	27,60	108	108
32	48,30	32	32	16	31,05	84	84
40	60,95	22	22	21	37,95	56	56
50	69,00	16	16	29	48,30	32	32
63	74,75	12	12	36	60,95	18	18
				42	69,00	12	12
				48	74,75	12	12

# Ex Aluminium enclosures




## Dimensions


Type	A	B	C	D	E	F	G	H	J	K	L
<b>05/15/25.06 06 03</b>	58	48	31	58	46	51	34	18	26,5		
<b>05/15/25.06 10 03</b>	98	88	71	98	86	91	74	18	32	37,8	78
<b>05/15/25.06 15 03</b>	150	140	123	150	138	143	126	72,5	85,3	102,6	130



Type	A	B	C	D	E	F	G	H	J
<b>05/15/25.08 08 06</b>	75	63	46	47	75	63	67	47	56
<b>05/15/25.08 13 06</b>	125	113	96	97	125	113	117	97	106
<b>05/15/25.08 18 06</b>	175	163	146	147	175	163	167	147	156



Type: **05/15/25.08 25 05**






# Ex Aluminium enclosures




## Dimensions


Type	A	B	C	D	E	F	G	H
<b>05/15/25.10 10 08</b>	100	88	70	100	86	92	71	80
<b>05/15/25.10 16 08</b>	160	148	130	160	146	152	131	140
<b>05/15/25.10 20 08</b>	200	188	170	200	186	192	171	180



Type	A	B	C	D	E	F	G	H	J	K	L	M
<b>05/15/25.12 12 08</b>	122	108	85	122	106	113	85	95	5,5	81	20	72
<b>05/15/25.12 12 09</b>	122	108	85	122	106	113	85	95		91	30	82
<b>05/15/25.12 22 08</b>	220	206	183	220	204	211	183	193		81	20	72
<b>05/15/25.12 22 09</b>	220	206	183	220	204	211	183	193		91	30	82
<b>05/15/25.12 36 08</b>	360	346	323	360	344	351	323	333		81	20	72



Type	A	B	C	D	E	F	G	H
<b>05/15/25.14 14 09</b>	140	126	98	140	120	131	100	110
<b>05/15/25.14 20 09</b>	200	186	158	200	180	191	160	170




# Ex Aluminium enclosures




## Dimensions


Type	A	B	C	D	E	F	G	H
<b>05/15/25.16 16 09</b>	160	146	115	160	140	151	120	130
<b>05/15/25.16 26 09</b>	260	246	215	260	240	251	220	230
<b>05/15/25.16 36 09</b>	360	346	315	360	340	351	320	330



Type: **05/15/25.16 56 09**



Type	A	B	C	D	E	F	G	H
<b>05/15/25.18 18 10</b>	180	166	135	180	160	171	140	150
<b>05/15/25.18 28 10</b>	280	266	235	280	260	271	240	250




# Ex Aluminium enclosures




## Dimensions

Type: **05/15/25.23 10 11**



Type	A	B	C	D	E	F	G	H	J	K	L	M
<b>05/15/25.23 20 11</b>	202	232	187	217	155	155	44	202	232	180	180	192
<b>05/15/25.23 20 18</b>	202	232	187	217	155	155	44	202	232	180	180	192
<b>05/15/25.23 28 11</b>	280	230	266	216	235	155	45	280	230	260	180	271
<b>05/15/25.23 33 11</b>	330	230	315	215	284	154	44	330	230	310	180	320
<b>05/15/25.23 33 18</b>	330	230	315	215	284	154	44	330	230	310	180	320
<b>05/15/25.23 40 11</b>	400	230	384	214	354	154	44	400	230	380	180	390
<b>05/15/25.23 40 23</b>	400	230	384	214	354	154	44	400	230	380	180	389

Type	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
<b>05/15/25.23 20 11</b>	222	160	160	170	80	120	144	111	91	102	13	4	20
<b>05/15/25.23 20 18</b>	222	160	160	170	80		144	181	160	170	14	5	19
<b>05/15/25.23 28 11</b>	221	240	160	250	80	120	144	111	91	102	13	4	20
<b>05/15/25.23 33 11</b>	220	289	159	300	80	120	144	111	91	102	13	4	20
<b>05/15/25.23 33 18</b>	220	289	159	300	80		144	181	161	170	15	6	20
<b>05/15/25.23 40 11</b>	220	360	160	370	80	120	144	111	91	102	13	4	20
<b>05/15/25.23 40 23</b>	219	359	159	370	80	120	144	225	205	214	14	5	20




# Ex Aluminium enclosures




## Dimensions


Type: **05/15/25.23 60 11**



Type	A	B	C	D	E	F	G	H	J	K	L
<b>05/15/25.31 40 11</b>	404	313	362	394	242	303	111	91	101	13	4
<b>05/15/25.31 40 14</b>	403	312	362	391	242	300	141	121	129	14	6
<b>05/15/25.31 40 18</b>	404	313	362	394	242	303	181	161	169	14	6
<b>05/15/25.31 40 23</b>	404	313	363	391	243	300	227	207	216	14	5



Type	A	B	C
<b>05/15/25.31 60 11</b>	111	91	99
<b>05/15/25.31 60 18</b>	181	161	169



# Ex Aluminium enclosures



## Dimensions

Type: **05/15/25.60 60 20**

