



SIGNALLING COLUMN SINGLE-FLASH LIGHT ELEMENT
RED,
24V DC

General technical data:

product brand name		SIRIUS
Product component / fluorescent materials		Yes
Design of the optical signal		flash light
Voltage type / of operating voltage		DC
Operating voltage • 1 / for DC / rated value	V	24
Reference code / according to DIN EN 61346-2		P

Mechanical data:

External diameter / of the signal column element	mm	70
---	----	----

Lamp:

Nature of fluorescent material		LED
---------------------------------------	--	-----

Ambient conditions:

Ambient temperature • during operating	°C	-20 ... +50
Protection class IP		IP65
Height	mm	65.5
Width	mm	70

Certificates/ approvals:

General Product Approval	EMC	Declaration of Conformity	Shipping Approval	other	
	 UL	 C-TICK	 EG-Konf.	 DNV	Confirmation

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator




<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/8WD4420-0CB/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WD4420-0CB



\W9.4444;
\W6.8333; 8WD44...-

last change:

Jun 16, 2014