SIEMENS

Product data sheet 3RT2916-1CE00



SURGE SUPPRESSOR, RC COUPLING, AC 240...400V, F. CONT. RELAYS A. MOTOR CONT. SZ S00,

General technical data:			
product brand name		SIRIUS	
Product designation		surge suppressor	
Size of contactor		S00	
Design of the surge suppressor		with RC elements	
Ambient temperature			
during storage	°C	-40 +80	
during operation	°C	-25 +60	

Control circuit:			
Type of voltage / of the control supply voltage		AC	
Control supply voltage frequency			
• 1 / Rated value	Hz	50	
• 2 / Rated value	Hz	60	
Control supply voltage / 1			
• with AC / at 50 Hz			
Initial rated value	V	240	
Final rated value	V	400	
• with AC / at 60 Hz			
Final rated value	V	400	
Initial rated value	V	240	

Installation/mounting/dimensions:			
mounting position		any	
Mounting type		clip-on	
Width	mm	28	
Height	mm	46	
Depth	mm	9	

Certificates/approvals:

Certificate of suitability CE / UL / CSA / CCC

General Product Approval Declaration of Conformity









Special Test Certificate

Shipping Approval













Shipping Approval











Environmental Confirmations

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/industrial-controls/mall

CAx-Online-Generator


http://www.siemens.com/cax


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3RT2916-1CE00/all


 $Image\ database\ (product\ images,\ 2D\ dimension\ drawings,\ 3D\ models,\ device\ circuit\ diagrams,\ ...)$

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RT2916-1CE00









last change: Nov 17, 2014