



Figure similar

DOOR-COUPLING ROTARY OPERATING MECHANISM FOR CIRCUIT-BREAKERS SIZE S00/S0, HANDLE GRAY NEW DESIGN

General technical data:

product brand name		SIRIUS
Product designation		door-coupling rotary operating mechanism for heavy-duty operating conditions
Size of the circuit-breaker		S0
Design of the product		standard
Suitability for use		circuit-breakers S0
Protection class IP on the front		IP65
Ambient temperature		
• during storage	°C	-50 ... +80
• during operation	°C	-20 ... +70
Operating frequency maximum	1/h	15
Color of the actuating element		gray

Installation/ mounting/ dimensions:

mounting position		any
Mounting type		screw fixing
Width	mm	75
Height	mm	75
Depth	mm	78
Length	mm	300
Diameter	mm	40
Required spacing for grounded parts		
• forwards	mm	0
• Backwards	mm	0
• upwards	mm	0

- at the side
- downwards

mm	0
mm	0

### Certificates/ approvals:

Certificate of suitability CE / UL / CSA

General Product Approval	Shipping Approval	other
--------------------------	-------------------	-------



[Environmental Confirmations](#)

[Confirmation](#)



### other

[other](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RV29262B>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**


<https://support.industry.siemens.com/cs/ww/en/ps/3RV29262B>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RV29262B&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RV29262B&lang=en)



last modified:



27.04.2015