

STANDARD ACTUATOR FOR ALL RFID SAFETY SWITCHES
RECTANGULAR 25MM X 91MM, WITHOUT MAGNETIC LATCHING



Design of the product	RFID actuator
General technical data:	
Product property	Actuator without magnet latching
Protection class IP	IP65, IP67, IP69k
Height of the sensor	22 mm
Length of the sensor	91 mm
Width of the sensor	25 mm
Material of the active sensor area	plastic
Mechanical installation condition for sensor	flush installation possible
Enclosure:	
Material of the enclosure	plastic
Material of cable sheath	PVC
Ambient conditions:	
Ambient temperature	-25 ... +70 °C
• during operation	
Installation/ mounting/ dimensions:	
Mounting type	screw fixing

Certificates/ approvals:

General Product Approval	Functional Safety/Safety of Machinery	Declaration of Conformity
--------------------------	---------------------------------------	---------------------------



[Baumusterprüfbescheinigung](#)



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mfb=3SE63100BC01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SE63100BC01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mfb=3SE63100BC01&lang=en



last modified:

22.07.2015