

SOLID-STATE TIME-DELAY AUXIL. SWITCH BLOCK  
 TIME SETTING RANGE 0,5...10 S, AC/DC 220...240 V,  
 1NO + 1NC, OFF-DELAY, F. MOUNTING ONTO  
 CONTACTORS SIZE S0...S12



Figure similar

General technical data:		
product brand name		SIRIUS
Product designation		auxiliary switch
Size of contactor can be combined company-specific		S0 ... S12
Product function		
• star-delta circuit		No
• at the relay outputs Switchover delayed/without delay		No
Product component semi-conductor output		No
Product expansion		
• optional remote control		No
• required remote control		No
Adjustable time	s	0.5 ... 10
Ambient temperature during operation	°C	-25 ... +60
Equipment marking acc. to DIN 40719 extended according to IEC 204-2 acc. to IEC 750		K
Equipment marking acc. to DIN EN 61346-2		K
Switching Function:		
Switching function		

- ON-delay
- passing make contact
- fixed clock cycle beginning with pulse
- fixed clock cycle beginning with interval
- OFF delay
- variably clocked start with impulse
- variably clocked start with interval
- with control signal
  - additive ON delay
  - passing break contact
  - OFF delay

	No
	No
	No
	No
	Yes
	No
	No
	No
	No
	No
	No

#### Auxiliary circuit:

<b>Number of NC contacts</b>		
• delayed switching		1
• instantaneous contact		0
<b>Number of NO contacts</b>		
• delayed switching		1
• instantaneous contact		0
<b>Number of CO contacts</b>		
• delayed switching		0
• instantaneous contact		0

#### Installation/ mounting/ dimensions:

<b>Width</b>	mm	33
<b>Height</b>	mm	46
<b>Depth</b>	mm	73

#### Connections/ Terminals:

<b>Type of electrical connection</b>		
• for auxiliary and control current circuit		screw-type terminals

#### Certificates/ approvals:

General Product Approval	Functional Safety/Safety of Machinery	Declaration of Conformity
--------------------------	---------------------------------------	---------------------------



[Baumusterbescheinigung](#)



Test Certificates	Shipping Approval
-------------------	-------------------

[spezielle Prüfbescheinigung](#)  
[n](#)



Shipping Approval	other
-------------------	-------



[Umweltbestätigung](#)

[Bestätigungen](#)

[sonstig](#)

#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT19262FL21>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RT19262FL21>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RT19262FL21&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT19262FL21&lang=en)



last modified:

30.09.2015