

LV HRC fuse link, NH00, In: 160 A, gG, Un AC: 400 V, Combination indicator, insulated grip lugs



Model		
product brandname		SETRON
Product designation		LV HRC fuse link
Design of an identification indicator		Combination alarms
Design of the switching contact		Non-corroding, silver-plated
Design of the fuse link		LV HRC fuse link

General technical data		
Size of fuse system / acc. to DIN EN 60269-1		NH00
Operating class of the fuse link		gG
circuit-breaker / Design		3NA6
Supply voltage		
• at AC / rated value	V	400

Protection class		
Protection class IP		IP20, with connected conductors

Switching capacity		
Switching capacity current		
• acc. to IEC 60947-2 / rated value	kA	120

Dissipation

Power loss [W]

- for rated value of the current / at AC / in hot operating state / per pole

W	11.3
---	------

Electricity

rated current I _n / IEC, DIN/VDE / at 40 Cel	A	152
---------------------------------------------------------	---	-----

Current / at AC / rated value	A	160
-------------------------------	---	-----

Mechanical Design

Mounting position

Any, preferably vertical

Net weight

g	203
---	-----

Environmental conditions

Ambient temperature

- minimum
- maximum
- during storage / Note

°C	-5
----	----

°C	40
----	----

Air humidity 90% at 20 °C

Environmental category

-20 to +50 at 95% relative humidity

Certificates

Equipment marking

- acc. to DIN EN 61346-2
- acc. to DIN EN 81346-2

F

F

General Product Approval

Test Certificates

Shipping Approval

other



[spezielle Prüfbescheinigung](#)
n

[sonstig](#)



GL

[sonstig](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3NA6836-4>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3NA6836-4/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NA6836-4

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

09/22/2016